


#Name: Xiaoran Guo  
#Net ID: xxg180001  
#UTD ID: 2021432123


## Homework #5

### 1. Principal Component Analysis

a.



b.



#Name: Xiaoran Guo  
#Net ID: xxg180001  
#UTD ID: 2021432123

c.

k	a=0.0001	a=0.001	a=0.01	a=0.1
17	0.1133	0.1233	0.1333	0.1300
28	0.0933	0.0833	0.0967	0.0900
52	0.0800	0.0800	0.0800	0.0767
256	0.0833	0.0867	0.0700	0.0733

d.


Test error of the best pair (52, 0.1) with features selection:  
0.0833

Test error of the best pair (256, 0.01) without features selection:  
0.0767

Comparing to the performance of the SVM without feature selection, the test error has little difference. It shows that PCA actually does a good job. Although we reduce many dimensionalities, the performance does not change a lot.


## 2. Spectral Clustering

c.



#Name: Xiaoran Guo  
#Net ID: xxg180001  
#UTD ID: 2021432123


d.



When  $\gamma = 27$ , spectral clustering outperforms k-means clustering.


e.

The graphs show the segmented images produced by both approaches.



When  $\gamma = 0.1000$ , spectral clustering outperforms k-means clustering.

#Name: Xiaoran Guo  
#Net ID: xxg180001  
#UTD ID: 2021432123



When  $\gamma = 1.0000$ , spectral clustering performs worse.