

```
root@srv1: ~  
root@srv1:~#  
root@srv1:~# apt update  
Hit:1 http://ru.archive.ubuntu.com/ubuntu noble InRelease  
Hit:2 http://ru.archive.ubuntu.com/ubuntu noble-updates InRelease  
Hit:3 http://ru.archive.ubuntu.com/ubuntu noble-backports InRelease  
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
171 packages can be upgraded. Run 'apt list --upgradable' to see them.  
root@srv1:~# apt install ca-certificates curl  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
ca-certificates is already the newest version (20260601~24.04.1).  
curl is already the newest version (8.5.0-2ubuntu10.13).  
curl set to manually installed.  
The following package was automatically installed and is no longer required:  
  pigz  
Use 'apt autoremove' to remove it.  
0 upgraded, 0 newly installed, 0 to remove and 171 not upgraded.  
root@srv1:~# install -m 0755 -d /etc/apt/keyrings  
root@srv1:~# curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc  
root@srv1:~# ls -l /etc/apt/keyrings/  
total 4  
-rw-r--r-- 1 root root 3817 Sep 15 20:36 docker.asc  
root@srv1:~# chmod a+r /etc/apt/keyrings/docker.asc  
root@srv1:~# sudo tee /etc/apt/sources.list.d/docker.sources <<EOF  
Types: deb  
URIs: https://download.docker.com/linux/ubuntu  
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION_CODENAME}")  
Components: stable  
Architectures: $(dpkg --print-architecture)  
Signed-By: /etc/apt/keyrings/docker.asc  
EOF  
Types: deb  
URIs: https://download.docker.com/linux/ubuntu  
Suites: noble  
Components: stable  
Architectures: amd64  
Signed-By: /etc/apt/keyrings/docker.asc  
root@srv1:~#  
root@srv1:~# cat /etc/apt/sources.list.d/docker.sources  
Types: deb  
URIs: https://download.docker.com/linux/ubuntu  
Suites: noble
```

```
root@srv1:~#
root@srv1:~# cat /etc/apt/sources.list.d/docker.sources
Types: deb
URIs: https://download.docker.com/linux/ubuntu
Suites: noble
Components: stable
Architectures: amd64
Signed-By: /etc/apt/keyrings/docker.asc
root@srv1:~# sudo apt update
Hit:1 http://ru.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://ru.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://ru.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:5 https://download.docker.com/linux/ubuntu noble InRelease [48.5 kB]
Get:6 https://download.docker.com/linux/ubuntu noble/stable amd64 Packages [66.4 kB]
Fetched 115 kB in 1s (143 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
171 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@srv1:~# apt install docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  docker-ce-rootless-extras
Suggested packages:
  cgroupfs-mount | cgroup-lite docker-model-plugin
The following NEW packages will be installed:
  containerd.io docker-buildx-plugin docker-ce docker-ce-cli docker-ce-rootless-extras docker-compose-plugin
0 upgraded, 6 newly installed, 0 to remove and 171 not upgraded.
Need to get 99.7 MB of archives.
After this operation, 381 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 https://download.docker.com/linux/ubuntu noble/stable amd64 containerd.io amd64 2.3.5-1~ubuntu.24.04~noble [22.4 MB]
Get:2 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-ce-cli amd64 5:29.8.1-1~ubuntu.24.04~noble [17.6 MB]
Get:3 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-ce amd64 5:29.8.1-1~ubuntu.24.04~noble [24.3 MB]
Get:4 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-buildx-plugin amd64 0.37.1-1~ubuntu.24.04~noble [17.3 MB]
Get:5 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-ce-rootless-extras amd64 5:29.8.1-1~ubuntu.24.04~noble [10.2 MB]
Get:6 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-compose-plugin amd64 5.5.1-1~ubuntu.24.04~noble [8,012 kB]
```

```
root@srv1: ~  
Get:6 https://download.docker.com/linux/ubuntu noble/stable amd64 docker-compose-plugin amd64 5.5.1-1~ubuntu.24.04~noble [8,012 kB]  
Fetched 99.7 MB in 12s (8,173 kB/s)  
Selecting previously unselected package containerd.io.  
(Reading database ... 136711 files and directories currently installed.)  
Preparing to unpack .../0-containerd.io_2.3.5-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking containerd.io (2.3.5-1~ubuntu.24.04~noble) ...  
Selecting previously unselected package docker-ce-cli.  
Preparing to unpack .../1-docker-ce-cli_5%3a29.8.1-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking docker-ce-cli (5:29.8.1-1~ubuntu.24.04~noble) ...  
Selecting previously unselected package docker-ce.  
Preparing to unpack .../2-docker-ce_5%3a29.8.1-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking docker-ce (5:29.8.1-1~ubuntu.24.04~noble) ...  
Selecting previously unselected package docker-buildx-plugin.  
Preparing to unpack .../3-docker-buildx-plugin_0.37.1-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking docker-buildx-plugin (0.37.1-1~ubuntu.24.04~noble) ...  
Selecting previously unselected package docker-ce-rootless-extras.  
Preparing to unpack .../4-docker-ce-rootless-extras_5%3a29.8.1-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking docker-ce-rootless-extras (5:29.8.1-1~ubuntu.24.04~noble) ...  
Selecting previously unselected package docker-compose-plugin.  
Preparing to unpack .../5-docker-compose-plugin_5.5.1-1~ubuntu.24.04~noble_amd64.deb ...  
Unpacking docker-compose-plugin (5.5.1-1~ubuntu.24.04~noble) ...  
Setting up docker-buildx-plugin (0.37.1-1~ubuntu.24.04~noble) ...  
Setting up containerd.io (2.3.5-1~ubuntu.24.04~noble) ...  
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service → /usr/lib/systemd/system/containerd.service.  
Setting up docker-compose-plugin (5.5.1-1~ubuntu.24.04~noble) ...  
Setting up docker-ce-cli (5:29.8.1-1~ubuntu.24.04~noble) ...  
Setting up docker-ce-rootless-extras (5:29.8.1-1~ubuntu.24.04~noble) ...  
Setting up docker-ce (5:29.8.1-1~ubuntu.24.04~noble) ...  
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /usr/lib/systemd/system/docker.service.  
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket → /usr/lib/systemd/system/docker.socket.  
Processing triggers for man-db (2.12.0-4build2) ...  
Scanning processes...  
Scanning linux images...  
  
Running kernel seems to be up-to-date.  
  
No services need to be restarted.  
  
No containers need to be restarted.  
  
No user sessions are running outdated binaries.  
  
No VM guests are running outdated hypervisor (qemu) binaries on this host.  
root@srv1:~#
```

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

root@srv1:~#

root@srv1:~#

root@srv1:~# docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

root@srv1:~#

root@srv1:~# pwd

/root

root@srv1:~# mkdir docker && cd docker

root@srv1:~/docker# cat > index.html

```
<html>
```

```
<head>
```

```
<title>It's my custom page!</title>
```

```
</head>
```

```
<body>
```

```
<h1>Docker Home task!</h1>
```

```
<p>
```

```
<font color=red size=50>It's my custom page!</font>
```

```
</p>
```

```
<p>
```

```
<a href="https://docs.docker.com/engine/install/ubuntu/">Docker install</a>.
```

```
</p>
```

```
</body>
```

```
</html>
```

root@srv1:~/docker#

root@srv1:~/docker#

root@srv1:~/docker# cat > dockerfile

```
FROM nginx:stable-alpine
```

```
LABEL lbl="Lesson nginx:stable-alpine"
```

```
COPY index.html /usr/share/nginx/html
```

root@srv1:~/docker#

root@srv1:~/docker# docker build -t nginx-custom .

[+] Building 17.6s (7/7) FINISHED

docker:default

```
=> [internal] load build definition from dockerfile
```

0.0s

```
=> => transferring Dockerfile: 139B
```

0.0s

```
=> [internal] load metadata for docker.io/library/nginx:stable-alpine
```

2.1s

```
=> [internal] load .dockerignore
```

0.0s

```
=> => transferring context: 2B
```

0.0s

```
=> [internal] load build context
```

0.1s

```
=> => transferring context: 294B
```

0.0s

```
=> [1/2] FROM docker.io/library/nginx:stable-alpine@sha256:dc5069ad14f19660b141b21236140b91666bf89bbc3a3417c
```

4.9s


```
=> => resolve docker.io/library/nginx:stable-alpine@sha256:dc5069ad14f19660b141b21236140b91666bf89bbc3a3417c
```

0.1s

```
=> => sha256:c99233542456bfb494d68089ebb1b9eb3f0104ef0f676e7bc78fc637a0bad7bf 20.33MB / 20.33MB
```

4.7s

```
root@srv1: ~/docker
=> [internal] load metadata for docker.io/library/nginx:stable-alpine 2.1s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [internal] load build context 0.1s
=> => transferring context: 294B 0.0s
=> [1/2] FROM docker.io/library/nginx:stable-alpine@sha256:dc8069ad14f19660b141b21236140b91656b589bbc3e2417c 6.9s
=> => resolve docker.io/library/nginx:stable-alpine@sha256:dc8069ad14f19660b141b21236140b91656b589bbc3e2417c 0.1s
=> => sha256:c39233542455bfb494d68089ebb1b8eb3f0104ef0f676e7bc78f6c637a0bad7bf 20.33MB / 20.33MB 4.7s
=> => sha256:55afalecc21d3bb5e3045533dafce56272fdd88860bac26f6c32123439af26a4 3.95MB / 3.95MB 2.1s
=> => sha256:0bfdd0ed0041486dd19ac2807088044b7b780d7ce008314ef49e75d92f42b9c19 1.40kB / 1.40kB 1.1s
=> => sha256:6710fa5752a599abf4c9f336edfe5be7952766135b5050ac9afdefc0533834e2 1.21kB / 1.21kB 0.6s
=> => sha256:33e5f432b4d0343ae580ca491ee35e31f5100065684efcd023a8af08e0be7c729 403B / 403B 0.3s
=> => sha256:67f5f5ce9d4e9e340b2a802e96f9db7ae2326032b119722665750ca6082d06f2c 627B / 627B 0.3s
=> => sha256:51ec9c021a5aa5f4b4e020396c3080d9434d71d75288c5f4b06bfc78104310fe 954B / 954B 1.1s
=> => sha256:f45fdd263315816ec8bd937d40fb4450c1364e299cf7bdb48c14d19ee26ce32a0 4.35MB / 4.35MB 3.2s
=> => extracting sha256:55afalecc21d3bb5e3045533dafce56272fdd88860bac26f6c32123439af26a4 0.5s
=> => extracting sha256:f45fdd263315816ec8bd937d40fb4450c1364e299cf7bdb48c14d19ee26ce32a0 0.6s
=> => extracting sha256:67f5f5ce9d4e9e340b2a802e96f9db7ae2326032b119722665750ca6082d06f2c 0.0s
=> => extracting sha256:51ec9c021a5aa5f4b4e020396c3080d9434d71d75288c5f4b06bfc78104310fe 0.0s
=> => extracting sha256:33e5f432b4d0343ae580ca491ee35e31f5100065684efcd023a8af08e0be7c729 0.0s
=> => extracting sha256:6710fa5752a599abf4c9f336edfe5be7952766135b5050ac9afdefc0533834e2 0.0s
=> => extracting sha256:0bfdd0ed0041486dd19ac2807088044b7b780d7ce008314ef49e75d92f42b9c19 0.0s
=> => extracting sha256:c39233542455bfb494d68089ebb1b8eb3f0104ef0f676e7bc78f6c637a0bad7bf 1.1s
=> [2/2] COPY index.html /usr/share/nginx/html 7.8s
=> exporting to image 0.4s
=> => exporting layers 0.1s
=> => exporting manifest sha256:7dbec17d3c5bc4455a63abb63ee5e638243f1bbbe318e42c1b869a175f15166 0.1s
=> => exporting config sha256:a2c6faf84be572129af79888a5f7a5b18d1de2c6ac461f4bc837d798b5f3ebd2 0.0s
=> => exporting attestation manifest sha256:5aae10294e3bd21a98837357479936c627a61f34dcfc2048c4c1fale704a842e 0.0s
=> => exporting manifest list sha256:e4be3b44359ade44d6740326d8aabf5174183143128b6ab71e7253601879e1d7 0.0s
=> => naming to docker.io/library/nginx-custom:latest 0.0s
=> => unpacking to docker.io/library/nginx-custom:latest 0.0s
root@srv1:~/docker#
root@srv1:~/docker#
root@srv1:~/docker#
root@srv1:~/docker#
root@srv1:~/docker#
root@srv1:~/docker# docker run -dt --name doc1 -p 777:80 nginx-custom
bd3c36bec34c955195fea44ec8a157766c1b15db7c54c285bfff1bafb55ac9c57
root@srv1:~/docker# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS
NAMES
bd3c36bec34c   nginx-custom   "/docker-entrypoint. .... 13 seconds ago Up 12 seconds 0.0.0.0:777->80/tcp, [::]:77
7->80/tcp      doc1
root@srv1:~/docker# curl localhost:777
<html>
<head>
<title>It's my custom page!</title>
</head>
<body>
<h1>Docker Home task!</h1>
<p>
<font color=red size=50>It's my custom page!</font>
</p>
<p>
<a href="https://docs.docker.com/engine/install/ubuntu/">Docker install</a>.
</p>
</body>
</html>
root@srv1:~/docker#
```



Docker Home task!

It's my custom page!

[Docker install.](#)