

```
root@srv1:~# cd docker/
root@srv1:~/docker# ls
dockerfile  index.html
root@srv1:~/docker# docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA	Info	In Use
nginx-custom:latest	e4be3b44359a	101MB	28.5MB	U		

```
root@srv1:~/docker# docker build -t psmirnoff1975/nginx-custom:1.0.0 .
```

```
[+] Building 45.4s (7/7) FINISHED                                docker:default
```

```
> [internal] load build definition from dockerfile                0.2s
> => transferring dockerfile: 139B                               0.1s
> [internal] load metadata for docker.io/library/nginx:stable-alpine 3.6s
> [internal] load dockerignore                                    0.1s
> => transferring context: 2B                                     0.0s
> [1/3] FROM docker.io/library/nginx:stable-alpine@sha256:73c75df4075c 36.9s
> => resolve docker.io/library/nginx:stable-alpine@sha256:73c75df4075c 0.1s
> => sha256:c54fe1bc3d0f7b98a9f073704ec44ed96642b9b69 30.34MB / 30.34MB 4.6s
> => sha256:f709c26bfc6a0474abd2851641ff6b209dd577025f6 1.40kB / 1.40kB 1.3s
> => sha256:aac3a72f1123b823f55acd996a59133f46feb86faa9 1.21kB / 1.21kB 1.3s
> => sha256:da8b0d808e5c3713753e89eelf9dfe90fb19eb0ff78e274 404B / 404B 1.1s
> => sha256:16720f76a6c5de7581783bf4d55fead5d03e0ebdb9fde07 956B / 956B 0.3s
> => sha256:a9e7aa0bb73bd20b7931b7fa56d00bcecdde0a777436b5ba 629B / 629B 0.7s
> => sha256:d57a2d5adcf624d860440eda0751197834a37175fd5 4.35MB / 4.35MB 3.3s
> => extracting sha256:d57a2d5adcf624d860440eda0751197834a37175fd555f9b 0.9s
> => extracting sha256:a9e7aa0bb73bd20b7931b7fa56d00bcecdde0a777436b5ba 0.2s
> => extracting sha256:16720f76a6c5de7581783bf4d55fead5d03e0ebdb9fde075 0.1s
> => extracting sha256:da8b0d808e5c3713753e89eelf9dfe90fb19eb0ff78e274c 0.1s
> => extracting sha256:aac3a72f1123b823f55acd996a59133f46feb86faa9091da 0.1s
> => extracting sha256:f709c26bfc6a0474abd2851641ff6b209dd577025f696ed8 0.1s
> => extracting sha256:c54fe1bc3d0f7b98a9f073704ec44ed96642b9b693259c0b 29.7s
> [internal] load build context                                0.1s
> => transferring context: 32B                                  0.0s
> [3/3] COPY index.html /usr/share/nginx/html                3.8s
> exporting to image                                          0.9s
> => exporting layers                                          0.5s
> => exporting manifest sha256:606daleee641b0ec9b35c4822758a9ad01fa91658 0.0s
> => exporting config sha256:1a43fbc02bdfce9dec33563e64fb0b80bdc9e0385c 0.0s
> => exporting attestation manifest sha256:0b496244f99dabeb1b7021ac98b35 0.0s
> => exporting manifest list sha256:13d0e28b29018c5e5183c9a8ce389838949 0.2s
> => naming to docker.io/psmirnoff1975/nginx-custom:1.0.0 0.0s
> => unpacking to docker.io/psmirnoff1975/nginx-custom:1.0.0 0.0s
```

```
root@srv1:~/docker# docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA	Info	In Use
nginx-custom:latest	e4be3b44359a	101MB	28.5MB	U		
psmirnoff1975/nginx-custom:1.0.0	13d0e28b2901	101MB	28.6MB			

```
root@srv1:~/docker# docker run -dt --name doc2 -p 777:80 psmirnoff1975/nginx-cus
tom:1.0.0
```

```
11972e0dac0aba0ec3b9e2cd85dcf12f22c251ccf7bcbd496823f9e7ff3ca61e
```

```
root@srv1:~/docker# docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREAT
ED	STATUS	PORTS	NAMES
11972e0dac0a	psmirnoff1975/nginx-custom:1.0.0	"/docker-entrypoint..."	12 se
conds ago	Up 11 seconds	0.0.0.0:777->80/tcp, [::]:777->80/tcp	doc2

```
root@srv1:~/docker# curl localhost:777
```

```
<html>
<head>
<title>It's my custom page!</title>
```

```
<html>
<head>
<title>It's my custom page!</title>
</head>
<body>
<h1>Docker Home task!</h1>
<p>
<font color=red size=50>It's my custom page!</font>
</p>
<p>
<a href="https://docs.docker.com/engine/install/ubuntu/">Docker install</a>.
</p>
</body>
</html>
```

```
root@srv1:~/docker# docker stop doc2
```

```
doc2
```

```
root@srv1:~/docker#
```

```
root@srv1:~/docker#
```

```
root@srv1:~/docker# docker login
```

USING WEB-BASED LOGIN

Info → To sign in with credentials on the command line, use 'docker login -u <username>'

Your one-time device confirmation code is: BRQJ-KMSK

Press ENTER to open your browser or submit your device code here: <https://login.docker.com/activate>

Waiting for authentication in the browser...

^Clogin canceled

```
root@srv1:~/docker# docker login -u psmirnoff1975
```

Info → A Personal Access Token (PAT) can be used instead.
To create a PAT, visit <https://app.docker.com/settings>

Password:

WARNING! Your credentials are stored unencrypted in '/root/.docker/config.json'.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/go/credential-store/>

Login Succeeded

```
root@srv1:~/docker# docker image push psmirnoff1975/nginx-custom:1.0.0
```

The push refers to repository [docker.io/psmirnoff1975/nginx-custom]

f8c729e843ef: Pushed

44136fa355b3: Pushed

d57a2d5adcf6: Pushed

55afalecc21d: Pushed

a9e7aa0bb73b: Pushed

da8b0d805e5c: Pushed

16720f76a6c9: Pushed

f709c26bfc6a: Pushed

aac3a72f1123: Pushed

c54felbc3d0f: Pushed

0a7c78954450: Pushed

1.0.0: digest: sha256:13d0e28b29018c5e5183c9a8ee389038949d289aec690a73ab144ef3251c5060 size: 856

```
root@srv1:~/docker#
```

psmirnoff1975

Your individual account

- Repositories
- Hardened Images
- Collaborations
- Settings
- Default privacy
- Notifications
- Billing
- Usage
- Pulls
- Storage

[Repositories](#) / [nginx-custom](#) / [General](#)

psmirnoff1975/nginx-custom

Last pushed 1 minute ago • Repository size: 27.2 MB • ☆0 • ↓0

[Add a description](#)

[Add a category](#)

- General
- Tags
- Image Management
- Collaborators
- Webhooks
- Settings

Tags

DOCKER SCOUT INACTIVE
[Activate](#)

This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
1.0.0		Image	less than 1 day	1 minute

[See all](#)

Repository overview INCOMPLETE

An overview describes what your image does and how to run it. It displays in [the public view of your repository](#) once you have pushed some content.

[Add overview](#)

Using 0 of 1 private repositories.

Docker commands

[Public view](#)

To push a new tag to this repository:

```
docker push psmirnoff1975/nginx-custom:tagname
```



Build with Docker Build Cloud

Accelerate image build times with access to cloud-based builders and shared cache.

Docker Build Cloud executes builds on optimally-dimensioned cloud infrastructure with dedicated per-organization isolation.

Get faster builds through shared caching across your team, native multi-platform support, and encrypted data transfer - all without managing infrastructure.

[Go to Docker Build Cloud](#)

Upgrade subscription