# Racecar - Development Report

Smit Patel

# **Objective:**

For this Race car Project, We have to develop a Rule Based agent, that can complete all 8 tracks using Lidar sensor, and focus staying on center of the track with completing all track without crashing

# **Development Strategy:**

My Development strategy is that I gave 5 Lidar sensors for Farleft, Left, Center, Right, FarRight to run the car more centralized. If there is a sharp turn, car turns based on the Lidar sensor readings. For steering, it is most probably based on the each side of the road distance. Speeding control is based on the road, if the road is straight, speed is high. And If the road has turns, speed is low.(I have defined velocity as speed).For Last track(Spiral), there is a threshold used to avoid crashing. I tried to stabilize the car on white line with moderate speed to ensure safety.

### Code:

```
import random
class Agent:
    def chooseAction(self, observations, possibleActions):
        #for lidar and speed info
        lidar = observations['lidar']
        velocity = observations['velocity']
        #inf is for bigger number
        lidar = [d if d != float('inf') else 100 for d in lidar]
        farLeft, left, center, right, farRight = lidar
        #for driving car in center
        leftSide = farLeft + left
        rightSide = farRight + right
        #for sharp turn
```

```
if ('straight', 'brake') in possibleActions:
            return random.choice(possibleActions)
       if rightSide + 0.3 < leftSide:</pre>
           move = 'left'
       elif leftSide + 0.3 < rightSide:</pre>
           move = 'right'
           move = 'straight'
       if center < 0.6 or left < 0.5 or right < 0.5:
            if (move, 'brake') in possibleActions:
                return (move, 'brake')
       if velocity > 0.15:
            if (move, 'brake') in possibleActions:
            elif (move, 'coast') in possibleActions:
                return (move, 'coast')
        if velocity <= 0.15 and center > 1.0 and left > 0.8 and right >
0.8:
            if (move, 'accelerate') in possibleActions:
                return (move, 'accelerate')
        if (move, 'coast') in possibleActions:
            return (move, 'coast')
       return random.choice(possibleActions)
```

if min(lidar) < 0.05:

```
def load(self, data=None):
    pass
```

# **Performance:**

### 1st Iteration

This is the main code that I have used and committed at first, I ran this 100 times for every track and get the Average.

```
Track 1 \rightarrow Average Reward = 112.461501466129
```

Track 
$$2 \rightarrow$$
 Average Reward = 113.617434974375

Track 
$$3 \rightarrow$$
 Average Reward =  $115.527475325037$ 

Track 
$$4 \rightarrow$$
 Average Reward = 115.505632220539

Track 
$$5 \rightarrow$$
 Average Reward = 117.438472242391

Track 
$$6 \rightarrow$$
 Average Reward = 115.037062301693

Track 
$$7 \rightarrow$$
 Average Reward = 115.97211466462

Track 
$$8 \rightarrow$$
 Average Reward =  $110.828431169843$ 

# **2nd Iteration**

In second Commit, I updated some values,

Turn threshold from "0.3" to "0.2"

Brake for speed from "0.15" to "0.19"

Speed(Velocity) from "0.15" to "0.30"

And I Got new scores:

```
Track 1 \rightarrow Average Reward = 120.032851468588
```

Track 2 
$$\rightarrow$$
 Average Reward = 120.064774947006

Track  $3 \rightarrow$  Average Reward = 117.075920344431

Track  $4 \rightarrow$  Average Reward = 117.143614075571

```
Track 5 \rightarrow Average Reward = 119.635659832118

Track 6 \rightarrow Average Reward = 120.888290616874

Track 7 \rightarrow Average Reward = 118.716120351477

Track 8 \rightarrow Average Reward = 117.884907712841
```

Compared to Previous results, these new values showed better consistency and speed. New code gives more stable performance as compared to previous one.

#### **3rd Iteration**

In third Commit, I updated some values,

Velocity from "0.3" to "0.5"

And I Got new scores:

```
Track 1 \rightarrow Average Reward = 117.583457065607
```

Track  $2 \rightarrow$  Average Reward = 121.257825128989

Track  $3 \rightarrow$  Average Reward = 122.081297964599

Track  $4 \rightarrow$  Average Reward = 120.787945758318

Track  $5 \rightarrow$  Average Reward = 121.052135781843

Track  $6 \rightarrow$  Average Reward = 117.31463406831

Track 7  $\rightarrow$  Average Reward = 119.917302568724

Track  $8 \rightarrow$  Average Reward = 119.09450318443

Compared to the second iteration, these new scores showed slightly better consistency and speed, Except Spital(8th track).

I only did 3 Commits, because I was at number 2, and I was getting errors for Spiral track if I increased velocity furthermore.

Eventually, I just modified different values and got slightly better outcome.

#### **Conclusion:**

This Race Car project helped me understand how to build and tune a rule-based agent using LIDAR sensor inputs. I developed a car agent that successfully passes all 8 tracks by making

decisions based on sensor distances and adapting speed and direction according to the track. Through multiple iterations, I improved the car's performance by adjusting turning thresholds, braking logic, and speeding conditions. My final version achieved higher average rewards with consistent and stable behavior across all tracks. This project taught me the importance of building logic based on sensor data and balancing between speed and safety to build an efficient autonomous driving agent.