

Use-case:

Start a game

Primary actor:

Player

Goal in context:

To start a new round of the game

Preconditions:

1. game must be installed and updated to latest version
2. Game must not be already running a round

Trigger:

user decides to start a new game session

Scenario:

1. Player launches game
2. System displays main menu
3. Player clicks 'play' button
4. System checks that all necessary resources are loaded
5. System loads game
6. System displays some type of get ready screen
7. Game begins

Exceptions:

1. Game files are missing/corrupted -> display error message "game files missing/corrupted"
2. Player cancels before starting -> return to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: very frequently

Use-case:

Player hits enemy

Primary actor:

Player

Goal in context:

Handle collision between player and enemy, ending the current round

Preconditions:

1. Game round must be active
2. Both player and enemy are active and have collision detection

Trigger:

Player and enemy hitbox collide

Scenario:

1. Round in progress
2. Player moves within game area
3. Player and enemy collide
4. System detects collision

5. System displays some 'defeat' animation
6. System ends round
7. System displays 'game over' screen with 'play again / return to menu' options

Exceptions:

1. Player cancels round -> system goes back to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: frequently

Use-case:

Player hits trap

Primary actor:

Player

Goal in context:

Handle collision between player and trap, decreasing players score

Preconditions:

1. Game round must be active
2. Both player and trap are active and have collision detection

Trigger:

Player and trap hitbox collide

Scenario:

1. Round in progress
2. Player moves within game area
3. Player and trap collide
4. System detects collision
5. System displays some indicator that player took a hit
6. System decreases player's score accordingly
7. System updates score display to reflect new score
8. Game continues if score is greater than zero

Exceptions:

1. Player score falls below zero ->
 - a. system displays defeat animation
 - b. System displays game over screen, with 'play again / main menu' options
2. Player cancels round -> system goes back to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: frequently

Use-case:

Player collects gem

Primary actor:

Player

Goal in context:

Handle collision between player and gem, increasing players score

Preconditions:

1. Game round must be active
2. Both player and gem are active and have collision detection

Trigger:

Player and gem hitbox collide

Scenario:

1. Round in progress
2. Player moves within game area
3. Player and gem collide
4. System detects collision
5. System displays some indicator that player collected a gem
6. System increases player's score accordingly
7. System updates score display to reflect new score
8. Game continues

Exceptions:

1. Player cancels round -> system goes back to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: frequently

Use-case:

Player collects chest

Primary actor:

Player

Goal in context:

Handle collision between player and chest, increasing players score

Preconditions:

3. Game round must be active
4. Both player and chest are active and have collision detection

Trigger:

Player and chest hitbox collide

Scenario:

1. Round in progress
2. Player moves within game area
3. Player and chest collide
4. System detects collision
5. System displays some indicator that player collected a chest
6. System increases player's score accordingly
7. System updates score display to reflect new score
8. Game continues

Exceptions:

1. Player cancels round -> system goes back to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: frequently

Use-case:

Player exits the dungeon

Primary actor:

Player

Goal in context:

Handle collision between player and dungeon exit, ending the round

Preconditions:

1. Game round must be active
2. Both player and dungeon exit are active and have collision detection

Trigger:

Player and dungeon exit hitbox collide

Scenario:

1. Round in progress
2. Player moves within game area
3. Player and dungeon exit collide
4. System detects collision
5. System displays some indicator that player exited the dungeon
6. System stops the game
7. System evaluates final score
8. If final score is greater than current high score, updates high score
9. System displays victory screen, with score, and 'play again / main menu' options

Exceptions:

1. Player cancels round -> system goes back to main menu

Priority: High, this is a core functionality

When Available: initial release

Frequency of use: frequently