

FlowSync – Ticket Categorization Rules

1. Overview

This document defines the ticket categorization framework used by FlowSync, a B2B SaaS productivity platform.

It acts as the **decision brain for AI agents and support systems**, enabling consistent classification, routing, and prioritization of customer issues.

The goal is to ensure every incoming request is:

- Correctly categorized
 - Assigned to the right team
 - Prioritized by severity
 - Routed through the correct workflow
-

2. Core Ticket Categories

FlowSync supports the following primary categories:

2.1 Authentication

Issues related to login, security, and identity verification.

- Login failure
- MFA issues
- Account lockouts
- Session problems

2.2 Billing

Issues related to payments and subscriptions.

- Duplicate charges
- Refund requests
- Payment failures
- Invoice issues

2.3 Technical

System-level or functional issues.

- API failures
- Performance issues
- UI bugs
- Sync problems

2.4 Integration

Third-party service connectivity issues.

- Slack / Jira / GitHub failures
- OAuth issues
- Webhook failures
- Sync delays

2.5 Enterprise

High-priority organizational support.

- SLA issues
- Permission management
- Workspace issues
- Compliance requests

2.6 General / Usage

Product guidance and feature questions.

- How-to queries
 - Feature explanation
 - Setup guidance
-

3. Intent → Category Mapping

3.1 Authentication Mapping

Intent	Category
LOGIN_FAILURE	Authentication
MFA_FAILURE	Authentication
ACCOUNT_LOCKED	Authentication
PASSWORD_RESET_FAILURE	Authentication

3.2 Billing Mapping

Intent	Category
REFUND_REQUEST	Billing
DUPLICATE_CHARGE	Billing
PAYMENT_GATEWAY_ERROR	Billing
INVOICE_MISSING	Billing

3.3 Technical Mapping

Intent	Category
API_TIMEOUT	Technical
DASHBOARD_LOADING_FAILURE	Technical
PERFORMANCE_ISSUE	Technical
FILE_SYNC_FAILURE	Technical

3.4 Integration Mapping

Intent	Category
INTEGRATION_FAILURE	Integration

Intent	Category
OAuth_Error	Integration
Slack_Sync_Issue	Integration

3.5 Enterprise Mapping

Intent	Category
SLA_Breach	Enterprise
Access_Management	Enterprise
Permission_Issue	Enterprise

3.6 General Mapping

Intent	Category
Onboarding_Help	General
Integration_Guide	General
Feature_Usage_Query	General

4. Severity Classification Rules

4.1 Severity Levels

- **P0 (Critical):** System down, security breach, payment failure
- **P1 (High):** Major feature broken, widespread impact
- **P2 (Medium):** Partial issues, degraded performance
- **P3 (Low):** UI issues, general questions

4.2 Severity Assignment Logic

P0 Examples

- Authentication system failure
- Payment processing outage
- Complete API downtime

P1 Examples

- Slack integration down for all users
- Dashboard not loading
- Major API timeout spikes

P2 Examples

- Delayed notifications
- File sync lag
- Minor integration delays

P3 Examples

- Feature explanation requests
- UI confusion
- Documentation questions

5. Auto-Routing Logic

5.1 Routing Map

Category	Assigned Team
Authentication	Identity & Security Team
Billing	Finance Support Team
Technical	Engineering Team
Integration	Platform Integration Team
Enterprise	Enterprise Support Team
General	Customer Support Team

5.2 Routing Rules

- High severity tickets → immediate engineering escalation
 - Enterprise tickets → priority queue
 - Billing issues → finance validation required
 - Integration issues → platform engineering team
-

6. AI Classification Workflow

When a ticket is received:

1. Extract intent from user query
 2. Map intent → category
 3. Determine severity (P0-P3)
 4. Identify required team
 5. Check if escalation is needed
 6. Route to appropriate workflow agent
-

7. Multi-Agent Coordination Rules

Conversation Agent

- Extracts user intent
- Maintains context

Decision Agent

- Assigns category
- Determines severity

Ticket Agent

- Creates structured ticket
- Assigns to team

Escalation Agent

- Handles P0/P1 incidents
 - Triggers SLA workflows
-

8. Edge Case Handling

8.1 Ambiguous Queries

If intent is unclear:

- Ask clarifying question
- Assign to General category temporarily

8.2 Multi-Intent Queries

If multiple issues detected:

- Split into multiple tickets
- Assign separate categories

8.3 Missing Context

If insufficient data:

- Use conversation history
 - Request additional details
-

9. Business Impact Prioritization

Tickets are prioritized based on:

- Severity level (P0-P3)
- Customer tier (Free vs Enterprise)
- SLA impact
- Revenue impact

10. AI System Usage (Agentic Integration)

This document is used by AI agents to:

- Classify incoming support tickets
 - Route tickets to correct teams automatically
 - Assign severity levels consistently
 - Reduce misclassification errors
 - Improve multi-agent workflow coordination
-

End of Document
