


1. Contact Card



The first screenshot shows the initial setup of a new project in VS Code. The Explorer panel on the left shows the file structure of the 'reactjs_assign' project, including 'blog-component', 'contact-card', 'node_modules', 'public', 'src', 'assets', 'components', 'ContactCard.jsx', 'App.css', 'App.jsx', 'ContactCard.css', 'index.css', 'main.jsx', '.gitignore', 'eslint.config.js', 'index.html', 'package-lock.json', 'package.json', 'README.md', 'vite.config.js', and 'hello-world'. The Terminal panel on the right shows the command prompt output for creating a new Vite project named 'contact-card' in the 'reactjs_assign' directory. The output includes the command 'npm create vite', the selection of 'React' as the framework and 'JavaScript' as the variant, the scaffolding of the project, and the installation of dependencies. The Vite dev server is running on localhost:5173.

```
PS C:\Users\Dell\OneDrive\Documents\reactjs_assign> npm create vite
> npx
> create-vite

√ Project name: ... contact-card
√ Select a framework: » React
√ Select a variant: » JavaScript

Scaffolding project in c:\Users\Dell\OneDrive\Documents\reactjs_assign\contact-card...

Done. Now run:

  cd contact-card
  npm install
  npm run dev

PS C:\Users\Dell\OneDrive\Documents\reactjs_assign> cd contact-card
PS C:\Users\Dell\OneDrive\Documents\reactjs_assign\contact-card> npm install

added 258 packages, and audited 259 packages in 25s

107 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\Dell\OneDrive\Documents\reactjs_assign\contact-card> npm run dev

> contact-card@0.0.0 dev
> vite

VITE v6.0.7 ready in 468 ms


  → Local:   http://localhost:5173/
  → Network: use --host to expose
  → press h + enter to show help
1:28:16 pm [vite] (client) hmr update /src/App.jsx
```

The second screenshot shows the 'ContactCard.jsx' file in the Explorer panel. The file content is as follows:

```
1 import React from "react";
2 import "../ContactCard.css";
3
4 function ContactCard({ name, email, phone, address }) {
5   return (
6     <div className="contact-card">
7       <h2 className="contact-name">{name}</h2>
8       <p className="contact-email">Email: {email}</p>
9       <p className="contact-phone">Phone: {phone}</p>
10      <p className="contact-address">Address: {address}</p>
11    </div>
12  );
13 }
14
15 export default ContactCard;
```

The third screenshot shows the 'ContactCard.css' file in the Explorer panel. The file content is as follows:

```
1
2
3 .contact-card {
4   border: 1px solid #ddd;
5   border-radius: 8px;
6   padding: 16px;
7   margin: 10px;
8   max-width: 400px;
9   box-shadow: 0 4px 6px #f9f9f9;
10  background-color: #f9f9f9;
11 }
12
13 .contact-name {
14   font-size: 20px;
15   font-weight: bold;
16   color: #333;
17   margin-bottom: 8px;
18 }
19
20 .contact-email,
21 .contact-phone,
22 .contact-address {
23   font-size: 16px;
24   color: #555;
25   margin: 4px 0;
```



Contact Cards

Alice Johnson

Email: alice.johnson@example.com
Phone: 555-1234
Address: 123 Maple Street, Springfield

Bob Smith

Email: bob.smith@example.com
Phone: 555-5678
Address: 456 Oak Avenue, Metropolis

Charlie Brown

Email: charlie.brown@example.com
Phone: 555-8765
Address: 789 Pine Road, Gotham