

Plants aren't dumb


Using optimality theory to understand big
questions in plant ecophysiology

Nick Smith

Department of Biological Sciences
Texas Tech University


Acknowledgements

- Smith Ecophysiology Lab
 - Lizz Waring (now AProf at Northeastern State U)
 - Helen Scott (now in industry)
 - Evan Perkowski (PhD student)
 - Risa McNellis (MS Student)
- Next Generation Ecosystem Modeling Group
 - Colin Prentice (Imperial College)
 - Trevor Keenan (UC Berkeley)
 - Wang Han (Tsinghua U)
 - Beni Stocker (ETH Zurich)




Photosynthesis is important!


Photosynthesis is important!




Photosynthesis is important!



But predictions are uncertain!



But predictions are uncertain!



Model uncertainty > fossil fuel emissions

Theoretical models for photosynthesis exist

Planta 149, 78–90 (1980)

Planta
© by Springer-Verlag 1980




A Biochemical Model of Photosynthetic CO₂ Assimilation in Leaves of C₃ Species

G.D. Farquhar¹, S. von Caemmerer¹, and J.A. Berry²

¹ Department of Environmental Biology, Research School of Biological Sciences, Australian National University, P.O. Box 475, Canberra City ACT 2601, Australia and


² Carnegie Institution of Washington, Department of Plant Biology, Stanford, Cal. 94305, USA

These produce short term responses that match data




Long-term responses can differ from short-term responses due to acclimation

Long-term responses can differ from short-term responses due to acclimation




Long-term responses can differ from short-term responses due to acclimation

Acclimated to high light



Acclimated to low light



Acclimation is ubiquitous and well known...

CO₂: Bazzaz (1990)

Ann. Rev. Ecol. Syst. 1990, 21:167–96
Copyright © 1990 by Annual Reviews Inc. All rights reserved

THE RESPONSE OF NATURAL ECOSYSTEMS TO THE RISING GLOBAL CO₂ LEVELS

F. A. Bazzaz

Light: Boardman (1977)

Ann. Rev. Plant Physiol. 1977, 28:355–77
Copyright © 1977 by Annual Reviews Inc. All rights reserved

COMPARATIVE PHOTOSYNTHESIS OF SUN AND SHADE PLANTS

N. K. Boardman
Division of Plant Industry, CSIRO, Canberra City, A.C.T. 2601, Australia

Temperature: Berry & Björkman (1980)


Ann. Rev. Plant Physiol. 1980, 31:491–543
Copyright © 1980 by Annual Reviews Inc. All rights reserved

PHOTOSYNTHETIC RESPONSE AND ADAPTATION TO TEMPERATURE IN HIGHER PLANTS


Joseph Berry and Olle Björkman¹

...and can possibly impact carbon cycling and climate

Acclimation increase future C storage by ~6%



Acclimation alters future temperature by >1°C





Here's the rub:
No theoretical model for
photosynthetic acclimation exists

Lack of theory results in...



Lack of theory results in...

- Unreliable future predictions (overparameterization, tuning)
 - Reliance on statistical models



Lack of theory results in...

- Inability to test mechanisms



So, we developed a mechanistic model of photosynthetic acclimation

Based on **optimization** and the **first principles** of plant physiological theory

Optimization: Least cost hypothesis

Maintain fastest rate of photosynthesis at the lowest cost (water and nutrient use)

Optimal photosynthesis

Photosynthesis = $f\{\text{stomatal conductance,}$
 $\text{photosynthetic biochemistry}\}$

Optimal photosynthesis


Photosynthesis = $f\{\text{stomatal conductance,}$
 $\text{photosynthetic biochemistry}\}$



Must predict optimal rates of both

Optimal photosynthesis

Photosynthesis = $f\{\text{stomatal conductance,}$
 $\text{photosynthetic biochemistry}\}$



Open stomata:

Benefits

- High CO₂ influx

Costs

- High water outflux


Closed stomata:

Benefits

- Low water outflux

Costs

- Low CO₂ influx




Open stomata:

Benefits

- High CO₂ influx

Costs

- High water outflux



Closed stomata:

Benefits

- Low water outflux

Costs

- Low CO₂ influx
- Must maintain high amount of Rubisco to do photosynthesis

Optimal stomatal conductance


Optimal conductance maximizes photosynthesis
at least water loss and nutrient use

- Water loss is from transpiration
- Nutrient use is nutrients used to maintain Rubisco
 - Rubisco proxy is V_{cmax}


Stomatal conductance trait

The ratio of CO₂ in the leaf to CO₂ outside of the leaf (C_i/C_a)


$C_i/C_a = f\{\text{temperature,}$
 $\text{CO}_2,$
 $\text{vapor pressure deficit}\}$



C_i/C_a increases
with temperature
because of greater
photorespiration



C_i/C_a decreases
with VPD because
of greater water
loss




C_i/C_a decreases
with CO_2 because
of lower openness
needed to satisfy
Rubisco

Optimal photosynthesis

Photosynthesis = $f\{\text{stomatal conductance,}$
photosynthetic biochemistry}

Biochemistry optimization: Coordination hypothesis




Plant
biochemistry
setup will aim for
equal limitation
by all factors


Biochemistry trait

The maximum rate of Rubisco carboxylation (V_{cmax})


$$V_{\text{cmax}} = f \{\text{light}, T, CO_2\}$$




$V_{c\text{max}}$ increases
with light because
of greater electron
transport



$V_{c\max}$ increases
with temperature
because of greater
electron transport
and
photorespiration




$V_{c\max}$ increases
with VPD because
of lower stomatal
conductance



$V_{c\max}$ decreases with CO_2 because of greater CO_2 in the leaf

Global, optimally acclimated traits!




Ok, great, but now what?


Let's tackle some big questions in
plant ecophysiology!


Question 1: Is photosynthesis
optimized to the environment?


Global V_{cmax} dataset



3,697 measurements
202 sites
> 600 genera








Optimal V'_{cmax} is
similar to
observed
values

There is little effect of soils on V_{cmax}



Soil increased explained variation from 64% to 68% compared to optimal response alone

Question 1: Is photosynthesis optimized to the environment?

YES! Photosynthesis acclimates spatially as expected from optimization

Question 2: Does photosynthesis respond to soil nutrients?

Lizz Waring
TTU



From the least cost hypothesis...

Added nutrients will not increase photosynthesis
because light limitation will kick in



From the least cost hypothesis...

Added nutrients will not increase photosynthesis
because light limitation will kick in



**Optimal response would be to
increase leaf area**

But let's test it experimentally






No change ($P = 0.42$)




Leaf area, but not photosynthesis increases with N addition

No change ($P > 0.05$)



91% increase ($P < 0.05$)





But do greenhouse experiments
translate to the field?





Grassland soil nutrient addition network:

1. Leaf area index
2. Per-leaf-area nitrogen (photosynthetic proxy)




No change ($P > 0.05$)




Globally, N addition increases leaf area, not leaf N


No change ($P > 0.05$)



41% increase ($P < 0.05$)



Globally, N addition has no impact on leaf N





Each box is proportional to the variance in leaf N explained by each variable



Question 2: Does photosynthesis respond to soil nutrients?


No, plants respond to added nutrients by increasing leaf area, not photosynthesis

Question 3: How will
photosynthesis acclimate to
future conditions?

Expected future responses









Photosynthetic traits change with temperature in ways expected from optimization

Data = $-0.051 \text{ } ^{\circ}\text{C}^{-1}$

Predicted = $-0.048 \text{ } ^{\circ}\text{C}^{-1}$





V_{cmax} changes with CO_2 in ways expected from optimization

Boxes = data = -0.0063 Pa^{-1}
Circles = predicted = -0.0066 Pa^{-1}

What does that mean for future projections?



Energy Exascale
Earth System Model





Qing Zhu (LBNL)



Bill Riley (LBNL)


Higher CO₂ and increased temperatures
increase future photosynthesis






Downregulation
under elevated CO_2
would reduce leaf
nutrient demand!


Higher CO₂ and increased temperatures
increase future photosynthesis



Higher CO₂ and increased temperatures increase future photosynthesis (at lower nutrient use)



Need to rethink nutrient limitation in models



Question 3: How will photosynthesis acclimate to future conditions?

Photosynthesis will increase and per-leaf-area nutrient use will decrease

Question 4: When is C₄ photosynthesis an advantage over C₃ photosynthesis?

Helen Scott
TTU



C_3 versus C_4 optimization

C_4 versus C_3 optimization

C_4 photosynthesis has...




- No photorespiration
- An additional limitation (PEP carboxylation)

C_4 versus C_3 optimization




C_4 photosynthesis has...

- **No photorespiration**
- An additional limitation (**PEP carboxylation**)




Relative advantage of C₄ physiology






Relative advantage of C₄ physiology




Relative advantage of C₄ physiology




Relative advantage of C₄ physiology




Current relative advantage of C₄ (%)



Current relative advantage of C₄ (%)



Future relative advantage of C₄ (%)




Question 4: When is C₄ photosynthesis an advantage over C₃ photosynthesis?

C₄ is better in hot, dry, low CO₂ environments

Conclusions


Conclusions

- Plants aren't dumb!
 - Need to make sure our models allow for adaptive responses



Conclusions

- Theory yields mechanistic insight about acclimation and associated feedbacks




Optimal V_{max} model

$$A_c = V_{\text{max}} \cdot \frac{C_i - r^*}{C_i + K_m}$$
$$A_s = \varphi I \cdot \frac{C_i + K_m}{C_i + 2r^*}$$
$$A_c = A_s \quad \text{OPTIMALITY CONSTRAINT}$$
$$V_{\text{max}} = \varphi I \cdot \frac{C_i + K_m}{C_i + 2r^*}$$

Conclusions


- Theory yields mechanistic insight about acclimation and associated feedbacks
- We using it to study
 - Plant invasion
 - Mycorrhizal symbioses
 - Agriculture
 - Herbarium specimens




Presentation available at:
github.com/SmithEcophysLab/seminar/ou_fall2019



Global leaf isotope dataset



~4,000 observations
594 sites



Stomatal conductance is optimized!