Saint Lucia Country Insights

21 Feb 2025

Congratulations! This country has available data.

This page includes country-specific insights and more detailed analysis, including carbon stocks, emissions factors, and ecosystem wetland area for mangrove, marsh, and seagrass ecosystems. This report details information for the selected country, **Saint Lucia**.

Please explore the rest of the dashboard for more exciting visualizations, map features, and data.

Resources referenced to calculate estimates for **Saint Lucia** are listed below under 'References' at the bottom of this document.

Total Carbon Stock Estimates

Total Carbon stock estimates were calculated for each country and habitat At this time total Carbon stock estimates do not include seagrass

We estimate that **Saint Lucia** contains between 62632.19 to 44799.9 metric tonnes of soil C to a depth of 1 m, with a mean estimate of 53716.05 metric tonnes C.

country	territory	habitat	total_stocks	total_stocks_lower total	_stocks_uppertotal	_stocks_se
Saint	Saint	total	53716.05	62632.19	44799.9	4549.053
Lucia	Lucia					

This total estimate includes total mangrove carbon stocks, from NA to NA metric tonnes of soil C to a depth of 1 m, with a mean estimate of 53716.05

country	territory	habitat	$total_stocks$	total_stocks_lower total_	_stocks_uppertotal_	_stocks_se
Saint Lucia	Saint Lucia	mangrove	53716.05	NA	NA	4643.825

This total estimate also includes total tidal marsh carbon stocks, ranging from NA to NAmetric tonnes of soil C to a depth of 1 m, with a mean estimate of 0

country	territory	habitat	$total_stocks$	total_stocks_lower total_	$_stocks_uppertotal_$	_stocksse
Saint Lucia	Saint Lucia	marsh	0	NA	NA	NA

Seagrass carbon stocks were not included in the total value due to lack of a global, transparent, and independently assessed seagrass habitat map, however, best available areas and stocks for **Saint Lucia** are explored in the following 'Wetland Areas and Activities' section.

Wetland Areas and Activities

We estimate mangrove area in **Saint Lucia** to be 122.191971127242 to 0 hectares, with a mean estimate of 139.160747797708 hectares according to Global Mangrove Watch Bunting et al. (2018).

We estimate tidal marsh area in **Saint Lucia** to be 0 to 0 hectares, with a mean estimate of hectares according to Worthington et al. (2024).

We estimate seagrass area to be **Saint Lucia** to be a mean of 665 hectares, according to McKenzie et al. (2020), aggregating data from multiple sources.

McKenzie et al. (2020) classifies seagrass area estimates as either high or medium to low confidence. seagrass_area_high_confidence % of the estimated seagrass area of **Saint Lucia** is considered high to medium confidence, while seagrass_area_low_confidence % of the estimated seagrass area is categorized as low confidence.

Calculated Stocks and Emissions Factors

This section of the report details whether data is available to estimate Tier I, Tier II, or Tier III value estimates for tidal marsh, mangrove, and seagrass ecosystems in **Saint Lucia**.

If data for the selected country is available in the Coastal Carbon Atlas, we have applied a Tier II emission factor based on a simple average of country specific data queried from the Atlas.

Data from **Saint Lucia** includes 0 soil profiles from 0watersheds. This data comes from 0 different habitat types.

If there is not yet any country specific information in the Coastal Carbon Atlas, we instead applied IPCC Tier I estimate. IPCC Tier I estimates for mangrove, marsh, and seagrass ecosystems are listed below. **SOURCE**

The table in this section also details whether the calculated Tier II value is significantly different from the estimated Tier I values. This is observed in the "Overlap" column.

Table 4: IPCC Tier I Value Estimates

Habitat	Mean	Lower_CI	Upper_CI
mangrove	386	351	424
marsh	255	254	297
seagrass	108	84	139

Table 5: Availiability of Tier I and Tier II Data

Country	Territory	Habitat	Tier	Overlap
Saint Lucia Saint Lucia Saint Lucia		marsh	Tier I Tier I Tier I	NA

Tier I Carbon Stocks

This table includes Tier I Carbon Stocks included for Saint Lucia.

country	territory	habitat	stock_MgHa_mst	tauck_MgHa_lowertGtk_	_MgHa_up	p ėi© I	carbon_pool
Saint	Saint	mangrove	386	351	424	TierI	soil
Lucia	Lucia						
Saint	Saint	marsh	255	254	297	TierI	soil
Lucia	Lucia						
Saint	Saint	seagrass	108	84	139	TierI	soil
Lucia	Lucia						

Tier II Carbon Stocks

This table includes Tier II Carbon Stock estimates for **Saint Lucia**. Estimates in this table were derived from data queried from the Coastal Carbon Atlas. SOURCE

country territory habitat tier carbon_poolstock_MgHa_nsteack_MgHa_steack_MgHa_uppterCH_MgHa_lowerCI

Tier III Carbon Stocks

Tier III carbon stocks were estimated, when available, from remote sensing data from Maxwell et al 2021 and Sanderman et al 2018. The table below details whether estimated values are available for **Saint Lucia**, and any overlap with associated Tier I or Tier II values.

If there are no Tier III estimates associated with the selected country, please refer to Tier I and Tier II tables.

[1] "There are currently no Tier III remote sensing estimates for this country. Please refer to Tier

References

Bunting, Pete, Ake Rosenqvist, Richard M. Lucas, Lisa-Maria Rebelo, Lammert Hilarides, Nathan Thomas, Andy Hardy, Takuya Itoh, Masanobu Shimada, and C. Max Finlayson. 2018. "The Global Mangrove Watch—a New 2010 Global Baseline of Mangrove Extent." Remote Sensing 10 (10): 1669. https://doi.org/10.3390/rs10101669.

McKenzie, Len J, Lina M Nordlund, Benjamin L Jones, Leanne C Cullen-Unsworth, Chris Roelfsema, and Richard K F Unsworth. 2020. "The Global Distribution of Seagrass Meadows." *Environmental Research Letters* 15 (7): 074041. https://doi.org/10.1088/1748-9326/ab7d06.

Worthington, Thomas A., Mark Spalding, Emily Landis, Tania L. Maxwell, Alejandro Navarro, Lindsey S. Smart, and Nicholas J. Murray. 2024. "The Distribution of Global Tidal Marshes from Earth Observation Data." Global Ecology and Biogeography 33 (8). https://doi.org/10.1111/geb.13852.