Sri Lanka Country Insights

21 Feb 2025

Congratulations! This country has available data.

This page includes country-specific insights and more detailed analysis, including carbon stocks, emissions factors, and ecosystem wetland area for mangrove, marsh, and seagrass ecosystems. This report details information for the selected country, **Sri Lanka**.

Please explore the rest of the dashboard for more exciting visualizations, map features, and data.

Resources referenced to calculate estimates for **Sri Lanka** are listed below under 'References' at the bottom of this document.

Total Carbon Stock Estimates

Total Carbon stock estimates were calculated for each country and habitat At this time total Carbon stock estimates do not include seagrass

We estimate that **Sri Lanka** contains between 9983077.69 to 7110836.16 metric tonnes of soil C to a depth of 1 m, with a mean estimate of 8546956.92 metric tonnes C.

country	territory	habitat	total_stocks	total_stocks_lower_to	otal_stocks_upper total	_stocks_se
Sri	Sri	total	8546957	9983078	7110836	732714.7
Lanka	Lanka					

This total estimate includes total mangrove carbon stocks, from NA to NA metric tonnes of soil C to a depth of 1 m, with a mean estimate of 8379243.18

country	territory	habitat	total_stocks	total_stocks_lower_total_	_stocks_upper total_	stocks_se
Sri	Sri	mangrove	8379243	NA	NA	724396.9
Lanka	Lanka					

This total estimate also includes total tidal marsh carbon stocks, ranging from NA to NAmetric tonnes of soil C to a depth of 1 m, with a mean estimate of 167713.74

country	territory	habitat	$total_stocks$	total_stocks_lower_total	_stocks_upper_total_stocks_se
Sri Lanka	Sri Lanka	marsh	167713.7	NA	NA 23582.63

Seagrass carbon stocks were not included in the total value due to lack of a global, transparent, and independently assessed seagrass habitat map, however, best available areas and stocks for **Sri Lanka** are explored in the following 'Wetland Areas and Activities' section.

Wetland Areas and Activities

We estimate mangrove area in **Sri Lanka** to be 19060.9001773124 to 743.520465600335 hectares, with a mean estimate of 21707.8838969714 hectares according to Global Mangrove Watch Bunting et al. (2018).

We estimate tidal marsh area in **Sri Lanka** to be 398.37672320473 to 743.520465600335 hectares, with a mean estimate of hectares according to Worthington et al. (2024).

We estimate seagrass area to be **Sri Lanka** to be a mean of 140406 hectares, according to McKenzie et al. (2020), aggregating data from multiple sources.

McKenzie et al. (2020) classifies seagrass area estimates as either high or medium to low confidence. seagrass_area_high_confidence % of the estimated seagrass area of **Sri Lanka** is considered high to medium confidence, while seagrass_area_low_confidence % of the estimated seagrass area is categorized as low confidence.

Calculated Stocks and Emissions Factors

This section of the report details whether data is available to estimate Tier I, Tier II, or Tier III value estimates for tidal marsh, mangrove, and seagrass ecosystems in **Sri Lanka**.

If data for the selected country is available in the Coastal Carbon Atlas, we have applied a Tier II emission factor based on a simple average of country specific data queried from the Atlas.

Data from **Sri Lanka** includes 0 soil profiles from 0watersheds. This data comes from 0 different habitat types.

If there is not yet any country specific information in the Coastal Carbon Atlas, we instead applied IPCC Tier I estimate. IPCC Tier I estimates for mangrove, marsh, and seagrass ecosystems are listed below. **SOURCE**

The table in this section also details whether the calculated Tier II value is significantly different from the estimated Tier I values. This is observed in the "Overlap" column.

Table 4: IPCC Tier I Value Estimates

Habitat	Mean	Lower_CI	Upper_CI
mangrove	386	351	424
marsh	255	254	297
seagrass	108	84	139

Table 5: Availiability of Tier I and Tier II Data

Country	Territory	Habitat	Tier	Overlap
Sri Lanka	Sri Lanka Sri Lanka Sri Lanka	marsh	Tier I Tier I Tier I	NA

Tier I Carbon Stocks

This table includes Tier I Carbon Stocks included for Sri Lanka.

country	territory	habitat	stock_MgHa_metoock_	_MgHa_lowe rs @ck	_MgHa_uppe tri	e i	carbon_pool
Sri	Sri	mangrove	386	351	424 T	ierI	soil
Lanka Sri	Lanka Sri	marsh	255	254	297 T	ierI	soil
Lanka Sri	Lanka Sri	seagrass	108	84	139 T	ierI	soil
Lanka	Lanka	220-8-220		0 -			

Tier II Carbon Stocks

This table includes Tier II Carbon Stock estimates for **Sri Lanka**. Estimates in this table were derived from data queried from the Coastal Carbon Atlas. SOURCE

country territory habitat tier	carbon_pooltock_MgHa_rstendx	MgHa_steeckMgHa_upptercklMgHa_lowerC
--------------------------------	------------------------------	--------------------------------------

Tier III Carbon Stocks

Tier III carbon stocks were estimated, when available, from remote sensing data from Maxwell et al 2021 and Sanderman et al 2018. The table below details whether estimated values are available for **Sri Lanka**, and any overlap with associated Tier I or Tier II values.

If there are no Tier III estimates associated with the selected country, please refer to Tier I and Tier II tables.

[1] "There are currently no Tier III remote sensing estimates for this country. Please refer to Tier

References

Bunting, Pete, Ake Rosenqvist, Richard M. Lucas, Lisa-Maria Rebelo, Lammert Hilarides, Nathan Thomas, Andy Hardy, Takuya Itoh, Masanobu Shimada, and C. Max Finlayson. 2018. "The Global Mangrove Watch—a New 2010 Global Baseline of Mangrove Extent." Remote Sensing 10 (10): 1669. https://doi.org/10.3390/rs10101669.

McKenzie, Len J, Lina M Nordlund, Benjamin L Jones, Leanne C Cullen-Unsworth, Chris Roelfsema, and Richard K F Unsworth. 2020. "The Global Distribution of Seagrass Meadows." *Environmental Research Letters* 15 (7): 074041. https://doi.org/10.1088/1748-9326/ab7d06.

Worthington, Thomas A., Mark Spalding, Emily Landis, Tania L. Maxwell, Alejandro Navarro, Lindsey S. Smart, and Nicholas J. Murray. 2024. "The Distribution of Global Tidal Marshes from Earth Observation Data." Global Ecology and Biogeography 33 (8). https://doi.org/10.1111/geb.13852.