CO2xNxPhrag: Porewater Methane

July 2025 Samples

2025-10-29

Contents

1 Read in data files **2**

2 Assess standard curves **2**

3 Anlayze the Check Standards **5**

4 Analyze the Blanks **6**

5 Dilution correct samples and Check Range **9**

6 Calculate gas in water **10**

7 Merge samples with Metadata & check all samples are present **10**

##Run Information

```
cat("Run Information: Brenden D. Blakley ") #lets you know what section you're in
```

```
## Run Information: Brenden D. Blakley
```

```
#set the run date & user name
sample_year <- "2025"
sample_month <- "July"
user <- "Brenden Blakley"
#identify the files you want to read in
#read in as a list to accommodate multiple runs in a month

GHG_files <- c("Raw Data/20250902_GHGdata_LTREB_PHRAG.csv", "Raw Data/20250905_GHGdata_LTREB_PHRAG.csv"


# Define the file path for QAQC log file - NO Need to change just check year
log_path <- "Processed Data/LTREB_Phrag_ShimadzuGC_QAQC_2025.csv"

# Define final path for data be sure to change year and month and run number
final_path <- "Processed Data/GCReW_CO2xNxPhrag_Porewater_CH4_202507.csv"

#Gas in Water Calculations
# "TempC" column value in Celsius (equilibration temperature) and volume of gas (in liters) in syringe
TempC = 25 #Equilibration Temperature (Celsius)

volume_g = 0.015 #volume of gas (in liters) in syringe when equilibrized
volume_w = 0.015 #volume of water (in liters) in syringe when equilibrized (should be equal to volume_g

#record any notes about the run or anything other info here:
run_notes <- ""



#Collection_Dates = "Raw Data/Sample_Collection_Dates_2024.csv"

cat(run_notes)
```

##Set Up

##Read in metadata and create similar sample IDs for matching to samples

1 Read in data files

2 Assess standard curves

```
## `geom_smooth()` using formula = 'y ~ x'
```




```
## `geom_smooth()` using formula = 'y ~ x'
```




```
## Joining with `by = join_by(Run_Date)`

##   X Curve        R2    Slope   Intercept Run_Date
## 1 1  High 0.9997391 577.5898 104642.5944 9/2/2024
## 2 2  High 0.9998755 586.6350  48939.9343 9/5/2025
## 3 3   Low 0.9997620 599.1783    606.0063 9/2/2024
## 4 4   Low 0.9999368 601.4464    195.9643 9/5/2025
## 5 5  High 0.9997391 577.5898 104642.5944 9/2/2024
## 6 6  High 0.9998755 586.6350  48939.9343 9/5/2025
```




```
## [1] "High_R2 is Good-9/2/2024" "High_R2 is Good-9/5/2025"
```

```
## [1] "Low_R2 is Good-9/2/2024" "Low_R2 is Good-9/5/2025"
```

2.1 Now calculate the CH4 & CO2 concentrations in ppm

3 Anlayze the Check Standards

```
## >60% of CH4 Check Standards are within range of expected concentration - PROCEED
```



4 Analyze the Blanks

```
## Assess Blanks
```

```
## >60% of CH4 Blanks are below the lower 25% quartile of samples - PROCEED
```



Table 1: Mean Area of Blanks

Test	Blank_Mean_Area
CH4	1094.391

5 Dilution correct samples and Check Range





6 Calculate gas in water



7 Merge samples with Metadata & check all samples are present

```
## Merge Samples with Metadata
```

```
## All sample IDs are present in data
```

7.1 Organize Data

7.2 Visualize Data

```
## Visualize Data
```


CO2xNxPhrag: Porewater Methane
aN
eN
20
40
aCO2
eCO2
aCO2
eCO2
0
20
40
60
0
20
40
60
CH4 (uM)
Treatment:
eCO2_eN_Phrag
eCO2_aN_Phrag
aCO2_aN_Phrag
aCO2_eN_Phrag
eCO2_eN_Native
eCO2_aN_Native
aCO2_aN_Native
aCO2_eN_Native



#Export Processed Data

```
write.csv(All_Clean_Data, final_path)
```

#end