

GENX: Porewater SO₄/Cl

July 2026 Samples

2026-09-10

Contents

0.1	Run Information	2
0.2	Assess Standard Curves	3
0.3	Assess Check Standards	4
0.4	Assess Blanks	5
0.5	Assess Duplicates	7
0.6	Calculate mmol/L concentrations & salinity, add dilutions	8
0.7	Assess Analytical Spikes	9
0.8	Check if samples within the range of the standard curve	9
0.9	Check to see if samples run match metadata & merge info	10
0.10	Visualize Data - Cl	10
0.11	Visualize Data - SO ₄	13
0.12	Export Processed Data	16

##Add Required Packages

0.1 Run Information

```
##### Run information - PLEASE CHANGE
Date_Run = "2026-09-09" #Date that instrument was run
Run_by = "Victoria Ellis" #Instrument user
Script_run_by = "Victoria Ellis" #Code user
sample_year <- "2026"
sample_month <- "July"
Site = "GCREW"
run_notes = "Removed May re-run (Ch2-80) and added QAQC'd data to May processed file.
             One bad duplicate." #any notes from the run

##### File Names - PLEASE CHANGE
#file path and name for raw summary data file
raw_file_name_cl = "Raw Data/GENX_202607_Cl.txt"
raw_file_name_so4 = "Raw Data/GENX_202607_SO4.txt"

#file path and name of processed data file
processed_file_name = "Processed Data/GCReW_GENX_PW_Processed_Cl_SO4_202607.csv"

##### Log Files - PLEASE CHECK
#downloaded metadata csv - downloaded from Google drive as csv for this year
Raw_Metadata = here("..", "GCReW", "GCReW_Project_Treatment_Metadata.csv")

#qaqc log file path for this year
Log_path = "Raw Data/COMPASS_Synoptic_Cl_SO4_QAQClog_2025.csv"
```


##Set Up Code - constants and QAQC cutoffs

##Read in metadata and create similar sample IDs for matching to samples


##Import Sample Data

0.2 Assess Standard Curves


Chloride Std Curve



Sulfate Std Curve



```
## [1] "QAQC log file exists and has been read into the code."
```



```
## [1] "Cl Curve r2 GOOD"
```

```
## [1] "SO4 Curve r2 GOOD"
```



0.3 Assess Check Standards

```
## # A tibble: 5 x 5
##   sample_ID mean_Cl sd_Cl   cv_Cl flag_Cl
##   <chr>      <dbl> <dbl>   <dbl> <chr>
## 1 Standard 1    4.91 0.183 0.0373 Chloride Check Standard RSD within Range - P~
## 2 Standard 2    9.62 0.299 0.0311 Chloride Check Standard RSD within Range - P~
## 3 Standard 3   19.4 0.698 0.0359 Chloride Check Standard RSD within Range - P~
## 4 Standard 4  100.  0.340 0.00340 Chloride Check Standard RSD within Range - P~
## 5 Standard 5  200.  0.289 0.00144 Chloride Check Standard RSD within Range - P~
```

```
## # A tibble: 5 x 5
##   sample_ID mean_SO4 sd_SO4   cv_SO4 flag_SO4
##   <chr>      <dbl> <dbl>   <dbl> <chr>
## 1 Standard 1    0.499 0.0553 0.111 Sulfate Check Standard RSD within Range - P~
## 2 Standard 2    0.943 0.0252 0.0267 Sulfate Check Standard RSD within Range - P~
## 3 Standard 3    1.94 0.0668 0.0344 Sulfate Check Standard RSD within Range - P~
## 4 Standard 4    9.98 0.487 0.0488 Sulfate Check Standard RSD within Range - P~
## 5 Standard 5   20.0 1.11 0.0555 Sulfate Check Standard RSD within Range - P~
```

```
## [1] ">80% of Chloride Check Standards have RSD within range - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards have RSD within range - PROCEED"
```





```
## [1] ">80% of Chloride Check Standards are within range of expected concentration - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards are within range of expected concentration - PROCEED"
```

0.4 Assess Blanks

```
## [1] ">80% of Chloride Blank concentrations are lower 25% quartile of samples"
```

```
## [1] ">80% of Sulfate Blank concentrations are lower 25% quartile of samples"
```



Blank Conc <25% Quartile Samples ■ YE

Blank Conc <25% Quartile Samples ■ YE


```
## Chloride blanks mean ppm:
```

```
## [1] 0.00592381
```

```
## Sulfate blanks mean ppm:
```


```
## [1] 0.006485714
```

0.5 Assess Duplicates



```
## [1] ">80% of Chloride Duplicates have a CV <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a CV <10% - PROCEED"
```



```
## [1] ">80% of Chloride Duplicates have a percent difference <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a percent difference <10% - PROCEED"
```


0.6 Calculate mmol/L concentrations & salinity, add dilutions

```
# Convert ppm to mmol/L
all_dat$S04_Conc_mM <- (all_dat$S04_ppm / s_mw)
all_dat$Cl_Conc_mM <- (all_dat$Cl_ppm / cl_mw)

# Calculate Salinity
# calculated using the Knudsen equation
# Salinity = 0.03 + 1.8050 * Chlorinity
# Ref: A Practical Handbook of Seawater Analysis by Strickland & Parsons (P. 11)
# =((1.807*Cl_ppm)+0.026)/1000
all_dat$salinity <- ((1.8070 * all_dat$Cl_ppm) + 0.026) / 1000

#Need to determine dilution factors for your samples
all_dat$Dilution <- Dilution
# head(all_dat)
```


0.7 Assess Analytical Spikes



```
## [1] ">80% of S04 spikes have a recovery between the high and low cutoff - PROCEED"
```

0.8 Check if samples within the range of the standard curve

```
## Sample Flagging
```




Table 1: SO4 samples

SO4_Conc_flag	Percent_samples
Within_Range	100

Table 2: Cl samples

Cl_Conc_flag	Percent_samples
Within_Range	100


0.9 Check to see if samples run match metadata & merge info

```
## All sample IDs are present in metadata.
```


0.10 Visualize Data - Cl

```
## Visualize Data - Cl
```

GENX: Porewater Cl




GENX: Porewater Cl by Chamber




0.11 Visualize Data - SO4

```
## Visualize Data - SO4
```

GENX: Porewater SO4



GENX: Porewater SO₄ by Chamber



0.12 Export Processed Data

#end