

SMARTX: Porewater SO₄/Cl

July 2026 Samples 610-332

2026-10-02

Contents

0.1	Run Information	2
0.2	Assess Standard Curves	3
0.3	Assess Check Standards	4
0.4	Assess Blanks	5
0.5	Assess Duplicates	7
0.6	Calculate mmol/L concentrations & salinity, add dilutions	8
0.7	Assess Analytical Spikes	9
0.8	Check if samples within the range of the standard curve	9
0.9	Check to see if samples run match metadata & merge info	10
0.10	Visualize Data - Cl	10
0.11	Export Processed Data	16

##Add Required Packages

0.1 Run Information

```
##### Run information - PLEASE CHANGE
Date_Run = "2026-09-30" #Date that instrument was run
Run_by = "Victoria Ellis" #Instrument user
Script_run_by = "Victoria Ellis" #Code user
sample_year <- "2026"
sample_month <- "July"
Site = "GCREW"
run_notes = "One bad duplicate, one bad blank, one bad spike.
Will re-run 310-10, SO4 & Cl concentrations very low" #any notes from the run

##### File Names - PLEASE CHANGE
#file path and name for raw summary data file
raw_file_name_cl = "Raw Data/SMARTX_202607_610-332_Cl.txt"
raw_file_name_so4 = "Raw Data/SMARTX_202607_610-332_SO4.txt"

#file path and name of processed data file
processed_file_name = "Processed Data/GCReW_SMARTX_PW_Processed_Cl_SO4_202607_610-332.csv"

##### Log Files - PLEASE CHECK
#downloaded metadata csv - downloaded from Google drive as csv for this year
Raw_Metadata = here("../", "GCReW", "GCReW_Project_Treatment_Metadata.csv")

#qaqc log file path for this year
Log_path = here("Porewater QAQC Logs", "GCReW_SO4_Cl_QAQC_Log.csv")
```


##Set Up Code - constants and QAQC cutoffs

##Read in metadata and create similar sample IDs for matching to samples


##Import Sample Data

0.2 Assess Standard Curves


Chloride Std Curve



Sulfate Std Curve



```
## [1] "QAQC log file exists and has been read into the code."
```



```
## [1] "Cl Curve r2 GOOD"
```

```
## [1] "SO4 Curve r2 GOOD"
```


0.3 Assess Check Standards

```
## # A tibble: 5 x 5
##   sample_ID mean_Cl sd_Cl cv_Cl flag_Cl
##   <chr>      <dbl> <dbl> <dbl> <chr>
## 1 Standard 1 4.86 0.0271 0.00557 Chloride Check Standard RSD within Range --
## 2 Standard 2 9.66 0.0382 0.00395 Chloride Check Standard RSD within Range --
## 3 Standard 3 19.1 0.0381 0.00200 Chloride Check Standard RSD within Range --
## 4 Standard 4 96.4 0.0486 0.000504 Chloride Check Standard RSD within Range --
## 5 Standard 5 202. 0.134 0.000663 Chloride Check Standard RSD within Range --
```

```
## # A tibble: 5 x 5
##   sample_ID mean_SO4 sd_SO4 cv_SO4 flag_SO4
##   <chr>      <dbl> <dbl> <dbl> <chr>
## 1 Standard 1 0.513 0.0265 0.0517 Sulfate Check Standard RSD within Range - ~
## 2 Standard 2 0.952 0.0402 0.0422 Sulfate Check Standard RSD within Range - ~
## 3 Standard 3 1.87 0.0488 0.0261 Sulfate Check Standard RSD within Range - ~
## 4 Standard 4 9.48 0.0470 0.00495 Sulfate Check Standard RSD within Range - ~
## 5 Standard 5 20.3 0.0433 0.00213 Sulfate Check Standard RSD within Range - ~
```

```
## [1] ">80% of Chloride Check Standards have RSD within range - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards have RSD within range - PROCEED"
```




```
## [1] ">80% of Chloride Check Standards are within range of expected concentration - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards are within range of expected concentration - PROCEED"
```

0.4 Assess Blanks

```
## [1] ">80% of Chloride Blank concentrations are lower 25% quartile of samples"
```

```
## [1] ">80% of Sulfate Blank concentrations are lower 25% quartile of samples"
```




```
## Chloride blanks mean ppm:
```

```
## [1] 0.445324
```

```
## Sulfate blanks mean ppm:
```


```
## [1] 0.087752
```

0.5 Assess Duplicates



```
## [1] ">80% of Chloride Duplicates have a CV <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a CV <10% - PROCEED"
```



```
## [1] ">80% of Chloride Duplicates have a percent difference <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a percent difference <10% - PROCEED"
```


0.6 Calculate mmol/L concentrations & salinity, add dilutions

```
# Convert ppm to mmol/L
all_dat$S04_Conc_mM <- (all_dat$S04_ppm / s_mw)
all_dat$Cl_Conc_mM <- (all_dat$Cl_ppm / cl_mw)

# Calculate Salinity
# calculated using the Knudsen equation
# Salinity = 0.03 + 1.8050 * Chlorinity
# Ref: A Practical Handbook of Seawater Analysis by Strickland & Parsons (P. 11)
# = ((1.807*Cl_ppm)+0.026)/1000
all_dat$salinity <- ((1.8070 * all_dat$Cl_ppm) + 0.026) / 1000

#Need to determine dilution factors for your samples
all_dat$Dilution <- Dilution
# head(all_dat)
```


0.7 Assess Analytical Spikes



```
## [1] ">80% of S04 spikes have a recovery between the high and low cutoff - PROCEED"
```

0.8 Check if samples within the range of the standard curve

```
## Sample Flagging
```




Table 1: SO4 samples

SO4_Conc_flag	Percent_samples
Within_Range	100

Table 2: Cl samples

Cl_Conc_flag	Percent_samples
Within_Range	100


0.9 Check to see if samples run match metadata & merge info

```
## All sample IDs are present in metadata.
```


0.10 Visualize Data - Cl

```
## Visualize Data - Cl
```

C3: Porewater Cl




C3: Porewater Cl by Replicate




```
## Visualize Data - S04
```

C3: Porewater SO4



C3: Porewater SO4 by Replicate



0.11 Export Processed Data

#end