SMARTX: Porewater Sulfide

May 2025 Samples

2026-02-23

Code Set up

run information

```
##Before or After Reruns (YES or NO)
After_Reruns = "YES"
#If NO will not write final data file
  #And Will Write a Rerun File

###things that need to be changed

sample_month = "May"
sample_year = "2025"
Run_Date = as.Date("06/02/2025", format = "%m/%d/%Y")
Run_by = "Melanie Giessner"#Instrument user
Script_run_by ="Brenden Blakley"#Code user

Run_notes=""#any notes from run

#Import Plate Data

plates<- c("Plate1","Plate2","Plate3","Plate4","Plate5","Plate6","Plate7", "Plate8", "Plate9", "Plate10")

Raw_plates <- c("Raw Data/20250602_SMARTX_H2S_Plate1.csv",
                "Raw Data/20250602_SMARTX_H2S_Plate2.csv",
                "Raw Data/20250602_SMARTX_H2S_Plate3.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate4.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate5.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate6.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate7.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate8.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate9.csv",
                "Raw Data/20250603_SMARTX_H2S_Plate10.csv")

#Import Run Date for Each Plate for Std curve qaqc
Run_dates <- tibble(
    Plate = c("Plate1","Plate2","Plate3","Plate4","Plate5","Plate6","Plate7","Plate8","Plate9","Plate10"),
    Run_Date = c("06/02/2025","06/02/2025","06/02/2025","06/03/2025","06/03/2025","06/03/2025","06/03/2025
  )

  Run_dates <- Run_dates %>% mutate(Run_Date = as.Date(Run_Date, format = "%m/%d/%Y"))


# Define the file path for QAQC log file - NO Need to change just check year
log_path <- "Processed Data/SMARTX_H2S_QAQC_2025.csv"
```

```r
# Define final path for data be sure to change year and month and run number
final_path <- "Processed Data/GCReW_SMARTX_Porewater_H2S_202505.csv"
rerun_path <- "Processed Data/GCReW_SMARTX_Porewater_H2S_202505_reruns.csv"
```

##Read in metadata and create similar sample IDs for matching to samples

##Read in data

##Remove High CV Stds

##Check R2 & Remove Standards if Necessary

```
## Joining with `by = join_by(Plate, IDs)`
```

Plot Standard Curves







Return Flags For Standard Curve

Plate	R2_Flag	CV_Flag
Plate1	R2_Good	CV_Good
Plate10	R2_Bad	CV_Good
Plate2	R2_Bad	CV_Good
Plate3	R2_Good	CV_Good
Plate4	R2_Good	CV_Good
Plate5	R2_Good	CV_Good
Plate6	R2_Good	CV_Good
Plate7	R2_Good	CV_Good
Plate8	R2_Good	CV_Good
Plate9	R2_Good	CV_Good

Plate	Curve_RMVD
Plate1	KEPT
Plate2	REMOVED
Plate3	KEPT
Plate4	KEPT
Plate5	KEPT
Plate6	KEPT
Plate7	KEPT
Plate8	KEPT
Plate9	KEPT
Plate10	REMOVED

Method Detection Limit



Compare Check Standards to Standards



Display Any Check Flags

Plate	CHKs_Flag
Plate1	Std3Chk_Bad
Plate1	Std5Chk_Bad
Plate3	Std5Chk_Bad
Plate3	Std4Chk_Bad
Plate6	Std5Chk_Bad
Plate6	Std4Chk_Bad
Plate7	Std3Chk_Bad
Plate8	Std3Chk_Bad
Plate8	Std5Chk_Bad
Plate10	Std3Chk_Bad

Plate	CHK_CV_Flags

##Calculate Sulfide Concentrations & Add Concentration Flags

##Remove High CV Samples and Average

Plot Samples





Duplicate QAQC



Display Dup Flags

```
## [1] ">60% Dups Pass"
```

Plate	Dup_Flag
Plate1	Dup_Good
Plate2	Dup_Bad
Plate3	Dup_Good
Plate4	Dup_Good
Plate5	Dup_Good
Plate6	Dup_Good
Plate7	Dup_Bad
Plate8	Dup_Good
Plate9	Dup_Bad
Plate10	Dup_Good

Spike QAQC

Display Spike Flags

```
## [1] "Spikes Paired"
```

Plate	Spike_Flag
Plate1	Spk_Good
Plate3	Spk_Bad
Plate4	Spk_Good
Plate5	Spk_Good
Plate6	Spk_Good
Plate7	Spk_Bad
Plate8	Spk_Good
Plate9	Spk_Good
Plate10	Spk_Bad

```
## [1] "Spikes Pass"
```

Merge samples with Metadata & check all samples are present

```
## All sample IDs are present in data
```

##Add Flags

##Organize Data

Visualize Data

```
## Visualize Data
```


C3: Porewater H2S
5.1
3.4
1.7
0
10
20
40
80
120
0
2000
4000
6000
H2S (uM)
Treatment:
0 C + aCO2
1.7 C + aCO2
3.4 C + aCO2
5.1 C + aCO2
0 C + eCO2
5.1 C + eCO2


C4: Porewater H2S
5.1
3.4
1.7
0
10
20
40
80
120
0
2000
4000
6000
H2S (uM)
+Temp. (C)
0
1.7
3.4
5.1

```
## Warning: Using ‘size‘ aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use ‘linewidth‘ instead.
## This warning is displayed once per session.
## Call ‘lifecycle::last_lifecycle_warnings()‘ to see where this warning was
## generated.
```





##Export Data

END