

SMARTX: Porewater SO₄/Cl

May 2026 Samples 610-332

2026-08-17

Contents

0.1	Run Information	2
0.2	Assess Standard Curves	3
0.3	Assess Check Standards	4
0.4	Assess Blanks	5
0.5	Assess Duplicates	7
0.6	Calculate mmol/L concentrations & salinity, add dilutions	8
0.7	Assess Analytical Spikes	9
0.8	Check if samples within the range of the standard curve	9
0.9	Check to see if samples run match metadata & merge info	10
0.10	Visualize Data - Cl	10
0.11	Export Processed Data	16

##Add Required Packages

0.1 Run Information

```
##### Run information - PLEASE CHANGE
Date_Run = "2026-08-12" #Date that instrument was run
Run_by = "Victoria Ellis" #Instrument user
Script_run_by = "Victoria Ellis" #Code user
sample_year <- "2026"
sample_month <- "May"
Site = "GCREW"
run_notes = "" #any notes from the run

##### File Names - PLEASE CHANGE
#file path and name for raw summary data file
raw_file_name_cl = "Raw Data/SMARTX_202605_610-332_C1.txt"
raw_file_name_so4 = "Raw Data/SMARTX_202605_610-332_S04.txt"

#file path and name of processed data file
processed_file_name = "Processed Data/GCReW_SMARTX_PW_Processed_C1_S04_202605_610-332.csv"

##### Log Files - PLEASE CHECK
#downloaded metadata csv - downloaded from Google drive as csv for this year
Raw_Metadata = here("../", "GCReW", "GCReW_Project_Treatment_Metadata.csv")

#qaqc log file path for this year
Log_path = here("Porewater QAQC Logs", "GCReW_S04_C1_QAQC_Log.csv")
```


##Set Up Code - constants and QAQC cutoffs

##Read in metadata and create similar sample IDs for matching to samples


##Import Sample Data

0.2 Assess Standard Curves


Chloride Std Curve



Sulfate Std Curve



```
## [1] "QAQC log file exists and has been read into the code."
```



```
## [1] "Cl Curve r2 GOOD"
```

```
## [1] "SO4 Curve r2 GOOD"
```


0.3 Assess Check Standards

```
## # A tibble: 5 x 5
##   sample_ID mean_Cl sd_Cl cv_Cl flag_Cl
##   <chr>      <dbl> <dbl> <dbl> <chr>
## 1 Standard 1 4.97 0.00716 0.00144 Chloride Check Standard RSD within Range ~
## 2 Standard 2 9.98 0.00870 0.000872 Chloride Check Standard RSD within Range ~
## 3 Standard 3 19.6 0.0326 0.00166 Chloride Check Standard RSD within Range ~
## 4 Standard 4 99.4 0.428 0.00430 Chloride Check Standard RSD within Range ~
## 5 Standard 5 200. 0.532 0.00265 Chloride Check Standard RSD within Range ~
```

```
## # A tibble: 5 x 5
##   sample_ID mean_SO4 sd_SO4 cv_SO4 flag_SO4
##   <chr>      <dbl> <dbl> <dbl> <chr>
## 1 Standard 1 0.520 0.00733 0.0141 Sulfate Check Standard RSD within Range --
## 2 Standard 2 0.963 0.0122 0.0127 Sulfate Check Standard RSD within Range --
## 3 Standard 3 1.92 0.0143 0.00748 Sulfate Check Standard RSD within Range --
## 4 Standard 4 9.87 0.0565 0.00572 Sulfate Check Standard RSD within Range --
## 5 Standard 5 20.1 0.0789 0.00393 Sulfate Check Standard RSD within Range --
```

```
## [1] ">80% of Chloride Check Standards have RSD within range - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards have RSD within range - PROCEED"
```





```
## [1] ">80% of Chloride Check Standards are within range of expected concentration - PROCEED"
```

```
## [1] ">80% of Sulfate Check Standards are within range of expected concentration - PROCEED"
```

0.4 Assess Blanks

```
## [1] ">80% of Chloride Blank concentrations are lower 25% quartile of samples"
```

```
## [1] ">80% of Sulfate Blank concentrations are lower 25% quartile of samples"
```



Blank Conc <25% Quartile Samples ■ YE

Blank Conc <25% Quartile Samples ■ YE


```
## Chloride blanks mean ppm:
```

```
## [1] 0.006836
```

```
## Sulfate blanks mean ppm:
```


```
## [1] 0.008856
```

0.5 Assess Duplicates



```
## [1] ">80% of Chloride Duplicates have a CV <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a CV <10% - PROCEED"
```



```
## [1] ">80% of Chloride Duplicates have a percent difference <10% - PROCEED"
```

```
## [1] ">80% of Sulfate Duplicates have a percent difference <10% - PROCEED"
```


0.6 Calculate mmol/L concentrations & salinity, add dilutions

```
# Convert ppm to mmol/L
all_dat$S04_Conc_mM <- (all_dat$S04_ppm / s_mw)
all_dat$Cl_Conc_mM <- (all_dat$Cl_ppm / cl_mw)

# Calculate Salinity
# calculated using the Knudsen equation
# Salinity = 0.03 + 1.8050 * Chlorinity
# Ref: A Practical Handbook of Seawater Analysis by Strickland & Parsons (P. 11)
# = ((1.807*Cl_ppm)+0.026)/1000
all_dat$salinity <- ((1.8070 * all_dat$Cl_ppm) + 0.026) / 1000

#Need to determine dilution factors for your samples
all_dat$Dilution <- Dilution
# head(all_dat)
```


0.7 Assess Analytical Spikes



```
## [1] ">80% of S04 spikes have a recovery between the high and low cutoff - PROCEED"
```

0.8 Check if samples within the range of the standard curve

```
## Sample Flagging
```




Table 1: SO4 samples

SO4_Conc_flag	Percent_samples
Within_Range	100

Table 2: Cl samples

Cl_Conc_flag	Percent_samples
Within_Range	100


0.9 Check to see if samples run match metadata & merge info

```
## All sample IDs are present in metadata.
```


0.10 Visualize Data - Cl

```
## Visualize Data - Cl
```

C3: Porewater Cl




C3: Porewater Cl by Replicate




```
## Visualize Data - S04
```

C3: Porewater SO4



C3: Porewater SO4 by Replicate



0.11 Export Processed Data

#end