CO2xN: Porewater Sulfide

Month Year Samples

2026-01-29

Code Set up

run information

```
##Before or After Reruns (YES or NO)
After_Reruns = "YES"
#If NO will not write final data file
  #And Will Write a Rerun File

###things that need to be changed

#Full Month Name
sample_month = "September"
sample_year = "2025"
Run_Date = as.Date("07/14/2025", format = "%m/%d/%Y")
Run_by = "Melanie Giessner"#Instrument user
Script_run_by ="Brenden Blakley"#Code user

Run_notes=""#any notes from run

#Import Plate Data

plates<- c("Plate1","Plate2","Plate3","Plate4","Plate5","Plate6","Plate_rr")

Raw_plates <- c("Raw Data/20250918_LTREB_H2S_Plate1.csv",
                "Raw Data/20250918_LTREB_H2S_Plate2.csv",
                "Raw Data/20250918_LTREB_H2S_Plate3.csv",
                "Raw Data/20250918_LTREB_H2S_Plate4.csv",
                "Raw Data/20250918_LTREB_H2S_Plate5.csv",
                "Raw Data/20250918_LTREB_H2S_Plate6.csv",
                "Raw Data/20250919_LTREB_H2S_Plate7.csv")

#Import Run Date for Each Plate for Std curve qaqc
Run_dates <- tibble(
    Plate = c("Plate1","Plate2","Plate3","Plate4","Plate5","Plate6","Plate_rr"),
    Run_Date = c("09/18/2025","09/18/2025","09/18/2025","09/18/2025","09/18/2025","09/18/2025","09/19/2025
  )

  Run_dates <- Run_dates %>% mutate(Run_Date = as.Date(Run_Date, format = "%m/%d/%Y"))


# Define the file path for QAQC log file - NO Need to change just check year
log_path <- "Processed Data/LTREB_2M_H2S_QAQC_2025.csv"

# Define final path for data be sure to change year and month and run number
```

```r
final_path <- "Processed Data/GCReW_CO2xN_Porewater_H2S_202509.csv"
rerun_path <- "Processed Data/GCReW_CO2xN_Porewater_H2S_202509_reruns.csv"
```

##Read in Constants

##Read in metadata and create similar sample IDs for matching to samples

##Read in data

##Remove High CV Stds

##Check R2 & Remove Standards if Necessary

Plot Standard Curves







Return Flags For Standard Curve

```
## [1] "CV Good-Plate1"   "CV Good-Plate2"   "CV Good-Plate3"   "CV Good-Plate4"
## [5] "CV Good-Plate5"   "CV Good-Plate6"   "CV Good-Plate_rr"
```

```
## [1] "R2 Good-Plate1"   "R2 Good-Plate2"   "R2 Good-Plate3"   "R2 Good-Plate4"
## [5] "R2 Good-Plate5"   "R2 Good-Plate6"   "R2 Good-Plate_rr"
```

```
## [1] "Curve_Kept-Plate1"   "Curve_Kept-Plate2"   "Curve_Kept-Plate3"
## [4] "Curve_Kept-Plate4"   "Curve_Kept-Plate5"   "Curve_Kept-Plate6"
## [7] "Curve_Kept-Plate_rr"
```

Method Detection Limit



Compare Check Standards to Standards



Display Any Check Flags

```
## [1] "All Checks Good"
```

```
## [1] "Std3Chk_CV_High-Plate4"
```

##Calculate Sulfide Concentrations & Add Concentration Flags

##Remove High CV Samples and Average

Plot Samples





Duplicate QAQC



Display Dup Flags

```
## [1] ">60% Dups Pass"
```

```
## [1] "Dup_Bad-Plate1"    "Dup_Bad-Plate2"    "Dup_Good-Plate3"
## [4] "Dup_Good-Plate4"   "Dup_Bad-Plate5"    "Dup_Good-Plate6"
## [7] "Dup_Good-Plate_rr"
```

Spike QAQC

Display Spike Flags

```
## [1] "Spikes Paired"
```

```
## [1] "Spk_Good-Plate1"   "Spk_Bad-Plate2"    "Spk_Bad-Plate3"
## [4] "Spk_Good-Plate4"   "Spk_Bad-Plate5"    "Spk_Good-Plate6"
## [7] "Spk_Good-Plate_rr"
```

```
## [1] "<60% of Spikes Pass, Rerun"
```

Merge samples with Metadata & check all samples are present

```
## All sample IDs are present in data
```

##Add Flags

##Organize Data

Visualize Data





##Export Data

END