UNIVERSITÄT
BERN

Distributed version control with git — a brief introduction

Andrei Chis

based on slides by
Oscar Nierstrasz

Why git?

Why git?

Bob



Why git?



Why git?



Why git?



Why git?



Why git?

Cope with the confusion that happens when multiple people edit the same files

Bob

Carol





Bob



Repository

Carol




Snapshot
Version 1
Bob
Carol
Repository

Version 1

Bob



Carol



Repository


Bob
Snapshot
Version 1
Version 2
Repository
Carol

Bob





Carol



Bob





Carol





Bob



Carol



Version 1

Version 2

Version 3

Snapshot



Repository

Bob

Carol

Alice

Ted

Version 1

Version 4

Ve

Ve

Ve

Version 100

Version 2

Version 5

Ve

Ve

Ve

Version 101

Version 3

Version 6

Ve

Ve

Ve

Version 103

Repository

git

git

Tracks the history of a collection of files

git

Tracks the history of a collection of files

Can revert the collection of files to another version

git

distributed version control system

What is a distributed version control system?

What is a centralized version control system?

Bob



Carol





Bob



Carol





checkout

Central repository


Bob
Carol
checkout
checkout
Central
repository


Bob
Carol
Central repository


Bob
commit
Carol
Central
repository


Bob
Carol
commit
update
Central
repository


Bob
commit
Carol
Central
repository


Bob
commit
Carol
Central
repository


Bob
commit
Carol
commit
conflict
X
Central
repository



you must update before every commit

What is a distributed version control system?

Bob



Carol



Bob



local repository

clone

Remote repository (groupXY)

Carol




Bob
local repository
local repository
Carol
clone
clone
Remote repository (groupXY)


Bob
local repository
local repository
Carol
Remote repository (groupXY)


Bob
commit
local repository
local repository
Carol
Remote repository (groupXY)


Bob
commit
local repository
push
local repository
Carol
Remote repository (groupXY)


Bob
commit
local repository
push
pull
local repository
Carol
Remote repository (groupXY)


Bob
commit
local repository
push
local repository
Carol
Remote repository (groupXY)


Bob
commit
local repository
push
local repository
Carol
Remote repository (groupXY)


Bob
commit
local
repository
push
local
repository
Carol
commit
Remote
repository
(groupXY)


Bob
commit
local repository
push
push conflict
X
local repository
Carol
commit
Remote repository (groupXY)



you must pull before every push


groupX


groupX


Remote
repository
(p2ubungen)


groupX


Remote
repository
(p2ubungen)


groupX


Remote
repository
(p2ubungen)


groupX
Y
git remote add p2ubungen ...
Remote
repository
(p2ubungen)


groupX
Y
git remote add p2ubungen ...
git pull p2ubungen master
Remote
repository
(p2ubungen)



do not commit after the deadline;
it leads to merge conflicts

Basic git

A “commit” is
“a set of changes”
to a “set of files”

commit

Most commits
modify (or merge)
earlier commits



A graph of commits may belong to a *branch*



master

is the main branch



“HEAD “is the current branch



Create a git repo

```
mkdir repo
cd repo
git init
```



Tell git to “stage” changes





Commit your changes

```
git commit …
```

Collaborating

John

Jane

Local repo

Public repo



Local repo

John

Jane

Local repo

Public repo

Local repo

```
git clone …
```

master

C1

C0

master

C1

C0

master

C1

C0

```
git clone …
```


John
Jane
Local repo
Public repo
Local repo
master
C2
C1
C0
master
C1
C0
master
C3
C1
C0
git add …
git commit …
git add …
git commit …



(nothing new to pull)


John
Jane
Local repo
Public repo
Local repo
git push
master
C2
C1
C0
master
C2
C1
C0
master
C3
C1
C0


John
Jane
Local repo
Public repo
Local repo
git pull
master
C2
C1
C0
master
C2
C1
C0
master
C3
C2
C1
C0

John

Jane

Local repo



Public repo



Local repo

`git pull`



NB: **`git pull`** = fetch + merge

John

Jane

Local repo

master

C2

C1

C0

Public repo

master

C4

C3

C2

C1

C0

Local repo

`git push`

master

C4

C3

C2

C1

C0


John
Jane
Local repo
Public repo
Local repo
git pull
master
C4
C3
C2
C1
C0
master
C4
C3
C2
C1
C0
master
C4
C3
C2
C1
C0

to be continued

Resources

http://git-scm.com/

http://book.git-scm.com/index.html

http://www.slideshare.net/chacon/getting-git

github
SOCIAL CODING

https://github.com/



http://oreilly.com/