

From JSON Packet to Playable Scene: An Architectural Blueprint for Godot's In-Editor Automation Pipeline

Plugin Architecture and User Interface Design

The foundation of any in-editor automation pipeline in Godot is an `EditorPlugin`, which serves as a mechanism for extending the engine's core functionality [13](#) [167](#). This architecture allows developers to integrate custom tools, inspectors, docks, and more directly into the editor environment, creating a seamless workflow for designers and developers alike [47](#) [282](#). For the specified goal of transforming a JSON packet into a `.tscn` scene, the most appropriate plugin type is a custom `Dock` plugin [11](#). A dock provides a persistent panel within the Godot editor window, separate from the main scene view but always accessible, making it ideal for housing controls related to a specific task like level generation [188](#). Unlike a `MainScreenPlugin`, which adds new UI elements to the central area of the editor, a dock integrates neatly with the existing layout, providing a focused interface for interacting with the currently edited scene or project [188](#).

The implementation of the plugin begins with a GDScript class that inherits from `EditorPlugin` [17](#). This primary plugin script is responsible for registering the custom dock and managing its lifecycle within the editor [134](#). When the plugin is enabled in the project settings, its `._enter_tree()` function is called, where it would instantiate the dock and add it to the editor using the `add_control_to_dock()` method [50](#). The dock itself is typically created by instantiating a `Control` node, such as a `VBoxContainer`, which acts as a root container for all UI elements [56](#). Inside this container, a simple and intuitive user interface must be constructed to facilitate the automation process. This UI will consist of two primary components: a `FileDialog` control and a `Button` control [97](#) [246](#). The `FileDialog` allows the user to navigate the project's file system and select the JSON scene packet file that conforms to the specified schema. The `Button` serves as the execution trigger; once a valid JSON file is selected, clicking this button initiates the entire scene generation process.

The logic connecting these UI elements resides within the plugin's script. The `Button`'s `pressed` signal can be connected to a callback function that first verifies if a JSON file has been selected. If a file is present, this function proceeds to read the file's contents and pass them to the next stage of the pipeline: data validation. Conversely, the selection of a file through the `FileDialog` would populate a variable or label within the dock UI, signaling to the user that a file is ready for processing. This design keeps the interface clean and prevents premature execution. While more advanced UI features could be considered, such as displaying a progress bar for long-running operations or a log viewer for debugging messages, the core requirement is met with this minimalistic approach [339](#). The use of Godot's built-in `Control` nodes ensures that the plugin's UI is consistent with the rest of the editor's aesthetic and is easily manageable without requiring complex external dependencies [58](#). Furthermore, all code written for the editor, including the plugin and its associated UI logic, must be encapsulated within `@tool` scripts to ensure it executes correctly within the editor environment rather than just at runtime [191212](#). This ensures that the dynamic creation and manipulation of nodes happen within the scene tree editor, not just in a running game instance [234](#). The entire plugin structure is self-contained, allowing it to be distributed and enabled per-project via the editor's plugin management interface [286](#).

JSON Schema Validation and Data Integrity

Before any computational effort is expended on constructing a scene, ensuring the integrity of the source data is paramount. The research goal specifies a JSON scene packet conforming to a detailed schema, including required fields and complex conditional logic. Adhering to the "fail fast" principle, where errors are detected early and clearly, is a critical best practice in software development, preventing cascading failures and improving the developer experience [293335](#). Therefore, the second step in the pipeline is to rigorously validate the user-selected JSON file against the predefined schema. Godot's native `JSON.parse()` function can convert a JSON-formatted string into a Godot `Variant`, which can be a `Dictionary` or `Array`, but it does not perform any structural validation [22](#) [61](#). To enforce the rules defined in the schema—such as requiring "mesh" and "position" for a "floor" piece, or conditionally requiring "energy", "range", and "shadows" for a light of type "omni"—a dedicated validation layer is required [21](#).

The provided schema structure, with its `"conditional_required_fields"` block, maps directly to capabilities found in modern JSON Schema standards. Specifically, the logic can be implemented using keywords like `if/then/else` or `dependentRequired` [112140308](#). For example, the rule that an `"omni"` light requires `"energy"`, `"range"`, and `"shadows"` can be expressed as an `if` clause checking for `"type": "omni"`, with a corresponding `then` block defining those three fields as required [165251](#). Implementing this validation natively in GDScript would require writing a complex recursive function to traverse the parsed JSON object and check these conditions manually, which is error-prone and difficult to maintain [348](#). A far more robust and efficient solution is to leverage a pre-existing library or asset designed for JSON Schema validation within Godot.

Several options are available based on the provided sources. The most direct fit is the `GDSchema` asset from the Godot Asset Library [31 242](#). `GDSchema` is a `GDEExtension` that provides high-performance JSON Schema Draft-7 validation, enabling declarative enforcement of contracts, configuration rules, and API specifications directly inside the editor [242278](#). By integrating `GDSchema`, the validation logic becomes a matter of loading the schema definition and calling a validation function, with the library handling the complexities of conditional requirements, nested objects, and reporting clear error messages [110350](#). Another viable option is to use a `GDEExtension`-based validator like `gdschema` from GitHub, which offers similar functionality [242278](#). For projects where adding an external dependency is undesirable, a simpler, albeit less powerful, alternative is to use one of the many standalone GDScript-based JSON schema validators available on the Asset Library [32 33](#). These scripts typically expose a validator class that can be instantiated and used to validate a JSON object against a provided schema resource [32](#).

Once a validation library is chosen and integrated, the workflow is straightforward. After the user selects a JSON file in the plugin's dock, the plugin reads the file's content into a string, parses it into a `Variant` using `JSON.parse()`, and then passes this `Variant` to the validator along with the schema definition [22 113](#). The validation function will return a boolean result indicating success or failure. If validation fails, the plugin must capture the detailed error output from the validator and display it prominently to the user. This could be done by updating a `Label` or `TextEdit` control within the plugin's dock, providing specific information about which part of the JSON failed to comply with the schema's rules [26 109](#). This immediate feedback is crucial for debugging malformed JSON packets. Only when the validation process returns a successful result is the validated data passed to the subsequent phase of the pipeline for actual scene construction. This strict validation gate ensures that the automation process operates on reliable, well-defined data, preventing the generation of invalid or broken scenes.

Schema Element	Required Fields	Conditional Logic
scene	N/A	N/A
floor	mesh, position, scale, collision	N/A
wall	mesh, position, scale, collision	N/A
camera	position, rotation, current	N/A
light	type, position	If type is omni, then energy, range, shadows are required. If type is directional, then rotation is required.
player_instance	root_node, collision_shape, mesh, camera, spawn_position, movement_script	N/A
exit_trigger	position, scale	N/A

Core Scene Construction Engine with Tool Scripts

The heart of the automation pipeline is the scene construction engine, a module of GDScript responsible for translating the validated JSON data into a tangible, hierarchical tree of Godot nodes. This process must occur within the editor context to modify the current scene being worked on. The cornerstone technology for achieving this is the `@tool` script annotation [30](#). When a script is marked with `@tool`, Godot treats it specially, allowing it to execute in the editor's scripting environment, granting it the ability to create, modify, and query nodes in the scene tree without the script being attached to a node in that scene [234272](#). This is fundamentally different from a standard script, which only runs in the context of a running game instance and cannot manipulate the editor's scene tree directly [30 191](#). Using `@tool` is essential for building tools and plugins that extend the editor's functionality [345](#).

To ensure stability and prevent errors, there is a critical rule to follow: any other GDScript file that a tool script uses must also be marked with the `@tool` annotation [30 212](#). This includes helper functions, utility scripts, or any other custom logic imported into the main construction script. Failing to do so can lead to runtime errors in the editor because the editor may not be able to construct instances of non-tool scripts during the editing process [30](#). It is also good practice to guard tool script code against potential crashes that can freeze the editor. For instance, wrapping potentially heavy or infinite loops in a check for `is_editor_hint()` can help ensure the script doesn't monopolize the editor's main thread [274](#).

The construction engine's logic should be organized into a modular and reusable set of functions. A central function, perhaps named `generate_scene_from_json(json_data)`, would serve as the entry point. This function would iterate through the `pieces` array in the JSON data. For each piece, it would identify the `piece_type` (e.g., "floor", "wall") and call a corresponding handler function (e.g., `_create_floor_piece(piece_data)`). This separation of concerns makes the code easier to debug, maintain, and extend. For example, if a new entity type needs to be supported, only a new handler function needs to be added, without modifying the core iteration logic. Each handler function is responsible for creating the specific node hierarchy required for its corresponding entity. This involves creating the root node for the entity, instantiating its children (like collision shapes), setting their properties from the JSON data, and finally adding them to the parent node using `add_child()` [99](#) [148](#). All newly created nodes must be carefully managed to ensure they are properly integrated into the scene graph and will be saved correctly later in the process [184](#).

This tool-script-driven approach allows for a highly flexible and powerful generation process. It can programmatically replicate any design concept described in the JSON, from placing static geometry to instantiating complex character scenes and setting up triggers. The ability to run this logic directly in the editor means that designers can generate entire levels or complex setups with a single click, drastically accelerating the prototyping and level design cycle [343346](#). The resulting scene tree, though built by code, appears indistinguishable from a scene created manually by a designer, complete with all its nodes, properties, and connections, ready for final tweaking or immediate use [103](#).

Entity-Specific Node Assembly and Configuration

With the core construction engine in place, the next phase involves the granular, entity-specific assembly of nodes according to the validated JSON data. Each entity type—`floor`, `wall`, `light`, `player_instance`, `exit_trigger`, and `camera`—requires a distinct combination of Godot nodes to fulfill its role in a playable scene. The construction functions translate the abstract definitions in the JSON into concrete implementations using Godot's rich node and resource system [101](#).

For a `floor` or `wall`, the base component is a `MeshInstance3D` node, which renders a 3D mesh [181315](#). The `mesh` property from the JSON would be loaded as a `Mesh` resource and assigned to this node. Crucially, these static pieces of geometry need collision. This is

achieved by creating a child node, typically a `StaticBody3D`, which is optimized for static, immovable objects in the physics world [85](#). The `StaticBody3D` then has a `CollisionShape3D` child node, whose shape defines the physical boundary of the floor or wall [177](#). The `shape` property from the JSON would correspond to a `Shape3D` resource, often a `BoxShape3D` for simple walls and floors. Godot provides a convenient helper for this common pattern: a `MeshInstance3D` can automatically generate a `StaticBody3D` with convex decomposition collision shapes by calling its `create_trimesh_collision()` method, simplifying the setup process [119175](#). The `position` and `scale` properties from the JSON are applied directly to the `MeshInstance3D`'s transform properties.

Lighting is another key element, and the schema supports two types: `omni` and `directional`. The `type` field in the JSON dictates which light node to instantiate. For an "omni" light, an `Omnilight3D` node is created [298317](#). For a "directional" light, a `DirectionalLight3D` node is used [86](#). The `position` from the JSON sets the light's location, while its `rotation` is relevant for directional lights. Light-specific parameters like `energy` and `range` for omni-lights, or shadow casting settings, are configured on the respective light node instance [295333](#). Godot's lighting system is comprehensive, supporting various light types and effects, and the script must correctly map the JSON parameters to the appropriate properties on the instantiated light nodes [90 294](#).

The `player_instance` represents a more complex entity, typically involving a complete, pre-built scene. The JSON would specify the path to this scene file under `root_node`. The construction script would use `ResourceLoader.load()` to get the `PackedScene` resource and then call the `instantiate()` method to create an instance of it [120123](#). The `spawn_position` from the JSON is then used to position this entire player character hierarchy. A follow camera, a `Camera3D` node with a script that tracks the player's `NodePath`, might also be added to the scene to provide a third-person perspective [88 357](#).

Finally, the `exit_trigger` is implemented using an `Area3D` node. Areas are physics bodies that detect overlaps without blocking movement, making them perfect for triggers [163](#). The `position` and `scale` from the JSON define the size and location of the trigger's collision shape, which is a `CollisionShape3D` child of the `Area3D`. The script would connect to signals like `_on_body_entered` to execute logic upon a player's entry, such as changing the current scene to load the next level [69 254](#). Similarly, a camera entity in the JSON would simply instantiate a `Camera3D` node and apply its

position and rotation properties. The assembly of these entities demonstrates a systematic translation of a high-level design document into a fully functional and interconnected Godot scene.

Entity Type	Primary Godot Node	Child Nodes & Structure	Key JSON Properties Mapped
floor / wall	MeshInstance3D	StaticBody3D -> CollisionShape3D	mesh, position, scale, collision.shape
light (omni)	Omnilight3D	None	position, type, energy, range, shadows
light (directional)	Directionallight3D	None	position, rotation, type
player_instance	Node (Parent)	PackedScene (Player Character)	root_node (path), spawn_position
exit_trigger	Area3D	CollisionShape3D	position, scale
camera	Camera3D	None	position, rotation, current

Scene Persistence and Resource Bundling

After the scene construction engine has successfully assembled the complete node hierarchy in memory, the final and most critical phase is to persist this dynamic scene to disk as a `.tscn` file. This process involves serializing the entire tree of nodes and their properties into Godot's text-based scene format [7 314](#). The standard procedure for this in Godot is to use the `PackedScene` class. First, a new `PackedScene` resource is created. Then, the root node of the dynamically generated scene is "packed" into this resource by calling its `pack()` method [127390](#). This operation essentially takes a snapshot of the node and all its children, converting the entire tree into a single, serializable resource representation [407](#). With the scene now packed, the `ResourceSaver` singleton is used to write it to a file. The `ResourceSaver.save()` function is called, passing the `PackedScene` resource and the desired file path (e.g., `res://Levels/generated_level.tscn`) as arguments [129186](#). Upon successful completion, a new `.tscn` file is created in the project's filesystem, which can be immediately opened and inspected in the Godot editor [98](#).

However, a significant pitfall exists in this seemingly straightforward process. Dynamically created nodes often rely on internal resources such as materials, collision shapes, or even other meshes. If not handled correctly, `ResourceSaver.save()` may fail to embed these sub-resources into the `.tscn` file. Instead, it might only store

references to them, causing the scene to become corrupted or break when moved or loaded elsewhere 207227. A node is only saved if it is owned by another node that is being saved 184. If a node is created but not properly linked to the scene's owner chain, it will be silently dropped from the final save 227. This is a common cause of missing geometry or broken nodes after generating a scene programmatically.

The definitive solution to this problem involves two crucial steps. First, for every node created during the construction phase, its `owner` property must be explicitly set. This property establishes a relationship between a node and the node that "owns" it, ensuring the owner's saving process includes the child node 184. Typically, the root node of the entire scene being generated is designated as the owner for all other nodes created during the process 227. Second, and equally important, the `ResourceSaver.save()` call must be made with the `ResourceSaver.FLAG_BUNDLE_RESOURCES` flag 349. This flag instructs Godot to bundle all internal resources referenced by the `PackedScene` directly into the `.tscn` file itself, rather than saving them as separate external `.tres` files 325. Bundling ensures that the generated scene is self-contained and portable, eliminating dependencies that could be lost or mislinked 182. By meticulously setting the `owner` property for every dynamically created node and using the bundling flag during the save operation, the pipeline guarantees that the resulting `.tscn` file is a complete and stable representation of the generated scene, fulfilling the core objective of the automation process 301349.

Synthesis and Strategic Recommendations

The successful implementation of a script-based automation pipeline for generating playable Godot scenes from a JSON specification is a multi-stage process grounded in established editor extension principles and careful resource management. The analysis reveals a clear sequence of steps, from initial plugin setup to final scene persistence, that collectively achieve the research goal. The recommended architecture begins with a custom `EditorPlugin` that introduces a `Dock` into the Godot editor, providing a dedicated UI for user interaction 11 282. This UI, composed of a `FileDialog` and a `Button`, enables a designer to select a JSON scene packet and initiate the generation process, maintaining a clean and integrated workflow.

The second critical stage is data validation. Before any scene construction occurs, the selected JSON file must be rigorously validated against the predefined schema. This step

is non-negotiable for ensuring data integrity and adhering to the "fail fast" design philosophy, which helps prevent the creation of malformed or broken scenes [293335](#). The most effective approach is to integrate a specialized JSON Schema validation library, such as `GDSchema`, which can declaratively enforce the schema's rules, including its complex conditional logic [31 242](#). This provides immediate, actionable feedback to the user if the input data is invalid, significantly improving the reliability and usability of the tool.

The core of the pipeline is the scene construction engine, built using `@tool` scripts to enable programmatic modification of the editor's scene tree [30 234](#). This engine systematically iterates through the validated JSON data, instantiating the appropriate Godot nodes for each entity—be it a `MeshInstance3D` with a `StaticBody3D` for a wall, an `OmniLight3D` for illumination, or an `Area3D` for an exit trigger—and configuring their properties based on the JSON inputs [86 163](#). This modular, function-based approach ensures the code remains manageable and extensible.

Finally, the completed scene must be saved correctly. The process involves packing the root node's hierarchy into a `PackedScene` resource and using `ResourceSaver.save()` [127129](#). However, this step contains a critical nuance: to prevent resource loss and scene corruption, it is imperative to both set the `owner` property for all dynamically created nodes and utilize the `ResourceSaver.FLAG_BUNDLE_RESOURCES` flag during the save operation [184227349](#). This combination guarantees that the final `.tscn` file is a self-contained, stable, and complete representation of the generated level.

Based on this comprehensive analysis, the following strategic recommendations are provided:

- 1. Prioritize Plugin Integration:** The solution must be architected as a cohesive `EditorPlugin` system. Do not attempt to build this as a standalone script; leveraging Godot's plugin infrastructure is fundamental to its success.
- 2. Integrate a Dedicated Validator:** Do not attempt to implement complex JSON schema validation manually in GDScript. Use a dedicated library like `GDSchema` to handle the validation, as this is more robust and aligns with industry best practices for data contract enforcement [31 383](#).
- 3. Master Scene Serialization Nuances:** Thoroughly understand the intricacies of saving dynamically generated scenes. The dual requirements of setting the `owner` property and using the `FLAG_BUNDLE_RESOURCES` flag are not optional—they are essential for producing a functional and portable `.tscn` file [227349](#).
- 4. Design for Modularity and Extensibility:** Structure the scene construction logic with a clear separation of concerns. Create distinct functions for each entity type to make the system easy to debug, maintain, and adapt to future design changes.
- 5. Provide Clear User Feedback:** Throughout the process, especially during validation and generation, provide

clear visual feedback to the user. Error messages for validation failures and success notifications upon scene creation are vital for a positive user experience [26](#).

By following this blueprint, developers can construct a powerful, reliable, and efficient in-editor automation tool that transforms high-level design documents into playable Godot scenes, significantly streamlining the level creation workflow.

Reference

1. Quick Editor Plugin Question - React To Scene Save - Godot Forum <https://forum.godotengine.org/t/quick-editor-plugin-question-react-to-scene-save/135804>
2. [Help] Instantiating a saved scene from a plugin button interface. https://www.reddit.com/r/godot/comments/17w7tw5/help_instantiating_a_saved_scene_from_a_plugin/
3. Tiled Editor map and tileset integration with Godot 3.2 <https://discourse.mapeditor.org/t/tiled-editor-map-and-tileset-integration-with-godot-3-2/4347>
4. Scene Builder Level Design - Godot Asset Library <https://godotengine.org/asset-library/asset/2881>
5. Quick Start Tutorial for Level Design in Godot - YouTube <https://www.youtube.com/watch?v=PEcoOdYNfc4>
6. GitHub - sci-comp/scene-builder: A system for efficiently building 3D ... <https://github.com/sci-comp/scene-builder>
7. TSCN file format — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/contributing/development/file_formats/tscn.html
8. StoryFlow Godot Plugin - Documentation <https://storyflow-editor.com/integrations/godot/docs/>
9. How to make Godot 3.4.4 recognize a tscn file - Facebook <https://www.facebook.com/groups/godotengine/posts/2623466891123222/>
10. Godot Scene Design Skill | godot-claude-skills - ClaudePluginHub <https://www.claudepluginhub.com/skills/alexmeckes-godot-claude-skills/godot-scene-design>
11. Making plugins — Godot Engine (4.x) documentation in English https://docs.godotengine.org/cs/4.x/tutorials/plugins/editor/making_plugins.html

12. EditorPlugin: expose class for SceneDock #9798 - GitHub <https://github.com/godotengine/godot-proposals/issues/9798>
13. EditorPlugin - 《Godot v3.4 Documentation》 - 书栈网 · BookStack <https://www.bookstack.cn/read/Godot-3.4-en/fb892f4c5f63a7d5.md>
14. Creating a custom tool plugin in Godot 4 - YouTube <https://www.youtube.com/watch?v=pOx4BW3ek3w>
15. Is there an option/plugin to show the attached script for the active ... https://www.reddit.com/r/godot/comments/1166reh/is_there_an_optionplugin_to_show_the_attached/
16. how to create new scene in editor plugin? - Godot Forums <https://godotforums.org/d/39654-how-to-create-new-scene-in-editor-plugin>
17. Making Plugins — Godot Engine latest documentation - Huihoo https://docs.huihoo.com/godotengine/godot-docs/godot/tutorials/making_plugins.html
18. Creating a Custom Plugin in GODOT 4 - YouTube <https://www.youtube.com/watch?v=Ex9DJe4wBAs>
19. How do you create a new Node in a tool script extending ... <https://tmptesting.godotforums.randommomentania.com/d/28374-how-do-you-create-a-new-node-in-a-tool-script-extending-editorscenepostimport>
20. EditorPlugin — Godot Engine (4.6) documentation in English https://docs.godotengine.org/en/4.6/classes/class_editorplugin.html
21. Typed dictionaries / JSON parsing in gdscrip? : r/godot - Reddit https://www.reddit.com/r/godot/comments/1cxxqof/typed_dictionaries_json_parsing_in_gdscrip/
22. JSON — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_json.html
23. Godot code style, project structure and friends - Simon Dalvai <https://simondalvai.org/blog/godot-best-practices/>
24. When to use scenes versus scripts - Godot Docs https://docs.godotengine.org/en/stable/tutorials/best_practices/scenes_versus_scripts.html
25. Master JSON in Godot: Save Systems, Data Handling, and More! <https://www.youtube.com/watch?v=JqJ5duB0Xhs>
26. codevogel/godot_doctor: A powerful validation plugin for Godot that ... https://github.com/codevogel/godot_doctor
27. How To Structure Your Godot Project (so You Don't Get Confused) <https://pythonforengineers.com/blog/how-to-structure-your-godot-project-so-you-dont-get-confused/index.html>

28. Best practices — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/tutorials/best_practices/index.html
29. How to use VS Code with Godot | Setup and features - YouTube <https://www.youtube.com/watch?v=Lh9xOh7nhLo>
30. Running code in the editor - Godot Docs https://docs.godotengine.org/en/stable/tutorials/plugins/running_code_in_the_editor.html
31. GDSchema - Godot Asset Library <https://godotengine.org/asset-library/asset/4383>
32. GitHub - Sahedo/JSON-Shema-validator: This is script for Godot ... <https://github.com/Sahedo/JSON-Shema-validator>
33. JSON Schema validator - Godot Asset Library <https://godotengine.org/asset-library/asset/514>
34. Why are required fields not being respected in my JSON schema? <https://stackoverflow.com/questions/78849747/why-are-required-fields-not-being-respected-in-my-json-schema>
35. Specifying Required Fields in JSON Schema Drafts <https://docs.mulesoft.com/design-center/design-json-schema-required-error>
36. Instantiate a Downloaded Packed Scene via GDScript at Runtime <https://forum.godotengine.org/t/instantiate-a-downloaded-packed-scene-via-gdscript-at-runtime/119514>
37. Behold a function to save an entire scene, all its nodes, and all their ... https://www.reddit.com/r/godot/comments/17ky03k/ behold_a_function_to_save_an_entire_scene_all_its/
38. PackedScene behaving unexpectedly · Issue #45886 - GitHub <https://github.com/godotengine/godot/issues/45886>
39. Saving a scene into a PackedScene removes a few nodes <https://godotforums.org/d/33183-saving-a-scene-into-a-packedscene-removes-a-few-nodes>
40. Save & Loading a Scene (.tscn) Using Resources! - YouTube <https://www.youtube.com/watch?v=5ZUyvZSL1-0>
41. PackedScene — Godot Engine (4.x) 简体中文文档 https://docs.godotengine.org/zh-cn/4.x/classes/class_packedscene.html
42. Godot 4: Confusion around changing to a new scene - Stack Overflow <https://stackoverflow.com/questions/77822947/godot-4-confusion-around-changing-to-a-new-scene>
43. Saving and Loading Games in Godot 4 (with resources) - GDQuest https://www.gdquest.com/library/save_game_godot4/
44. Godot Nodes and Types - PackedScene - YouTube https://www.youtube.com/watch?v=a_RVXAEJQO8

45. Save Scene in Current State - Godot Community Forums <https://tmptesting.godotforums.randommomentania.com/d/27703-save-scene-in-current-state>
46. Can I write in gdscrip plugin that will make interfaces of godot looks ... <https://www.facebook.com/groups/godotengine/posts/1468058029997453/>
47. Making plugins — Godot Engine (3.5) documentation in English https://docs.godotengine.org/en/3.5/tutorials/plugins/editor/making_plugins.html
48. A sample code for Godot Editor plugin to play an arbitrary scene ... <https://gist.github.com/YuriSizov/b8b508922c1d947c53bd77936e31d80f>
49. I built a visual node-based dialogue editor plugin for Godot - Reddit https://www.reddit.com/r/godot/comments/1pts1qx/i_built_a_visual_nodebased_dialogue_editor_plugin/
50. Godot PLUGIN Development - Create Your First Plugin - YouTube <https://www.youtube.com/watch?v=IIFoDxdAhvc>
51. How to Make a Godot Plugin - GDScript <https://gdscrip.com/solutions/how-to-make-a-godot-plugin/>
52. EditorPlugin in godot::classes - Rust <https://godot-rust.github.io/docs/gdext/master/godot/classes/struct.EditorPlugin.html>
53. How a JSON Schema is translated into a Data Mapper Component https://www.liquid-technologies.com/Reference/XmlStudio/Datamapper_Json_SchemaTranslation.html
54. GDNotes.com - Curated Godot Engine Resources & Tutorials for ... <https://gdnotes.com/>
55. C# basics — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/tutorials/scripting/c_sharp/c_sharp_basics.html
56. User interface (UI) — Godot Engine (4.4) documentation in English <https://docs.godotengine.org/en/4.4/tutorials/ui/index.html>
57. Tutorials and resources - Godot Docs <https://docs.godotengine.org/en/4.4/community/tutorials.html>
58. Using the theme editor - Godot Docs https://docs.godotengine.org/en/stable/tutorials/ui/gui_using_theme_editor.html
59. GDExtension — Godot Engine (4.4) documentation in English <https://docs.godotengine.org/en/4.4/tutorials/scripting/gdextension/index.html>
60. Your first 3D game — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/getting_started/first_3d_game/index.html
61. JSON — Godot Engine (4.7) documentation in English https://docs.godotengine.org/en/4.7/classes/class_json.html

62. Exporting projects — Godot Engine (latest) documentation in English https://docs.godotengine.org/en/latest/tutorials/export/exporting_projects.html
63. Adding documentation - Godot Docs https://docs.godotengine.org/en/4.7/tutorials/scripting/cpp/gdextension_docs_system.html
64. Using VisualShaders - Godot Docs https://docs.godotengine.org/en/latest/tutorials/shaders/visual_shaders.html
65. Design 3D Game Levels From Scratch - Godot 4 Tutorial - YouTube https://www.youtube.com/watch?v=dV6S_11pyzo
66. r/godot - how to connect an exit area in one scene (1st image) to an ... https://www.reddit.com/r/godot/comments/1783efl/how_to_connect_an_exit_area_in_one_scene_1st/
67. TileMapLayer — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_tilemaplayer.html
68. All 219 Godot Nodes Explained In 42 Minutes ! - YouTube <https://www.youtube.com/watch?v=tO2gthp45MA>
69. How to create 3D trigger areas in Godot 4 — in 1 minute! - Medium <https://medium.com/codex/how-to-create-3d-trigger-areas-in-godot-4-in-1-minute-a5bd1edbb4e0>
70. Let's Learn Godot 4 by Making a Procedurally Generated Maze Game https://dev.to/christinec_dev/lets-learn-godot-4-by-making-a-procedurally-generated-maze-game-part-3-procedural-level-generation-1-map-creation-577b
71. How to Create PROCEDURAL Generation in Godot 4 - YouTube <https://www.youtube.com/watch?v=oB1xsCcO9wI>
72. Procedural Map Generation With Godot | by Christian Muehle <https://blog.devowl.de/procedural-map-generation-with-godot-45298525779f>
73. Really Long Thread] Simple Dungeons-like Grid Placement System <https://godotforums.org/d/27615-written-tutorial-really-long-thread-simple-dungeons-like-grid-placement-system-not-perfect>
74. Randomly Generated Dungeons in Godot Part 2 – Isometric <https://stevensplint.com/randomly-generated-dungeons-in-godot-part-2-isometric/>
75. Field required based on condition · Issue #539 · json-schema-org ... <https://github.com/json-schema-org/json-schema-spec/issues/539>
76. jsonschema validation of properties required and/or conditionally ... <https://stackoverflow.com/questions/46649066/jsonschema-validation-of-properties-required-and-or-conditionally-required>
77. Conditional schema validation - JSON Schema <https://json-schema.org/understanding-json-schema/reference/conditionals>

78. Multiple conditions for making fields required by condition - General <https://jsonforms.discourse.group/t/multiple-conditions-for-making-fields-required-by-condition/1541>
79. Need Help with Conditional Optional Fields in OpenAI JSON ... <https://community.openai.com/t/need-help-with-conditional-optional-fields-in-openai-json-schema-with-strict-true/1354794>
80. Need help implementing conditional requirements in JSON schema? https://www.reddit.com/r/AskProgramming/comments/10olj2b/need_help_implementing_conditional_requirements/
81. JSON Schema Validation - If.Then.Else - YouTube <https://www.youtube.com/watch?v=47XqX72Hywo>
82. GDScript reference — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/tutorials/scripting/gdscript/gdscript_basics.html
83. Json schema required properties vs sparse fieldsets exclusion <https://discuss.jsonapi.org/t/json-schema-required-properties-vs-sparse-fieldsets-exclusion/2528>
84. Godot 4 3D Platformer Lesson #2: Solid Objects & Physics ... <https://www.youtube.com/watch?v=zQRt94rmZGo>
85. I Did it, Every Single Godot Node Explained in 42 Minutes! ... https://www.reddit.com/r/godot/comments/17zxsjg/i_did_it_every_single_godot_node_explained_in_42/
86. 3D lights and shadows - Godot Docs https://docs.godotengine.org/en/stable/tutorials/3d/lights_and_shadows.html
87. Godot 4 3D Platformer Lesson #13: Align Player with Ground! <https://www.youtube.com/watch?v=Y5OiChOukfg>
88. Follow Camera, Adding Scene Objects, and Y-Sorting <https://www.youtube.com/watch?v=ixbDQKmLhJA>
89. Expose Characterbody3D floor/wall node info, add a ... <https://github.com/godotengine/godot-proposals/issues/12774>
90. Learning Godot 4.x - 3D Lighting and Shadows, Global ... <https://www.youtube.com/watch?v=xmykSGbq7AE>
91. [SOLVED] Adding PointLight2D nodes via script not affected ... <https://godotforums.org/d/35815-solved-adding-pointlight2d-nodes-via-script-not-affected-by-player-lights>
92. The Book of Nodes: 2D - Christine Coomans - Medium <https://christinec-dev.medium.com/the-book-of-nodes-2d-16f13691ac5f>
93. Write a specification for .tsn · Issue #7102 · godotengine/godot <https://github.com/godotengine/godot/issues/7102>

94. GitHub - fstxz/scene_tools: An editor plugin for Godot 4.3+ to help ... https://github.com/fstxz/scene_tools
95. Editor PlugIn tileDraw several problems - Help - Godot Forum <https://forum.godotengine.org/t/editor-plugin-tiledraw-several-problems/47275>
96. New scene save system with JSON #4400 - GitHub <https://github.com/godotengine/godot-proposals/issues/4400>
97. meishijie/JSON-Editor-Plugin-for-Godot-4.x - GitHub <https://github.com/meishijie/JSON-Editor-Plugin-for-Godot-4.x>
98. Add a text editor for scenes (.tscn files) · Issue #6770 - GitHub <https://github.com/godotengine/godot-proposals/issues/6770>
99. Nodes and scene instances - Godot Docs https://docs.godotengine.org/en/4.4/tutorials/scripting/nodes_and_scene_instances.html
100. EditorPlugin — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_editorplugin.html
101. Nodes and Scenes — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/getting_started/step_by_step/nodes_and_scenes.html
102. Node — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_node.html
103. Modify multiple Nodes in a scene programmatically on the editor <https://forum.godotengine.org/t/modify-multiple-nodes-in-a-scene-programmatically-on-the-editor/112941>
104. Making plugins — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/tutorials/plugins/editor/making_plugins.html
105. Godot 4.4, a unified experience <https://godotengine.org/releases/4.4/>
106. Adding nodes to a scene via @tool script : r/godot - Reddit https://www.reddit.com/r/godot/comments/1bms5it/adding_nodes_to_a_scene_via_tool_script/
107. EditorInterface — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_editorinterface.html
108. How to add conditional required validation on nested object controls? <https://jsonforms.discourse.group/t/how-to-add-conditional-required-validation-on-nested-object-controls/994>
109. How to check in json schema validation that response doesnt ... <https://community.postman.com/t/how-to-check-in-json-schema-validation-that-response-doesnt-contain-any-extra-fields-that-wasnt-declared-by-me-in-json-schema-validation/46356>

110. How to Validate JSON Schema: A Complete Developer Guide https://dev.to/_d7eb1c1703182e3ce1782/how-to-validate-json-schema-a-complete-developer-guide-219e
111. JSON Schema Validator, Generator, and Editor Guide - Stoplight.io <https://stoplight.io/json-guide>
112. 有条件地应用子模式 - 理解JSON Schema - 犀牛书 <https://json-schema.xiniushu.com/json-schema-reference/applying-subschemas-conditionally>
113. How can you validate a json file in godot? - Reddit https://www.reddit.com/r/godot/comments/11zl854/how_can_you_validate_a_json_file_in_godot/
114. JSON Schema 规范 <https://json-schema.apifox.cn/>
115. Mandatory/Conditional/Optional Fields - SmartBear Community <https://community.smartbear.com/discussions/swaggerostools/mandatoryconditionaloptional-fields/186129>
116. Make your first 3D Platformer in Godot 4 - YouTube <https://www.youtube.com/watch?v=sVsn9NqpVhg>
117. Godot 4: Question about runtime instantiating MeshInstance3D nodes <https://godotforums.org/d/34014-godot-4-question-about-runtime-instantiating-meshinstance3d-nodes>
118. How many MeshInstance3D and OmniLight3D can Godot ... - Reddit https://www.reddit.com/r/godot/comments/1d7ts0y/how_many_meshinstance3d_and_omnilight3d_can_godot/
119. MeshInstance3D — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_meshinstance3d.html
120. Godot 1-01: Instantiating & Moving 3D Units (Godot 4/C#) - Medium <https://medium.com/codex/godot-1-01-instantiating-moving-3d-units-godot-4-c-be656d72cfd0>
121. Godot 4 3D Platformer Lesson #3: Player Object + Movement/Jump ... https://www.youtube.com/watch?v=T_7ob1zAjLo
122. Godot 3D Game Development: Complete Tutorial 2026 <https://generalistprogrammer.com/tutorials/godot-3d-game-development-complete-tutorial>
123. Godot 4 Instantiate Tutorial - YouTube <https://www.youtube.com/watch?v=Qs8oSGmhx-U>
124. CharacterBody3D in godot::classes - Rust <https://godot-rust.github.io/docs/gdext/master/godot/classes/struct.CharacterBody3D.html>
125. How to auto-save generated resources with rest of scene - Help <https://forum.godotengine.org/t/how-to-auto-save-generated-resources-with-rest-of-scene/92204>

126. I am generating a dynamic tscn: How do I save and reuse later - Reddit https://www.reddit.com/r/godot/comments/1mrrlkd/i_am_generating_a_dynamic_tscn_how_do_i_save_and/
127. Save a scene and its variables? - Archive - Godot Forum <https://forum.godotengine.org/t/save-a-scene-and-its-variables/22586>
128. How to Easily Save Games with Resources in Godot (demo and guide) <https://www.youtube.com/watch?v=TGdQ57qCCF0>
129. ResourceSaver — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_resourcesaver.html
130. Saving Signal connections programmatically - Godot Forum <https://forum.godotengine.org/t/saving-signal-connections-programmatically/98722>
131. Save Files in Godot! (Custom Resource Tutorial) - YouTube <https://www.youtube.com/watch?v=VGxYtJ3rXdE>
132. How to create a `.tscn` file? - Programming - Godot Forum <https://forum.godotengine.org/t/how-to-create-a-tscn-file/69929>
133. Godot Doctor, my plugin that detects scene & resource errors before ... https://www.reddit.com/r/godot/comments/1raoqc6/godot_doctor_my_plugin_that_detects_scene/
134. Your First Godot Plugin: Step-by-Step Guide - YouTube https://www.youtube.com/watch?v=elT8_n0_qdc
135. Asset Library - Godot Doctor <https://godotengine.org/asset-library/asset/4374>
136. Are there any tools for auto formatting GDscript source, in Godot, or ... <https://www.facebook.com/groups/godotengine/posts/1763098060493447/>
137. Godot support | JetBrains Rider Documentation <https://www.jetbrains.com/help/rider/Godot.html>
138. Quick Editor Plugin Question - React To Scene Save - Page 2 <https://forum.godotengine.org/t/quick-editor-plugin-question-react-to-scene-save/135804?page=2>
139. jsonSchema attribute conditionally required - Stack Overflow <https://stackoverflow.com/questions/38717933/jsonschema-attribute-conditionally-required>
140. dependentRequired (2019-09) - Learn JSON Schema <https://www.learnjsonschema.com/2019-09/validation/dependentrequired/>
141. JSON Schema Tutorial – Part 2 – Validation Rules <https://blog.liquid-technologies.com/json-schema-tutorial-part-2-validation-rules>
142. draft 2020-12 - Ajv JSON schema validator <https://ajv.js.org/json-schema.html>

143. JSON Schema: require properties based on values of other properties <https://hamatti.org/posts/json-schema-require-properties-based-on-values-of-other-properties/>
144. zod-from-json-schema - NPM <https://www.npmjs.com/package/zod-from-json-schema>
145. "Add Child Node" vs "Instantiate Child Scene" editor buttons - Help <https://forum.godotengine.org/t/add-child-node-vs-instantiate-child-scene-editor-buttons/79053>
146. Godot 4 Instantiate & Add_Child Tutorial - YouTube <https://www.youtube.com/watch?v=r93B7klcSMo>
147. Nodes and scene instances - Godot Docs https://docs.godotengine.org/en/stable/tutorials/scripting/nodes_and_scene_instances.html
148. Godot- How to instantiate a scene/node as a child through a script <https://community.gamedev.tv/t/godot-how-to-instantiate-a-scene-node-as-a-child-through-a-script/253930>
149. How to add child node to node via EditorPlugin? : r/godot - Reddit https://www.reddit.com/r/godot/comments/1981zkk/how_to_add_child_node_to_node_via_editorplugin/
150. Editor Plugin: adding a node to a child node of the root ... - GitHub <https://github.com/godotengine/godot/issues/37144>
151. How To Instantiate New Scenes In Godot 4 - YouTube <https://www.youtube.com/watch?v=PQHtmkMRhwQ>
152. instancing a scene with code - Godot Forums <https://godotforums.org/d/30007-instancing-a-scene-with-code>
153. godot - How can I dynamically instantiate nodes from a scene using ... <https://stackoverflow.com/questions/78360682/how-can-i-dynamically-instantiate-nodes-from-a-scene-using-a-constructor>
154. Just starting to learn Godot, cannot figure out how to properly ... https://www.reddit.com/r/godot/comments/1an9ooe/just_starting_to_learn_godot_cannot_figure_out/
155. Scene Builder - Godot Asset Store <https://store.godotengine.org/asset/cat/scene-builder/>
156. Scene Builder Level Design | Godot Asset Library <https://godotassetlibrary.com/asset/yaSCBP/scene-builder-level-design>
157. Area3D not colliding wiith staticBody3D - Physics - Godot Forum <https://forum.godotengine.org/t/area3d-not-colliding-wiith-staticbody3d/107007>
158. Generate Random 3D Maps in Godot 4.3+ - YouTube <https://www.youtube.com/watch?v=70556HptwYY>

159. Area3D not detecting StaticBody3D : r/godot - Reddit https://www.reddit.com/r/godot/comments/17eu12u/area3d_not_detecting_staticbody3d/
160. Godot 4.2.x中Area3D无法与StaticBody3D/CSGBox3D碰撞的问题 <https://www.volcengine.com/article/1267813>
161. Area 3D body entered/exit signal lag - Godot Forums <https://godotforums.org/d/41146-area-3d-body-enteredexit-signal-lag>
162. Tutorial: 3D Navigation Basics in Godot 4 - YouTube <https://www.youtube.com/watch?v=2W4JP48oZ8U>
163. Area3D - 《Godot 游戏引擎v4.3 中文文档》 - 书栈网 <https://www.bookstack.cn/read/godot-4.3-zh/89e86badb3297d8c.md>
164. Find Area node is collided is ceiling, floor or wall in godot4 <https://stackoverflow.com/questions/77028173/find-area-node-is-collided-is-ceiling-floor-or-wall-in-godot4>
165. Conditional Requirements - dottxt docs <https://docs.dottxt.ai/json-schema/conditional-requirements>
166. JSON Schema Draft 4条件必填校验中「非必填」规则失效问题 <https://www.volcengine.com/article/213662>
167. EditorPlugin — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_editorplugin.html
168. Godot Docs – 4.7 branch — Godot Engine (stable) documentation in ... <https://docs.godotengine.org/>
169. JSON — Godot Engine (4.3) documentation in English https://docs.godotengine.org/en/4.3/classes/class_json.html
170. All classes — Godot Engine (4.3) documentation in English <https://docs.godotengine.org/en/4.3/classes/>
171. EditorInterface — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_editorinterface.html
172. Editor Guide: Godot 4 Tutorial <https://godotlearning.com/editor-guide>
173. Any way to create collision shape from code for MeshInstance3D ... https://www.reddit.com/r/godot/comments/1szxnjc/any_way_to_create_collision_shape_from_code_for/
174. How to assign a new mesh programmatically to a MeshInstance3D? <https://godotforums.org/d/42151-how-to-assign-a-new-mesh-programmatically-to-a-meshinstance3d>
175. MeshInstance3D — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_meshinstance3d.html

176. Procedural Mesh Generation with Code in Godot - YouTube <https://www.youtube.com/watch?v=-5L0RK-9Wd4>
177. Create and fill a mesh by script - Programming - Godot Forum <https://forum.godotengine.org/t/create-and-fill-a-mesh-by-script/61416>
178. Godot Tutorial: Add Random Colors to 3D Meshes - YouTube <https://www.youtube.com/watch?v=9h-MY0CgOzc>
179. godot/scene/3d/mesh_instance_3d.cpp at master - GitHub https://github.com/godotengine/godot/blob/master/scene/3d/mesh_instance_3d.cpp
180. What is a MeshInstance3D (Godot 4.0 Tutorial for Beginners) <https://www.youtube.com/watch?v=d3M3jBHIKxo>
181. MeshInstance3D - 《Godot 游戏引擎v4.3 中文文档》 - 书栈网 <https://www.bookstack.cn/read/godot-4.3-zh/137ca12eb280f341.md>
182. Saving PackedScenes with bundled resources corrupts tscn files <https://github.com/godotengine/godot/issues/45864>
183. godot-tscn-export/project.godot at master - GitHub <https://github.com/bobozai2019/godot-tscn-export/blob/master/project.godot>
184. どのようにして .tscn 形式で全ての子孫を含むシーンを保存するの? https://www.reddit.com/r/godot/comments/148gojz/how_to_save_a_scene_in_tscn_format_along_with_all/?tl=ja
185. TSCN file format — Godot Engine (3.1) documentation in English https://docs.godotengine.org/en/3.1/development/file_formats/tscn.html
186. ResourceSaverを使ってインスタンス化されたシーンを保存して https://www.reddit.com/r/godot/comments/1dn87gz/is_there_a_way_to_save_an_instanced_scene_using/?tl=ja
187. Instantiating by code and editor - Help - Godot Forum <https://forum.godotengine.org/t/instantiating-by-code-and-editor/44875>
188. Making main screen plugins - Godot Docs https://docs.godotengine.org/en/stable/tutorials/plugins/editor/making_main_screen_plugins.html
189. Editor Plugin: Controls Added Programmatically Not Shown - UI <https://forum.godotengine.org/t/editor-plugin-controls-added-programmatically-not-shown/50011>
190. Creating a root in scene using editor plugin - Help - Godot Forum <https://forum.godotengine.org/t/creating-a-root-in-scene-using-editor-plugin/53062>
191. Running code in the editor - Godot Docs https://docs.godotengine.org/en/4.4/tutorials/plugins/running_code_in_the_editor.html
192. conditional selection of alternate schemas (includes "switch" and ... <https://github.com/json-schema-org/json-schema-spec/issues/64>

193. Applying subschemas conditionally | Opis JSON Schema <https://opis.io/json-schema/2.x/conditional-subschemas.html>
194. Conditional JSON Schema Generation - json-everything <https://docs.json-everything.net/schema/schemagen/conditional-generation/>
195. How to implement conditional required field validation - General <https://jsonforms.discourse.group/t/how-to-implement-conditional-required-field-validation/265>
196. NJsonSchema的dependentRequired与条件验证失效原因排查 <https://www.volcengine.com/article/1016943>
197. dependentRequired (2020-12) - Learn JSON Schema <https://www.learnjsonschema.com/2020-12/validation/dependentrequired/>
198. Create your own Custom Node in Godot! - YouTube https://www.youtube.com/watch?v=xO6nTRQh7_k
199. Your first 3D game with Godot 4 | GDQuest Library <https://www.gdquest.com/tutorial/godot/3d/first-3d-game-godot-4/>
200. 在Godot 4中使用GDScript创建3D生存游戏 | 3D游戏开发/ 第一人称 ... <https://www.bilibili.com/video/BV1p72ABhEq/>
201. Make a 3D Trigger Zone in Godot 4 in One Minute - YouTube <https://www.youtube.com/watch?v=iEmiLN9twqA>
202. Modify scenes only on export and keep them original in project <https://forum.godotengine.org/t/modify-scenes-only-on-export-and-keep-them-original-in-project/141139>
203. How to save a scene in .tscn format along with all its descendants? https://www.reddit.com/r/godot/comments/148gojz/how_to_save_a_scene_in_tscn_format_along_with_all/
204. ResourceSaver.save() discards instantiation of inherited scenes <https://github.com/godotengine/godot/issues/27243>
205. How to Create SAVE & LOAD in Godot 4 - YouTube https://www.youtube.com/watch?v=_DP5QLJxVVI
206. Saving/loading data :: Godot 4 Recipes - KidsCanCode https://kidscancode.org/godot_recipes/4.x/basics/file_io/index.html
207. tool script object added to scene do not always get accurately ... <https://github.com/godotengine/godot/issues/95646>
208. TheDuckCow/godot-road-generator - GitHub <https://github.com/TheDuckCow/godot-road-generator>
209. Cyclops Level Builder - GitHub <https://github.com/blackears/cyclopsLevelBuilder>

210. HOW TO: Use Github, Github Desktop, and Godot 4.4 for Game Dev ... <https://www.youtube.com/watch?v=FEi-Xi-wSaw>
211. V-Sekai/godot_json_scene_merge: A Godot Scene file ... - GitHub https://github.com/V-Sekai/godot_json_scene_merge
212. How to Build Godot Editor Tools Like a Pro - YouTube <https://www.youtube.com/watch?v=VyTys5oCdN8>
213. Godot editor plugin for tool scripts - Facebook <https://www.facebook.com/groups/godotengine/posts/2529835630486349/>
214. Godot Data Validation with Zodot - DEV Community <https://dev.to/rametta/godot-data-validation-with-zodot-5962>
215. Resources — Godot Engine (stable) documentation in English <https://docs.godotengine.org/en/stable/tutorials/scripting/resources.html>
216. Looking for a good tutorial on saving/loading using JSON : r/godot https://www.reddit.com/r/godot/comments/17qz4e7/looking_for_a_good_tutorial_on_savingloading/
217. JSON Save Files Tutorial for GODOT v4.0+ - YouTube <https://www.youtube.com/watch?v=rDGyw9z6Le8>
218. Godot 4 Save System – Save & Load Tutorial (JSON & Binary) <https://www.youtube.com/watch?v=wN2DPKzMikk>
219. Saving games — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/tutorials/io/saving_games.html
220. How to save scene and material resources in Godot plugin - Facebook <https://www.facebook.com/groups/godotengine/posts/1450090441794212/>
221. Godot Quick Tips: Custom Resources - Game Dev Artisan <https://gamedevarartisan.com/tips/godot-quick-tips-custom-resources>
222. [HELP] Perform action while object is inside area3D : r/godot - Reddit https://www.reddit.com/r/godot/comments/1bih6mp/help_perform_action_while_object_is_inside_area3d/
223. Godot 4.3 3D RPG Tutorial! - YouTube <https://www.youtube.com/watch?v=ykF26Q456xw>
224. CollisionObject3D - 《Godot v4.3 Documentation》 - 书栈网 <https://www.bookstack.cn/read/godot-4.3-en/da68ebe9db7500ef.md>
225. Your First 3D Platformer: Beginner's Tutorial/Guide in Godot 4.3 https://www.youtube.com/watch?v=6T_TDuzEo9o
226. Script Editor is getting slow when dealing with large scripts (10k+ ... https://www.reddit.com/r/godot/comments/11np0hd/script_editor_is_getting_slow_when_dealing_with/

- 227. ResourceSaver does not save all objects : r/godot - Reddit https://www.reddit.com/r/godot/comments/1cgazat/resourcesaver_does_not_save_all_objects/
- 228. Is it possible to prevent instancing being cleared when saving a ... <https://forum.godotengine.org/t/editor-plugin-is-it-possible-to-prevent-instancing-being-cleared-when-saving-a-packed-scene/7836>
- 229. Fix: Godot Resource Not Saved When Saving Scene | Bugnet Blog <https://bugnet.io/blog/fix-godot-resource-not-saved-when-saving-scene>
- 230. Saving and Loading Objects Placed During Gameplay ~ Godot 4 ... https://www.youtube.com/watch?v=jDA_tF4ND1PY
- 231. Saving game: ResourceSaver vs Json files - Godot Forums <https://godotforums.org/d/19113-saving-game-resourcesaver-vs-json-files>
- 232. How to programmatically trigger the camera preview button? : r/godot https://www.reddit.com/r/godot/comments/18q83fr/how_to_programmatically_trigger_the_camera/
- 233. How to Make Godot Plugins - YouTube https://www.youtube.com/watch?v=0RuW4N6_1cQ
- 234. Display procedurally generated object in the editor - Stack Overflow <https://stackoverflow.com/questions/69667613/display-procedurally-generated-object-in-the-editor>
- 235. Lets Make a Plugin for Godot | Follow Along Tutorial - YouTube <https://www.youtube.com/watch?v=iVZOFC0D-UU>
- 236. Adding collision to a randomly generated MeshInstance3D - Help <https://forum.godotengine.org/t/adding-collision-to-a-randomly-generated-meshinstance3d/104189>
- 237. How to Generate Collision For Meshes in Godot - Godot 4 Tutorial <https://www.youtube.com/watch?v=VpKgnQgs4K4>
- 238. gdscript - Godot - Staticbody3d collision normal issue - Stack Overflow <https://stackoverflow.com/questions/75411569/godot-staticbody3d-collision-normal-issue>
- 239. How to add and remove child scenes - Godot Forums <https://godotforums.org/d/23296-how-to-add-and-remove-child-scenes>
- 240. Ability to create plugin that is based on a scene · Issue #3895 - GitHub <https://github.com/godotengine/godot/issues/3895>
- 241. Godot error can't open scene · Issue #88732 - GitHub <https://github.com/godotengine/godot/issues/88732>
- 242. fimbul-works/gdschema - GitHub <https://github.com/fimbul-works/GDSchema>
- 243. deadpixelsociety/godot-form-validator - GitHub <https://github.com/deadpixelsociety/godot-form-validator>

244. feincms/django-json-schema-editor - GitHub <https://github.com/matthiask/django-json-schema-editor>
245. Validation: if/then/else · Issue #180 · json-schema-org/json ... - GitHub <https://github.com/json-schema-org/json-schema-spec/issues/180>
246. New JSON Table Editor Plugin 2.1 for Godot 4.x - Godot Asset Library <https://godotengine.org/asset-library/asset/3631>
247. Issues · meishijie/JSON-Editor-Plugin-for-Godot-4.x - GitHub <https://github.com/meishijie/JSON-Editor-Plugin-for-Godot-4.x/issues>
248. JSON Editor Interactive Example <https://json-editor.github.io/json-editor/>
249. Save & Load in Godot 4.4 | Ultimate Guide - YouTube <https://www.youtube.com/watch?v=xG2GGniUa5o>
250. Using Custom Resources to Save User Preferences in Godot 4 https://www.reddit.com/r/godot/comments/15tbc98/using_custom_resources_to_save_user_preferences/
251. Json Schema validation using If-Else - "conditionally choosing ... <https://jsonforms.discourse.group/t/json-schema-validation-using-if-else-conditionally-choosing-required-element-not-working/1315>
252. Frequently asked questions — Godot Engine (4.3) documentation in ... <https://docs.godotengine.org/en/4.3/about/faq.html>
253. FileAccess — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_fileaccess.html
254. Issues with area3d exit signal - Help - Godot Forum <https://forum.godotengine.org/t/issues-with-area3d-exit-signal/100199>
255. [Godot] Area3D's with ConcavePolygonShape3D shapes causes ... <https://github.com/Redot-Engine/redot-engine/issues/183>
256. Using Areas :: Godot 4 Recipes - KidsCanCode.org https://kidscancode.org/godot_recipes/4.x/g101/3d/101_3d_04/index.html
257. Curso GODOT 4 desde CERO [14] GridMap, MeshLibrary y Niveles 3D <https://www.youtube.com/watch?v=dCUe4QdHkfk>
258. Expand on the create_*_collision() methods in the MeshInstance3D ... <https://github.com/godotengine/godot-proposals/issues/11319>
259. getting editor plugin scene change / loaded - Godot Forums <https://godotforums.org/d/39642-getting-editor-plugin-scene-change-loaded>
260. Godot 4.0.rc-2 Plugin mutable access to Arrays in SceneTree <https://stackoverflow.com/questions/75534707/godot-4-0-rc-2-plugin-mutable-access-to-arrays-in-scenetree>

261. Extending the Editor with Plugins in Godot - Kodeco <https://www.kodeco.com/44259876-extending-the-editor-with-plugins-in-godot/page/2>
262. Godot Scene Builder: Interactive Node Tree Practice <https://godotlearning.com/scene-builder>
263. Summer Engine plugins and Godot addons <https://www.summerengine.com/plugins>
264. saperio/tscn2json: Tool to convert Godot tscn files to json - GitHub <https://github.com/saperio/tscn2json>
265. MihaMarkic/godot-tscn-source-generator - GitHub <https://github.com/MihaMarkic/godot-tscn-source-generator>
266. Project-Level Code Framework Dataset and Benchmark on ... - arXiv <https://arxiv.org/html/2606.19830v1>
267. neth392/godot-improved-json - GitHub <https://github.com/neth392/godot-improved-json>
268. Making plugins — Godot Engine (4.6) documentation in English https://docs.godotengine.org/en/4.6/tutorials/plugins/editor/making_plugins.html
269. Node — Godot Engine (4.6) documentation in English https://docs.godotengine.org/en/4.6/classes/class_node.html
270. Godot 4.6 Release <https://godotengine.org/releases/4.6/>
271. Godot Engine Documentation - Read the Docs Community <https://app.readthedocs.org/projects/godot/>
272. How to create custom editor warnings in a tool script - Godot Forum <https://forum.godotengine.org/t/how-to-create-custom-editor-warnings-in-a-tool-script/37573>
273. Find more errors in Godot, with a script - Simon Dalvai <https://simondalvai.org/blog/godot-runtime-errors/>
274. How to Fix a Godot Tool Script Crashing the Editor | Bugnet Blog <https://bugnet.io/blog/how-to-fix-godot-tool-script-crashing-the-editor>
275. How to load and save things with Godot: a complete tutorial about ... <https://forum.godotengine.org/t/how-to-load-and-save-things-with-godot-a-complete-tutorial-about-serialization/44515>
276. created a tool-script to import resources as nodes into a scene : r/godot https://www.reddit.com/r/godot/comments/gelz6z/too_lazy_to_do_by_hand_created_a_toolscript_to/
277. Save and Load (Godo4.x) - Godot Forums <https://godotforums.org/d/31353-save-and-load-godo4x>

278. JSON Schema draft-7 validation GDEXTension for Godot 4.3+ - Reddit https://www.reddit.com/r/godot/comments/1nwut3h/i_made_gdschema_json_schema_draft7_validation/
279. Json Schema Data Set for validation testing - Stack Overflow <https://stackoverflow.com/questions/27805649/json-schema-data-set-for-validation-testing>
280. Schema-based JSON editor - Google Groups <https://groups.google.com/g/json-schema/c/9vBdgkBGIV4>
281. Intro & Project Setup | Godot 3D - YouTube <https://www.youtube.com/watch?v=Kdr7sD0-r68>
282. Editor plugins — Godot Engine (stable) documentation in English <https://docs.godotengine.org/en/stable/tutorials/plugins/editor/index.html>
283. Script Editor — Godot Engine (latest) documentation in English https://docs.godotengine.org/en/latest/tutorials/editor/script_editor.html
284. EditorPlugin | Documentation - GitHub Pages <https://migueldeicaza.github.io/SwiftGodotDocs/documentation/swiftgodot/editorplugin/>
285. Errors when adding a scene autoload from EditorPlugin #114317 <https://github.com/godotengine/godot/issues/114317>
286. Adding a Plugin to a Godot Project - GamePush <https://docs.gamepush.com/tutorials/adding-plugin-to-godot/>
287. Create some basic standalone tools or scripts for asset/scene ... <https://github.com/godotengine/godot-proposals/issues/9927>
288. Getting the source — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/contributing/development/compiling/getting_source.html
289. Github integration : r/godot - Reddit https://www.reddit.com/r/godot/comments/1tyaman/github_integration/
290. Convert scene to script · Issue #26552 · godotengine/godot - GitHub <https://github.com/godotengine/godot/issues/26552>
291. Rename tscn and tres to scene and res (prefix binary formats with b ... <https://github.com/godotengine/godot-proposals/issues/3255>
292. Godot interfaces - Xogot | Documentation https://docs.xogot.com/documentation/xogot/godot_interfaces/
293. Design to fail fast and early - Epic Web Dev <https://www.epicweb.dev/principles/debugging-and-resilience/fail-fast-and-early>
294. 3D Lighting - Godot Engine - Introduction - Starter Kit <https://godotengine-godot-47.mintlify.app/3d/lighting>

295. Combine OmniLight3D and Spotlight3D's separate range ... - GitHub <https://github.com/godotengine/godot-proposals/issues/14094>
296. 3D 灯光和阴影 - OSCHINA https://static.oschina.net/trytry/godot-cn-doc/tutorials/3d/lights_and_shadows.html
297. How to change light for an OmniLight3D based on distance? : r/godot https://www.reddit.com/r/godot/comments/1k4okmx/how_to_change_light_for_an_omnilight3d_based_on/
298. OmniLight3D — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_omnilight3d.html
299. Shaders: trouble with OmniLight3D when trying to make a classic ... https://www.reddit.com/r/godot/comments/1ls301y/shaders_trouble_with_omnilight3d_when_trying_to/
300. Lights 3D and attenuation - Godot Forums <https://godotforums.org/d/35678-lights-3d-and-attenuation>
301. Fix: Godot ResourceSaver Loses Sub-Resource on Pack - Bugnet <https://bugnet.io/blog/fix-godot-resource-saver-loses-sub-resource-on-pack>
302. Exposing Properties in a Editor Plugin to be able to modify ... <https://forum.godotengine.org/t/exposing-properties-in-a-editor-plugin-to-be-able-to-modify-them-in-the-editor/138303>
303. How to make an editor plugin for level editing? : r/godot https://www.reddit.com/r/godot/comments/1im8p35/how_to_make_an_editor_plugin_for_level_editing/
304. Decouple Your Spawning Logic in Godot 4 <https://www.youtube.com/watch?v=NkYqs3DjPZk>
305. Editor Plugin Ideas, Improvements, Suggestions, etc. Issue. <https://github.com/godotengine/godot/issues/6254>
306. Just Made a Video On How To Make InspectorPlugins! https://www.reddit.com/r/godot/comments/n2iht2/just_made_a_video_on_how_to_make_inspectorplugins/
307. jdorn/json-editor: JSON Schema Based Editor - GitHub <https://github.com/jdorn/json-editor>
308. How do I use the if-then-else condition in json schema? <https://stackoverflow.com/questions/51539586/how-do-i-use-the-if-then-else-condition-in-json-schema>
309. sagold/json-schema-library - GitHub <https://github.com/sagold/json-schema-library>
310. Introduction – API Reference <https://victools.github.io/jsonschema-generator/>
311. Resources — Godot Engine (4.4) documentation in English <https://docs.godotengine.org/en/4.4/tutorials/scripting/resources.html>
312. ResourceSaver — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_resourcesaver.html

313. Godot 4.3: DLC Guide #3 - Project Export Setup - YouTube <https://www.youtube.com/watch?v=Xm7deE7jPEE>
314. TSCN File Format — Godot Engine latest documentation https://godot-doc.readthedocs.io/en/3.0/development/file_formats/tscn.html
315. How to Create Your First 3D Game in Godot 4.3—Tutorial <https://www.testdevlab.com/blog/how-to-create-3d-game-in-godot-4-3>
316. Godot 4.3 C# - Instantiate() not returning correct class - Stack Overflow <https://stackoverflow.com/questions/79242496/godot-4-3-c-sharp-instantiate-not-returning-correct-class>
317. OmniLight3D — Godot Engine (4.3) 简体中文文档 https://docs.godotengine.org/zh-cn/4.3/classes/class_omnilight3d.html
318. Support JSON Schema 2020-12 `dependentRequired` conditional ... <https://github.com/microsoft/typespec/issues/6776>
319. Does Godot recognize JSON files for Dialogic plug-in? - Facebook <https://www.facebook.com/groups/godotengine/posts/2270858403050741/>
320. Can someone help me understand why JSON is handled differently ... <https://forum.godotengine.org/t/can-someone-help-me-understand-why-json-is-handled-differently-in-4-4/110729>
321. Godot 4 new "treat json as resource" feature...how does it work? https://www.reddit.com/r/godot/comments/y952pl/godot_4_new_treat_json_as_resource_featurehow/
322. Import JSON files as resources #3608 - GitHub <https://github.com/godotengine/godot-proposals/issues/3608>
323. Updated free & open source tool to manage JSON game entities for ... https://www.reddit.com/r/godot/comments/1tcoks3/updated_free_open_source_tool_to_manage_json_game/
324. How do I convert JSON object to Godot Native dictionary? <https://stackoverflow.com/questions/79297682/how-do-i-convert-json-object-to-godot-native-dictionary>
325. Is it possible to save resources that are within another ... - Godot Forum <https://forum.godotengine.org/t/is-it-possible-to-save-resources-that-are-within-another-resource/8086>
326. ResourceSaver.save() writes null for sub-resources that refer to ... <https://github.com/godotengine/godot/issues/89961>
327. How to instantiate in a tool script? - Programming - Godot Forum <https://forum.godotengine.org/t/how-to-instantiate-in-a-tool-script/66207>
328. Detect collisions before instantiating resource. - Godot Forums <https://godotforums.org/d/41776-detect-collisions-before-instantiating-resource>

- 329. Instantiate in 4.0 is driving me crazy, please help : r/godot - Reddit https://www.reddit.com/r/godot/comments/13pnf0b/instantiate_in_40_is_driving_me_crazy_please_help/
- 330. Making Cyberglads 2 - first steps in Godot <https://cyberglads.com/making-cyberglads-2-first-steps-in-godot.html>
- 331. Player Movement & Collisions | Godot 3D - YouTube https://www.youtube.com/watch?v=S6NeTy9z_rE
- 332. Godot: Selecting scene in editor by its tool-created child <https://stackoverflow.com/questions/77667972/godot-selecting-scene-in-editor-by-its-tool-created-child>
- 333. gd-agentic-skills/skills/godot-3d-lighting/SKILL.md at main ... - GitHub <https://github.com/thedivergentai/gd-agentic-skills/blob/main/skills/godot-3d-lighting/SKILL.md>
- 334. OmniLight3D in Godot 4 - YouTube <https://www.youtube.com/watch?v=9b0lCJEj0m8>
- 335. Lesson 9: The Complete Developer's Guide to Error Handling <https://medium.com/@bmocode/lesson-9-the-complete-developers-guide-to-error-handling-types-prevention-and-recovery-0fdf7e4b417c>
- 336. Best way to save data for an editor plugin? : r/godot - Reddit https://www.reddit.com/r/godot/comments/1c107fi/best_way_to_save_data_for_an_editor_plugin/
- 337. godot 4.6.2.stable javadoc (org.godotengine) <https://javadoc.io/doc/org.godotengine/godot/latest/index.html>
- 338. Saving data for editor plugins - Help - Godot Forum <https://forum.godotengine.org/t/saving-data-for-editor-plugins/52737>
- 339. Godot 4.5.1 automatically formats JSON files after saving - Reddit https://www.reddit.com/r/godot/comments/1q441i1/godot_451_automatically_formats_json_files_after/
- 340. Godot Quick Tip: Saving and Loading with JSON - YouTube <https://www.youtube.com/watch?v=L9Zekkb4ZXc>
- 341. Godot 3 to 4 Converter Plugin - christinec.dev <https://oops-i-devd.gitbook.io/christinec-dev/tools/godot-3-to-4-converter-plugin>
- 342. if - then - else in json schema #718 - GitHub <https://github.com/orgs/json-schema-org/discussions/718>
- 343. Instantiate scenes via a @tool script? - Help - Godot Forum <https://forum.godotengine.org/t/instantiate-scenes-via-a-tool-script/85273>
- 344. Creating Godot Tool Scripts Tutorial with 2D and 3D example <https://www.youtube.com/watch?v=gJwP5kbsO5g>

345. Godot 3 Tool Mode Tutorial with GameFromScratch - YouTube <https://www.youtube.com/watch?v=XP5-HGzElTg>
346. Instancing scenes in Godot @tool scripts - Will Thompson <https://willthompson.co.uk/notes/instancing-scenes-in-tool-script/>
347. Experiments in instancing scenes through a tool script, any idea why ... https://www.reddit.com/r/godot/comments/zc0omn/experiments_in_instancing_scenes_through_a_tool/
348. How to check for "mandatory" and "conditional" fields inside a json ... https://www.reddit.com/r/haskell/comments/1amjwxg/how_to_check_for_mandatory_and_conditional_fields/
349. Persist a scene with it's textures and materials (in-game level editor) <https://tmptesting.godotforums.randommomentania.com/d/28344-persist-a-scene-with-it-s-textures-and-materials-in-game-level-editor>
350. JSON Schema Validation: Tools & Best Practices - Zuplo <https://zuplo.com/blog/verify-json-schema>
351. Building 3D Levels with World Blocks & GridMap! <https://www.youtube.com/watch?v=2wumHaW-hyM>
352. Environment and post-processing - Godot Docs https://docs.godotengine.org/en/stable/tutorials/3d/environment_and_post_processing.html
353. Disappearing 2DLight behaviour on walls : r/godot https://www.reddit.com/r/godot/comments/1jpr14t/disappearing_2dlight_behaviour_on_walls/
354. In-Game Object Placement in Godot 4 | Dauphin Deep Dive <https://www.youtube.com/watch?v=jFOck9FCA-s>
355. ## Let's Learn Godot 4 by Making a Procedurally ... https://dev.to/christinec_dev/lets-learn-godot-4-by-making-a-procedurally-generated-maze-game-part-2-player-setup-movement-1dc1
356. How to learn tile-map collisions in Godot 4? https://www.reddit.com/r/godot/comments/13qklhx/how_to_learn_tilemap_collisions_in_godot_4/
357. Creating a simple 3rd person camera [Godot 4  Tutorial] <https://www.youtube.com/watch?v=dWalA9muY3s>
358. EditorInterface — Godot Engine (4.x) 简体中文文档 https://docs.godotengine.org/zh-cn/4.x/classes/class_editorinterface.html
359. (Godot 4.1.2) [EditorPlugin] EditorInterface.get_edited_scene_root ... https://www.reddit.com/r/godot/comments/1apvvii/godot_412_editorplugin_editorinterfaceget_edited/
360. EditorInterface — Godot Engine (4.3) documentation in English https://docs.godotengine.org/en/4.3/classes/class_editorinterface.html

361. EditorInterface | Documentation - GitHub Pages <https://migueldeicaza.github.io/SwiftGodotDocs/documentation/swiftgodot/editorinterface/>
362. Godot 文档- master 分支— Godot Engine (4.x) 简体 ... - Godot Docs <https://docs.godotengine.org/zh-cn/4.x/>
363. How to Make a Save/Load System in Godot 4.6 (Custom Resources) <https://www.youtube.com/watch?v=9aIstSgp9EM>
364. Conditional Statements in GDScript | Godot Engine - YouTube <https://www.youtube.com/watch?v=aF-JsIRvyMs>
365. Conditional Statements in GDScript : r/godot - Reddit https://www.reddit.com/r/godot/comments/123pmow/conditional_statements_in_gdscript/
366. Conditional Statements - GDScript <https://gdscript.com/tutorials/conditional-statements/>
367. Incorrectly Applying 'if-then' Condition to Nested Definition #497 <https://github.com/orgs/json-schema-org/discussions/497>
368. Did anybody use the json schema for code generation? <https://discourse.openehr.org/t/did-anybody-use-the-json-schema-for-code-generation/1046>
369. [json] schema Validation/Intellisense very slow when JSON deep ... <https://github.com/microsoft/vscode/issues/42679>
370. Stop suggesting the use of resources for save files : r/godot - Reddit https://www.reddit.com/r/godot/comments/1jx4bfe/stop_suggesting_the_use_of_resources_for_save/
371. How to Save and Load Godot Game Data - GDScript <https://gdscript.com/solutions/how-to-save-and-load-godot-game-data/>
372. Custom Resources in Godot Engine 4.x - Simon Dalvai <https://simondalvai.org/blog/godot-custom-resources/>
373. Instantiate a scene that is properly snapped to floor - Godot Forum <https://forum.godotengine.org/t/instantiate-a-scene-that-is-properly-snapped-to-floor/103509>
374. Godot 4 Crash Course for Beginners - GameDev 2D Top ... - YouTube <https://www.youtube.com/watch?v=Luf2Kr5s3BM>
375. save branch as scene and Child Scaling - Godot Forums <https://godotforums.org/d/37688-save-branch-as-scene-and-child-scaling>
376. Doom-Style FPS Game with Godot 4 - Part 5: Creating Map and ... <https://www.goldenware.tr/en/doom-style-fps-game-with-godot-4-part-5-creating-map-and-level-directly-from-d/>
377. Godot newbie puzzled by the hierarchy of nodes in regard to ... <https://stackoverflow.com/questions/76804526/godot-newbie-puzzled-by-the-hierarchy-of-nodes-in-regard-to-raycasting>

- 378. Godot 4.4: Change Scenes in 2 Minutes (Visual Scripting - No Code) <https://www.youtube.com/watch?v=ATbE8dYC3IM>
- 379. Light3D — Godot Engine (4.4) documentation in English https://docs.godotengine.org/en/4.4/classes/class_light3d.html
- 380. Search | Godot Asset Library https://godotassetlibrary.com/search/?q=&page=0&category=scripts?sort&limit=36&sort=last_modified&engine=4.4&category=tools&engine=4.5
- 381. ResourceSaver/Loader Tutorial Godot 4 + Devlog 4 - YouTube <https://www.youtube.com/watch?v=sbOIv4UiuTM>
- 382. Fixing JSON Schema Output <https://json-schema.org/blog/posts/fixing-json-schema-output>
- 383. Ensuring API reliability with JSON schema validation in automation ... <https://community.nasscom.in/communities/application/ensuring-api-reliability-json-schema-validation-automation-using-java>
- 384. Command line tutorial - Godot Docs https://docs.godotengine.org/en/latest/tutorials/editor/command_line_tutorial.html
- 385. Runtime file loading and saving - Godot Docs https://docs.godotengine.org/en/4.4/tutorials/io/runtime_file_loading_and_saving.html
- 386. ResourceFormatSaver - Godot Docs https://docs.godotengine.org/en/stable/classes/class_resourceformatsaver.html
- 387. geraintluff/tv4: Tiny Validator for JSON Schema v4 - GitHub <https://github.com/geraintluff/tv4>
- 388. A fast Java JSON schema validator that supports draft V4 ... - GitHub <https://github.com/networknt/json-schema-validator>
- 389. Docs - JSON Schema <https://json-schema.org/docs>
- 390. PackedScene — Godot Engine (stable) documentation in English https://docs.godotengine.org/en/stable/classes/class_packedscene.html
- 391. Master Flexible Save Load in Godot: The Resource Class! - YouTube <https://www.youtube.com/watch?v=gOcmEDWhPbo>
- 392. Godot 4.3+ TileMap Tutorial: Layers, collisions and more! - YouTube <https://www.youtube.com/watch?v=43sJIWaj2Yw>
- 393. Godot 4 not instantiating : r/godot - Reddit https://www.reddit.com/r/godot/comments/176v3ym/godot_4_not_instantiating/
- 394. Solving Common Gdscript Warnings ~ 1 Bit Platformer [Part 17] <https://www.youtube.com/watch?v=0V1GkaOz80Y>
- 395. How to access properties of instanced scenes in Godot Engine <https://www.facebook.com/groups/godotengine/posts/3247496965386875/>

396. Detecting wall/floor collision for an object with a lot of nested children https://www.reddit.com/r/godot/comments/15t1cnt/detecting_wallfloor_collision_for_an_object_with/
397. Position ignored when adding child (CanvasLayer interaction issue?) <https://forum.godotengine.org/t/position-ignored-when-adding-child-canvaslayer-interaction-issue/117386>
398. Omni lights exhibiting very buggy behaviour when nested in the ... <https://github.com/godotengine/godot/issues/17214>
399. Godot 4中如何实现交互优先的点击移动功能? - 火山引擎 <https://www.volcengine.com/article/1242054>
400. Can anybody help me sort out these lighting issues? (May be bugs <https://godotforums.org/d/20975-can-anybody-help-me-sort-out-these-lighting-issues-may-be-bugs-source-scene-inside>
401. JSON schema and parsing - Windmill https://www.windmill.dev/docs/core_concepts/json_schema_and_parsing
402. Hello, how do you move a camara 3d with scrpit when a player ... <https://forum.godotengine.org/t/hello-how-do-you-move-a-camara-3d-with-scrpit-when-a-player-enters-an-area-3d/110788>
403. Godot 4.0 3D - When changing the camera node tree position that is ... <https://stackoverflow.com/questions/76290014/godot-4-0-3d-when-changing-the-camera-node-tree-position-that-is-inside-a-view>
404. Godot Save Game Tutorial: Save and load using Resources <https://www.youtube.com/watch?v=ML-hiNytIqE>
405. How to properly save nested resources edited with custom editors? <https://github.com/godotengine/godot-proposals/discussions/7168>
406. GDScript 参考— Godot Engine (4.3) 简体中文文档 https://docs.godotengine.org/zh-cn/4.3/tutorials/scripting/gdscript/gdscript_basics.html
407. What is meant by packedScene? how it differ from normal? i am little ... <https://godotforums.org/d/20181-what-is-meant-by-packedscene-how-it-differ-from-normal-i-am-little-confused>