


		1		2		3		4		5		6		7		8									
A		8 备注 指导ABB 内部生产特殊说明 1、本工程保护ABB保护标签非默认标签，请产线重新打印并粘贴 2、H03,H04计量CT安装箱外，计量CT，PT需送供电局校验，现场安装																							
B																									
C																									
D																									
E																									
F																									
						DRAWN		Yael		TITLE				FUNCTION		=		SHEET NO		0					
						CHECKED		Cherry				技术参数表（内部使用）		ABB				SCALE		1:1		TOTAL PAGES		1	
						APPROVED		JOE		CONTRACT NO.:		504473977						PROJECT		南京西路永源浜4号地块项目		DRAWING NO		XZX2-48147-	
REV.		DESCRIPTION		REV. DATE		FIRST DATE		4/24/2025																	
		1		2		3		4		5		6		7		8									



合同号: 504473977

项目版本	项目序列号	48147
☐ 参考	绘制 审核 批准	YAEL
☐ 批准		CHERRY
☐ 生产		
☐ 竣工		JOE

			DRAWN	Yael	TITLE		FUNCTION	=	SHEET NO	1
			CHECKED	Cherry	封面		SCALE	1:1	TOTAL PAGES	7
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977		PROJECT	南京西路永源浜4号地块项目		
			FIRST DATE	4/24/2025				DRAWING NO	XZX2-48147-A00	

		1	2	3	4	5	6	7	8	
A		图例符号				图例符号				
		符号	描述	符号	描述	ANSI 代码	描述	ANSI 代码	描述	
B			断路器		微型空气开关	21	距离保护继电器	74	报警继电器	
			接触器		常闭触点	25	同期检测装置	78	失步保护继电器	
			隔离手车		常开触点	27	低电压继电器	79	自动重合闸继电器	
			负荷开关		选择开关	30	信号继电器	81	频率继电器	
			隔离开关		按钮	32	功率方向继电器	86	自保持继电器	
C			接地开关		位置指示器	37	低电流或低功率继电器	87	差动保护继电器	
			避雷器		柜间小母线	46	相不平衡电流继电器			
			熔断器		柜间控制导线	47	相不平衡电压继电器			
			电容分压装置		中间继电器	49	热继电器			
			电流互感器		闭锁电磁铁	50	电流速断继电器			
D			电压互感器		带电显示器	51	过电流继电器			
			电流传感器		未上锁	51N	接地过电流继电器			
			电压传感器		已上锁	55	功率因数继电器			
			三工位开关		加热器	59	过电压继电器			
			2#电缆头		灯	64	接地检测继电器			
E			3#电缆头			67	方向过电流继电器			
			电缆堵头							
F										
				DRAWN Yael	TITLE 读图说明	FUNCTION ABB		=	SHEET NO 4	
				CHECKED Cherry	CONTRACT NO.: 504473977	PROJECT 南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES 7	
				APPROVED Joe				DRAWING NO XZX2-48147-A00		
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025						
1		2			3	4	5	6	7	8


																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----	--

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



[illegible]

REV.	DESCRIPTION	REV DATE



			DRAWN	YAL	TITLE	ABB	FUNCTION		=	SHEET NO	7	
			CHECKED	CHERRY	读图说明				SCALE	1:1	TOTAL PAGES	7
			APPROVED	JOE	CONTRACT NO.: 504473977		PROJECT	南京西路永源浜4号地块项目	DRAWING NO	XZX2-48147-A00		
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025								

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

REV. DATE

DESCRIPTION

REV.

A	二次元器件低压室及小车内内部铭牌				低压室门板铭牌				开关柜铭牌				
	字高: 6mm				字高: 6mm				TEXT1 字高: 12mm TEXT2 字高: 14mm				
	字体: 仿宋体(中文),TIMES NEW ROMAN(英文)				字体: 仿宋体(中文),TIMES NEW ROMAN(英文)				字体: 仿宋体(中文),TIMES NEW ROMAN(英文)				
	对齐方式: 居中对齐				对齐方式: 居中对齐				对齐方式: 居中对齐				
	颜色: 白底红字				颜色: 白底红字				颜色: 白底红字				
B	材料: ABS				材料: ABS塑料，粘贴安装				材料: ABS塑料，粘贴安装				
	尺寸: 35x9（国内项目）				尺寸:				尺寸:				
	总字数:不超过9个汉字				总字数:不超过9个汉字								
	二次元件铭牌粘贴位置:				二次元件铭牌粘贴位置:								
	位于元件的正下方,居中布置,并水平对齐				位于元件的正下方,居中布置,并水平对齐.								
C	35 9 Text 3 两极断路器及三级断路器				35 9 Text 3				200 100 8 12 10 14 6 Text1 Text2 中点 HA2 INCOMER A				
D	17 9 Text 4 断路器												
E													
F													
				DRAWN	Yael	TITLE		FUNCTION		=		SHEET NO 1	
				CHECKED	Cherry	铭牌规格		ABB		SCALE 1:1		TOTAL PAGES 5	
				APPROVED	JOE	CONTRACT NO.:		PROJECT		DRAWING NO			
REV.		DESCRIPTION		REV. DATE	FIRST DATE	504473977		南京西路永源浜4号地块项目		XZX2-48147-A00-N			
1		2		3		4		5		6		7	
												8	

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.																			

开关柜铭牌

铭牌上不体现	一次柜体铭牌		数量：2
ABB柜号	(TEXT1 描述)	TEXT2 描述	
H01	1AH01	进线引线	
H02	1AH02	进线断路器	
H03	1AH03	计量出线	
H04	2AH03	计量出线	
H05	2AH02	进线断路器	
H06	2AH01	进线引线	

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

REV	DESCRIPTION	REV DATE

			DRAWN	YAEI	TITLE	ABB	FUNCTION	=	SHEET NO	3
			CHECKED	CHERRY						
			APPROVED	JOE						
					CONTRACT NO.:	504473977	PROJECT	南京西路永源浜4号地块项目	DRAWING NO	XZX2-48147-A00-N
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025						



二次元器件低压室门板铭牌

柜型	I1	套数见柜型数量
设备号	描述	
SB1	QBS1操作报警复位按钮	
SB2	QBS2操作报警复位按钮	
XL P1	过流/速断跳闸	
XL P2	零流保护	
XL P3	差动保护	
XL P4	变压器网门联跳	
XL P5	变压器超温跳闸	
XL P6	保护跳闸	
XL P7	保护动作联跳10kV	
XL P8	主变过负荷保护	
XL P9	10kV小电阻零流II段	

柜型	I2	套数见柜型数量
设备号		描述
XLP4		变压器网门联跳
XLP5		变压器超温跳闸
XLP6		保护跳闸
XLP7		保护动作联跳10kV
XLP8		主变过负荷保护
XLP9		10kV小电阻零流II段


柜型	M1	套数见柜型数量
设备号	描述	
SB1	QBS1操作报警复位按钮	

柜型	I2	套数见柜型数量
设备号		描述
SB1		QBS1操作报警复位按钮
SB2		QBS2操作报警复位按钮
XLP1		过流/速断跳闸
XLP2		零流保护
XLP3		差动保护

			DRAWN	YAL	TITLE	ABB	FUNCTION		SHEET NO	4	
			CHECKED	CHERRY	低压室面板铭牌						
			APPROVED	JOE	CONTRACT NO:				SCALE	1:1	TOTAL PAGES
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977		PROJECT	南京西路永源浜4号地块项目	DRAWING NO	XZX2-48147-A00-N	


		1		2		3		4		5		6		7		8						
A	This drawing and information contained thereon is the property of ABB (MAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (MAMEN) Switchgear CO. LTD.		1 开关站基本参数										4 二次导线参数						Ve+ / L		Ve- / N	
			标准				GB/T 3906						电源回路 电压等级 1		110VDC		4mm²		黑色		黑色	
			系统				35 kV/ 50 Hz						控制及其他回路 电压等级 1		110VDC		1.5 mm²		黑色		黑色	
			额定电压				40.5 kV						电源回路 电压等级 2		NO		不适用		不适用		不适用	
			工频耐压				95 kV						控制及其他回路 电压等级 2		NO		不适用		不适用		不适用	
			雷电冲击耐压				185 kV						电源回路 电压等级 3		220VAC, 50Hz		4mm²		黑色		黑色	
			主母线电流:				1250A						控制及其他回路 电压等级 3		220VAC, 50Hz		1.5mm²		黑色		黑色	
			额定短时耐受电流				31.5 kA / 3 s														L1-L2-L3-N	
			额定峰值耐受电流				80 kA						电流回路				2.5mm²		黑色			
			内部燃弧等级				IAC AFLR 31.5 kA / 1 s						电压回路				1.5mm²		黑色			
B			柜型				ZX2						二次回路接地线				2.5mm²		GRYE			
			气箱防护等级				IP65						零序电流回路				2.5mm²		不适用			
			低压箱防护等级				IP4X						设备自带线保留原设备线色线径（例如：断路器、三工位内部接线）									
			相序				A-B-C						材料				普通PVC导线					
			相序颜色				黄-绿-红 / 3XAA009860P0001						电压等级				0.45/0.75 kV					
			表面喷漆				RAL 7035 门板和端盖板						温度				标准					
			接地铜排				Cu 40X10mm²						5 其他									
			一次电缆进线				底部进线		标准电缆拼板及电缆夹						端子				瑞联			
			控制电缆进线				底部进线		标准带变径圈						模拟纸				模拟纸带位置指示器 (LV DOOR)			
													零序CT安装位置				不适用					
C			柜体及低压箱设备铭牌语言				中文						相间线				不在供货范围					
			柜体及低压箱设备铭牌颜色				白底红字						号码管				白色		对侧端子号			
			柜体及低压箱设备铭牌材质				ABS						区域通用要求				不适用					
			柜体铭牌安装方式				粘贴安装															
			低压室门板设备铭牌安装方式				粘贴安装															
			低压室内部设备铭牌安装方式				粘贴安装															
			柜体参数铭牌及其他标签语言				中文						6 检验									
													局放试验		不适用							
													FAT		不适用							
													7 包装和发运									
D			2 铭牌																			
E			3 辅助电源																			
			控制与信号回路 电压等级1				110VDC															
			控制与信号回路 电压等级2				NO															
			断路器储能马达电源				110VDC															
			加热&照明回路 电压等级3				220VAC, 50Hz															
F																						
				DRAWN		Yael		TITLE		FUNCTION				=		SHEET NO		1				
				CHECKED		CHERRY		技术参数表		PROJECT		Switchgear1		SCALE 1:1		TOTAL PAGES		1				
				APPROVED		JOE		CONTRACT NO.: 504473977				南京西路永源浜4号地块项目				DRAWING NO		XZX2-48147-A01-DS				
REV.		DESCRIPTION		REV. DATE		FIRST DATE 4/24/2025																
1				2				3		5		6		7		8						

需要强调的是此处提供的尺寸和重量信息仅仅只是初步信息。基于最后开关柜的供货范围和安装方式细节，在最终设计完成后这些信息有可能会变化。因此这些初步的尺寸和重量信息不能作为最终确认信息只能作为参考。据此，您已清楚的被告知并知晓此处开关柜的尺寸和重量信息不是最终确认信息无必须履行的约束力。使用此处信息得出的结论是不精确可能存在误差不能据此实行。



柜号	H01	H02	H03	H04	H05	H06
设备编号	AH1-01	AH1-02	AH1-03	AH2-03	AH2-02	AH2-01
应用	进线引线	进线断路器	计量出线	计量出线	进线断路器	进线引线

			DRAWN	YAL	TITLE		FUNCTION	Switchgear1		=	SHEET NO	1	
			CHECKED	CHERRY	开关柜排列图		PROJECT	南京西路永源浜4号地块项目	DRAWING NO XZX2-48147-A01-FVD	SCALE	1:20	TOTAL PAGES	1
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977								




This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

REV.	1:20	REV. DATE
DESCRIPTION		


REV.	DESCRIPTION	REV. DATE	DRAWN YIEL	CHECKED CHERRY	APPROVED JOE	TITLE 地基排列图 504473977	ABB	FUNCTION Switchgear1	SCALE 1:20	SHEET NO 1
		FIRST DATE 4/24/2025				CONTRACT NO.:		PROJECT 南京西路永源浜4号地块项目	TOTAL PAGES 1	
									DRAWING NO XZX2-48147-A01-FFD	

在埋设地基框架时，基础槽钢的公差要求请参考产品安装使用说明书

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.




PANELS: H01, H03, H04, H06



PANELS: H02, H05

CDXBASEZX2055

REV.		DESCRIPTION	REV. DATE	DRAWN Yael	CHECKED Cherry	APPROVED Joe	FIRST DATE 4/24/2025	TITLE 地基详图 CONTRACT NO.: 504473977	ABB	FUNCTION Switchgear1	=		SHEET NO 1
										PROJECT 南京西路永源浜4号地块项目	SCALE 1:15	TOTAL PAGES 1	
											DRAWING NO XZX2-48147-A01-FFDD		



ZX2 W800 D400


			DRAWN	Yael
			CHECKED	Cherry
			APPROVED	Joe
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025

TITLE	低压室布置图
CONTRACT NO.:	504473977



FUNCTION	进线引线柜	= D1	SHEET NO 2
PROJECT	南京西路永源浜4号地块项目	SCALE 1:8	TOTAL PAGES 2
		DRAWING NO XZX2-48147-A01-D1-C	


单线图

[illegible]

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.


F		E	
REV.	DESCRIPTION		REV. DATE



			DRAWN	Yael	TITLE	ABB	FUNCTION	进线引线柜	= D1	SHEET NO	1
			CHECKED	Cherry	单线图		PROJECT	SCALE	1:1	TOTAL PAGES	5
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977			DRAWING NO	XZX2-48147-A01-D1-S		



REV.	DATE	DESCRIPTION

		DRAWN	Yael	TITLE	电源小母线	ABB	FUNCTION	进线引线柜	=	D1	SHEET NO	2				
		CHECKED	Cherry						SCALE	1:1	TOTAL PAGES	5				
		APPROVED	Joe						CONTRACT NO:				DRAWING NO			
REV.	DESCRIPTION	REV. DATE	FIRST DATE						4/24/2025	504473977	PROJECT	南京西路永源浜4号地块项目	XZX2-48147-A01-D1-S			





This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

[illegible]

			DRAWN	Yael	TITLE		FUNCTION	进线引线柜		= D1	SHEET NO	5
			CHECKED	Cherry	预警小母线		PROJECT	南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES	5
			APPROVED	Joe	CONTRACT NO.:							
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977					DRAWING NO	XXZ2-48147-A01-D1-S	

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

设备号	-BPA1	物料号	EP-DM60	数量	1	制造商	LANSO KONLY
设备名称	密度继电器					型号	DM60
设备参数	/						
符号							
节点位置	S/1.5C S/3.3C S/3.2C S/3.3C						

设备号	-EB1	物料号	EP-HEATER-50W	数量	1	制造商	SANYANG
设备名称	加热器					型号	1FZEK833B
设备参数	50W						
符号							
节点位置	S/2.6E						


REV.	DESCRIPTION	REV. DATE	

			DRAWN	YUEL	TITLE		FUNCTION	进线引线柜	= D1	SHEET NO	1
			CHECKED	CHERRY	设备清单(柜体)		PROJECT	SCALE	1:1	TOTAL PAGES	3
			APPROVED	JOE	CONTRACT NO.:						
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977					DRAWING NO	XZX2-48147-A01-D1-E
								南京西路永源浜4号地块项目			


[illegible]


[illegible]


[illegible]





This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.















			DRAWN	Yael	TITLE	信号回路	ABB	FUNCTION	进线断路器柜	=	I1	SHEET NO	7				
			CHECKED	Cherry						CONTRACT NO.:	504473977	PROJECT	南京西路永源浜4号地块项目	SCALE	1:1	TOTAL PAGES	25
			APPROVED	Joe													
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025													













This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

F		E	
REV.	DESCRIPTION	REV.	DATE

			DRAWN	YAL	TITLE	ABB	FUNCTION	进线断路器柜		= I1	SHEET NO	13				
			CHECKED	CHERRY	保护备用回路					SCALE	1:1	TOTAL PAGES	25			
			APPROVED	JOE	CONTRACT NO.:			PROJECT	南京西路永源浜4号地块项目		DRAWING NO XZX2-48147-A01-I1-S					
REV.	DESCRIPTION		REV. DATE	FIRST DATE	4/24/2025	504473977										
1			2		3		4		5		6		7		8	



E					REV. DATE
F					DESCRIPTION
					REV.
		DRAWN	YAL	TITLE	
		CHECKED	CHERRY		保护备用回路
		APPROVED	JOE	CONTRACT NO.:	504473977
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	
1		2		3	4
5					
6					
7					
8					



This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

REV.	DESCRIPTION	REV. DATE


			DRAWN	YAEI	TITLE	ABB	FUNCTION	进线断路器柜	= I1	SHEET NO	16				
			CHECKED	CHERRY					SCALE	1:1	TOTAL PAGES	25			
			APPROVED	JOE					DRAWING NO			XZX2-48147-A01-I1-S			
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	CONTRACT NO:	504473977	PROJECT	南京西路永源浜4号地块项目							
1		2		3		4		5		6		7		8	

UX2TE

-QBS1

EP-UX2TE-X30-T

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



三工位开关在分闸位置
使用双层端子接线

名称	描述	备注
-BB11	三工位开关隔离分闸位置辅助开关	
-BB12	三工位开关隔离合闸位置辅助开关	
-BB13	三工位开关隔离分闸位置辅助开关	
-BB15	三工位开关隔离分闸位置辅助开关	

名称	描述	备注
-BB16	三工位开关隔离合闸位置辅助开关	
-BB151.152	操作孔盖板的辅助开关	
-BB211	三工位开关隔离分闸位置辅助开关	
-BB212	三工位开关隔离合闸位置辅助开关	

名称	描述	备注
-BB214	三工位开关隔离合闸位置辅助开关	
-BB251	三工位开关接地分闸位置辅助开关	
-BB253	三工位开关接地分闸位置辅助开关	


名称	描述	备注
-BB51	三工位开关接地分闸位置辅助开关	
-BB52	三工位开关接地合闸位置辅助开关	
-BB57	三工位开关接地分闸位置辅助开关	
-BB58	三工位开关接地合闸位置辅助开关	

UX2TE

-QBS2

EP-UX2TE-X31-T

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



三工位开关在分闸位置
使用双层端子接线


名称	描述	备注
-BB11	三工位开关隔离分闸位置辅助开关	
-BB12	三工位开关隔离合闸位置辅助开关	
-BB13	三工位开关隔离分闸位置辅助开关	
-BB15	三工位开关隔离分闸位置辅助开关	

名称	描述	备注
-BB16	三工位开关隔离合闸位置辅助开关	
-BB151.152	操作孔盖板的辅助开关	
-BB211	三工位开关隔离分闸位置辅助开关	
-BB212	三工位开关隔离合闸位置辅助开关	

名称	描述	备注
-BB214	三工位开关隔离合闸位置辅助开关	
-BB251	三工位开关接地分闸位置辅助开关	
-BB253	三工位开关接地分闸位置辅助开关	

名称	描述	备注
-BB51	三工位开关接地分闸位置辅助开关	
-BB52	三工位开关接地合闸位置辅助开关	
-BB57	三工位开关接地分闸位置辅助开关	
-BB58	三工位开关接地合闸位置辅助开关	

-QAB
VD4X-UNI-57-RL



名称	描述	备注
-RAR	串联电阻	
-BGB1	与断路器主轴联动的辅助开关	
-BGB1	与断路器主轴联动的辅助开关	
BGS1.1~1.5	与储能机构联动的辅助开关	
-BGL1	合闸闭锁电磁铁的辅助开关	

断路器处于分闸状态 操作机构弹簧未储能

			DRAWN	Yael
			CHECKED	Cherry
			APPROVED	Joe
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025

TITLE	断路器接线图
CONTRACT NO.:	504473977



进线断路器柜

= I1	SHEET NO	21
SCALE 1:1	TOTAL PAGES	25
DRAWING NO XZX2-48147-A01-I1-S		

[illegible]

			DRAWN	Yael
			CHECKED	Cherry
			APPROVED	Joe
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025

TITLE	
CONTRACT NO.:	

REF615保护接线图

504473977



FUNCTION
PROJECT


进线断路器柜

南京西路永源浜4号地块项目

= I1	SHEET NO	22
SCALE 1:1	TOTAL PAGES	25
DRAWING NO XZX2-48147-A01-I1-S		

-BCG

The IED feature an automatic short-circuit mechanism in the CT connector when plug-in unit is detached




REF615

REV.	DESCRIPTION	REV. DATE

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

RET615

-BCR



RET615

<

1		2		3		4		5		6		7		8	
A		B		C		D		E		F					
This drawing and information contained hereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.															
==A01=I1+-X2															
REV.		DESCRIPTION		REV. DATE											

1		2		3		4		5		6		7		8	
A		B		C		D		E		F					
This drawing and information contained therein is the property of ABB (MAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (MAMEN) Switchgear CO. LTD.															
==A01=I1+-X2															
REV.		DESCRIPTION		REV. DATE											
备注		外引电缆		设备		线号		端子号		型号		编号		设备	
		-X2:11						● 55		NEK4				-BPA1:1	
								● 56		NEK4				-BPA2:1	
								● 57		NEK4				-BPA3:1	
		△		=IM1-X5:4				● 58		NEK4					
		△		=D1-X5:4				● 59		NEK4					
								● 60		NEK4				-BPA1:4	
								● 61		NEK4				-BPA2:4	
								● 62		NEK4				-BPA3:4	
								● 63		NEK4				-BPA1:6	
								● 64		NEK4				-BPA2:6	
				-KFB3:A1				● 65		NEK4				-BPA3:6	
								● 66		NEK4				-BPA1:2	
								● 67		NEK4				-BPA2:2	
								● 68		NEK4				-BPA3:2	
		△		=IM1-X5:5				● 69		NEK4					
		△		=D1-X5:5				● 70		NEK4				-KFB4:A1	
		△		=IM1-X5:9				● 71		NEK4				=D1-X5:9	
				-FCM91:12				● 72		NEK4				-BCGX120:1	
				-KFB3:44				● 73		NEK4				-BCGX120:3	
		△		=D1-X5:3				● 74		NEK4					
		△		=IM1-X5:3				● 75		NEK4					
		△		=IM1-X30:46				● 76		NEK4				-BCGX120:4	
								● 77		NEK4				-BCRX110:1	
								● 78		NEK4				-BCRX110:3	
								● 79		NEK4				-BCRX110:5	
								● 80		NEK4				-BCRX110:7	
								● 81		NEK4				-BCRX110:8	
		△		-主变高温报警				● 82		NEK4				-BCRX110:11	
								● 83		NEK4				-BCRX110:13	
								● 84		NEK4				-BCRX110:10	
		△		=IM1-X5:6				● 85		NEK4				-BCGX110:17	
				-X2:41				● 86		NEK4				-BCGX110:2	
								● 87		NEK4				-BCGX110:4	
								● 88		NEK4				-BCGX110:6	
				-BCGX110:12				● 89		NEK4				-BCGX110:9	
				-X2:42				● 90		NEK4				-BCGX120:2	
								● 91		NEK4				-BCGX120:6	
								● 92		NEK4				-BCRX110:2	
								● 93		NEK4				-BCRX110:4	
								● 94		NEK4				-BCRX110:6	
				-BCRX110:12				● 95		NEK4				-BCRX110:9	
				-FCM11:C1				● 96		NEK4				-BCGX110:14	
				-BCGX110:15				● 97		NEK4				-X2:32	
								● 98		NEK4				-BCGX110:18	
		△		=IM1-X30:54				● 99		NEK4				-BCGX110:7	
				-FCM10:12				100		RCT4SW				-FCM90:12	

F		E		D		C		B		A	
REV.		DESCRIPTION		REV.		DATE					
This drawing and information contained thereon is the property of ABB (MAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (MAMEN) Switchgear CO. LTD.											
==A01=I1+-X3											
备注		外引电缆	设备	线号	端子号	型号	线号	设备	外引电缆	备注	
			-FCM30/4		1	NEK4		-X30/22			
			-R1/1		2	NEK4		-SF532/11			
			-BCGX100/15		3	NEK4		-SF532/9			
					4	NEK4		-KFD1/12			
					5	NEK4		-BCGX100/6			
					6	NEK4		-BCGX100/8			
					7	NEK4		-BCRX100/16			
△		-变压器网门			8	NEK4					
△		-变压器柜进线柜			9	NEK4		-10kV小电柜零流侧	△		
		-FCM30/2			10	NEK4		-X20/21			
					11	NEK4		-X20/14			
					12	NEK4		-X20/9			
					13	NEK4		-KFD1/21			
					14	NEK4		-X30/23			
△		-X31/22			15	NEK4		=M1-X30/56	△		
		M1-X30/28			16	NEK4		-X31/23			
△		-X3/34			17	NEK4					
		M1-X5/12			18	NEK4					
△		-变压器网门			19	NEK4		-KFB3/21			
△		-变压器网门			20	NEK4		-BCGX100/24			
		-X20/13			21	NEK4		-SF531/4			
					22	NEK4		-BCGX100/18			
		-SF531/2			23	NEK4		-XLP6/2			
		-X20/7			24	NEK4					
					25	NEK4		-XLP1/2			
△		-KFD1/11			26	NEK4		-XLP2/2			
					27	NEK4		-XLP3/2			
					28	NEK4		-XLP4/2			
		-XLP9/2			29	NEK4		-XLP5/2			
		-KFD1/13			30	NEK4		-XLP6/1			
					31	NEK4		-XLP4/1			
△		-变压器网门			32	NEK4		-XLP5/1			
△		-变压器柜进线柜			33	NEK4		-XLP9/1			
△		-10kV小电柜零流侧			34	NEK4		-MCU1/6			
		-X3/16			35	NEK4		-SF551/2			
					36	NEK4		-SF551/1			
△		=D1-X5/7			37	NEK4		-X30/24			
△		M1-X30/27			38	NEK4					
△		M1-X30/55			39	NEK4		-MCU2/5			
△		M1-X30/24			40	NEK4		-BCGX100/20			
		-R1/2									

[illegible]

[illegible]


A		B		C		D		E		F	
1		2		3		4		5		6	
7		8		9		10		11		12	
13		14		15		16		17		18	
19		20		21		22		23		24	
25		26		27		28		29		30	
31		32		33		34		35		36	
37		38		39		40		41		42	
43		44		45		46		47		48	
49		50		51		52		53		54	
55		56		57		58		59		60	
61		62		63		64		65		66	
67		68		69		70		71		72	
73		74		75		76		77		78	
79		80		81		82		83		84	
85		86		87		88		89		90	
91		92		93		94		95		96	
97		98		99		100		101		102	
103		104		105		106		107		108	
109		110		111		112		113		114	
115		116		117		118		119		120	
121		122		123		124		125		126	
127		128		129		130		131		132	
133		134		135		136		137		138	
139		140		141		142		143		144	
145		146		147		148		149		150	
151		152		153		154		155		156	
157		158		159		160		161		162	
163		164		165		166		167		168	
169		170		171		172		173		174	
175		176		177		178		179		180	
181		182		183		184		185		186	
187		188		189		190		191		192	
193		194		195		196		197		198	
199		200		201		202		203		204	
205		206		207		208		209		210	
211		212		213		214		215		216	
217		218		219		220		221		222	
223		224		225		226		227		228	
229		230		231		232		233		234	
235		236		237		238		239		240	
241		242		243		244		245		246	
247		248		249		250		251		252	
253		254		255		256		257		258	
259		260		261		262		263		264	
265		266		267		268		269		270	
271		272		273		274		275		276	
277		278		279		280		281		282	
283		284		285		286		287		288	
289		290		291		292		293		294	
295		296		297		298		299		300	
301		302		303		304		305		306	
307		308		309		310		311		312	
313		314		315		316		317		318	
319		320		321		322		323		324	
325		326		327		328		329		330	
331		332		333		334		335		336	
337		338		339		340		341		342	
343		344		345		346		347		348	
349		350		351		352		353		354	
355											


REV.		DESCRIPTION		REV. DATE		This drawing and information contained hereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.										A	
1		2		3		4		5		6		7		8			
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F		E		D		C		B		A							
F																	

[illegible]

1		2		3		4		5		6		7		8	
A		B		C		D		E		F		A		B	
This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.															
==A01=I1+-X31															
REV.		DESCRIPTION		REV. DATE											
1		2		3		4		5		6		7		8	
REV.		DESCRIPTION		REV. DATE		DRAWN		Yael		TITLE		FUNCTION		= I1	
						CHECKED		Cherry		端子图表 ==A01=I1+-X31		ABB		SHEET NO	
						APPROVED		Joe		CONTRACT NO.: 504473977		PROJECT		SCALE 1:1	
				4/24/2025								南京西路永源浜4号地块项目		TOTAL PAGES	
														DRAWING NO	
														XZX2-48147-A01-I1-T	
														13	
														17	
														</	


[illegible]







BCG	REF615	BCG	REF615	BCG	REF615	BCR	RET615
GND	GNVE -GND	X110:4	-X2:87	X130:11	-X6:1	X100:18	-XLP3:1
X5:1	-X14:12	X110:5	-X20:6	X130:12	-X6:22	X100:19	-BCR:X100:17
X5:2	-X14:13	X110:6	-X2:88	X130:13	-X6:4	X100:20	
X5:3	-X14:14	X110:7	-X2:99	X130:14	-X6:22	X100:21	-X5:26
X5:4	-X14:10	X110:8	-X20:16	X130:15	-X6:7	X100:22	-BCR:X100:23
X5:5	-X14:9	X110:9	-X2:89	X130:16	-X6:23	X100:23	-BCR:X100:22
X5:6	-X14:11	X110:10	-X30:46	X130:17	-X6:13	X100:24	-X5:27
X5:7		X110:11	-X30:54	X130:18	-X6:14	X110:1	-X2:77
X5:8		X110:12	-X2:89			X110:2	-X2:92
X5:9	-X14:16	X110:13	-X31:46			X110:3	-X2:78
X5:10	-X14:15	X110:14	-X2:96			X110:4	-X2:93
X100:1	-X2:1	X110:15	-X2:97			X110:5	-X2:79
X100:2	-X2:33	X110:16				X110:6	-X2:94
X100:3	-X12:2	X110:17	-X2:85			X110:7	-X2:80
X100:4	-X12:1	X110:18	-X2:98			X110:8	-X2:81
X100:5		X110:19				X110:9	-X2:95
X100:6	-X3:5	X110:20	-X5:17			X110:10	-X2:84
X100:7	-XLP1:1	X110:21	-X5:16			X110:11	-X2:82
X100:8	-X3:6	X110:22	-X5:15			X110:12	-X2:95
X100:9	-XLP2:1	X110:23	-X5:10			X110:13	-X2:83
X100:10	-X5:12	X110:24	-XLP8:1			X110:14	-X5:9
X100:11	-X5:13	X120:1	-X2:72			X110:15	-X5:8
X100:12	-X5:14	X120:2	-X2:90			X110:16	
X100:13	-X5:20	X120:3	-X2:73			X110:17	-BCG:X110:3
X100:14	-X5:19	X120:4	-X2:76			X110:18	-X2:13
X100:15	-X3:3	X120:5	-X31:54			X110:19	
X100:16	-BCG:X100:21	X120:6	-X2:91			X110:20	-X5:29
X100:17	-BCG:X100:19	X120:7	-X4:8			X110:21	-X5:28
X100:18	-X3:22	X120:8	-BCG:X120:10			X110:22	
X100:19	-BCG:X100:17	X120:9	-X4:10			X110:23	-X5:31
X100:20	-X3:40	X120:10	-BCG:X120:8			X110:24	-X5:30
X100:21	-SF532:12		-BCG:X120:12			X120:1	-X4:22
	-BCG:X100:16	X120:11	-X4:12			X120:2	-BCR:X120:4
X100:22	-BCG:X100:23	X120:12	-BCG:X120:10			X120:3	-X4:24
X100:23	-BCG:X100:22		-BCG:X120:14			X120:4	-BCR:X120:2
X100:24	-X3:20	X120:13	-X4:14				-BCR:X120:6
X110:1	-BCR:X100:3	X120:14	-BCG:X120:12			X120:5	-X4:26
X110:2	-X2:86	X130:9				X120:6	-BCR:X120:4
X110:3	-BCR:X110:17	X130:10					-X4:28


			DRAWN	YAL	TITLE		FUNCTION	进线断路器柜		= I1	SHEET NO	2
			CHECKED	CHERRY	低压室门板接线图		PROJECT	南京西路永源浜4号地块项目	SCALE	1:1	TOTAL PAGES	7
			APPROVED	JOE	CONTRACT NO.:							
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977					DRAWING NO XZX2-48147-A01-I1-W		




			DRAWN	Yael	TITLE		FUNCTION	进线断路器柜		= I1	SHEET NO	2.a
			CHECKED	Cherry	低压室门板接线图		PROJECT	南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES	7
REV.	DESCRIPTION	REV. DATE	APPROVED	Joe	CONTRACT NO.: 504473977					DRAWING NO	XXZ2-48147-A01-I1-W	










REV.	DESCRIPTION	REV.	DATE

			DRAWN	YAL	TITLE
			CHECKED	CHERRY	
			APPROVED	JOE	
REV.	DESCRIPTION	REV.	DATE	FIRST DATE	4/24/2025



FUNCTION	进线断路器柜		
PROJECT	南京西路永源浜4号地块项目		


ZX2 W800 D400




REV.	DESCRIPTION	REV. DATE

			DRAWN	Yael		FUNCTION		进线断路器柜		= I2	SHEET NO 2
			CHECKED	Cherry		PROJECT		南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES 25
			APPROVED	Joe		CONTRACT NO.: 504473977		DRAWING NO XZX2-48147-A01-I2-S			
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025							

FUNCTION






This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

REV.	DESCRIPTION	REV. DATE	FIRST DATE	DRAWN	YUEL	TITLE	CONTRACT NO.:	ABB	FUNCTION	PROJECT	SCALE	SHEET NO	TOTAL PAGES
						信号回路	504473977		进线断路器柜	南京西路永源浜4号地块项目	1:1	4	25


REV.	DESCRIPTION	REV. DATE	FIRST DATE	DRAWN	YUEL	TITLE	CONTRACT NO.:	ABB	FUNCTION	PROJECT	SCALE	SHEET NO	TOTAL PAGES
						信号回路	504473977		进线断路器柜	南京西路永源浜4号地块项目	1:1	4	25




This drawing and information contained therein is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.


REV.	DESCRIPTION	REV.	DATE


			DRAWN	YAL	信号回路		ABB	FUNCTION		进线断路器柜		= i2	SHEET NO	5			
			CHECKED	CHERRY				PROJECT		南京西路永源浜4号地块项目		SCALE	1:1	TOTAL PAGES	25		
			APPROVED	JOE				CONTRACT NO.:		504473977		DRAWING NO		XZX2-48147-A01-I2-S			
REV.	DESCRIPTION		REV. DATE	FIRST DATE	4/24/2025												
1			2			3		4		5		6		7		8	







F	E
REV.	DESCRIPTION REV. DATE










This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.


F	E
REV.	DESCRIPTION
	REV. DATE

			DRAWN	YAL	TITLE	ABB	FUNCTION	进线断路器柜		= I2	SHEET NO	13	
			CHECKED	CHERRY	保护备用回路					SCALE	1:1	TOTAL PAGES	25
			APPROVED	JOE	CONTRACT NO.:			PROJECT	南京西路永源浜4号地块项目		DRAWING NO XZX2-48147-A01-I2-S		
REV.	DESCRIPTION		REV. DATE	FIRST DATE	4/24/2025	504473977							
1			2		3		4		5		6		
7			8		9		10		11		12		




REV.	DESCRIPTION	REV DATE

			DRAWN	YAEI	TITLE		FUNCTION	进线断路器柜		= I2	SHEET NO	14
			CHECKED	CHERRY	保护备用回路		PROJECT			SCALE 1:1	TOTAL PAGES	25
			APPROVED	JOE	CONTRACT NO.:			南京西路永源浜4号地块项目		DRAWING NO XZX2-48147-A01-I2-S		
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977							




This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



REV.	DESCRIPTION	REV.	DATE

DRAWN		Yael		TITLE		FUNCTION		= I2		SHEET NO	
CHECKED		Cherry		CONTRACT NO.:		PROJECT		SCALE		TOTAL PAGES	
APPROVED		Joe		504473977		南京西路永源浜4号地块项目		DRAWING NO		XZX2-48147-A01-I2-S	
REV.		REV. DATE		FIRST DATE		4/24/2025		1:1		25	
1		2		3		4		5		6	
7		8		9		10		11		12	




UX2TE

-QBS1

EP-UX2TE-X30-T

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



三工位开关在分闸位置
使用双层端子接线

名称	描述	备注
-BB11	三工位开关隔离分闸位置辅助开关	
-BB12	三工位开关隔离合闸位置辅助开关	
-BB13	三工位开关隔离分闸位置辅助开关	
-BB15	三工位开关隔离分闸位置辅助开关	

名称	描述	备注
-BB16	三工位开关隔离合闸位置辅助开关	
-BB151.152	操作孔盖板的辅助开关	
-BB211	三工位开关隔离分闸位置辅助开关	
-BB212	三工位开关隔离合闸位置辅助开关	

名称	描述	备注
-BB214	三工位开关隔离合闸位置辅助开关	
-BB251	三工位开关接地分闸位置辅助开关	
-BB253	三工位开关接地分闸位置辅助开关	


名称	描述	备注
-BB51	三工位开关接地分闸位置辅助开关	
-BB52	三工位开关接地合闸位置辅助开关	
-BB57	三工位开关接地分闸位置辅助开关	
-BB58	三工位开关接地合闸位置辅助开关	

UX2TE

-QBS2

EP-UX2TE-X31-T


This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.



三工位开关在分闸位置
使用双层端子接线

名称	描述	备注	名称	描述	备注	名称	描述	备注	名称	描述	备注
-BB11	三工位开关隔离分闸位置辅助开关		-BB16	三工位开关隔离合闸位置辅助开关		-BB214	三工位开关隔离合闸位置辅助开关		-BB51	三工位开关接地分闸位置辅助开关	
-BB12	三工位开关隔离合闸位置辅助开关		-BB151.152	操作孔盖板的辅助开关		-BB251	三工位开关接地分闸位置辅助开关		-BB52	三工位开关接地合闸位置辅助开关	
-BB13	三工位开关隔离分闸位置辅助开关		-BB211	三工位开关隔离分闸位置辅助开关		-BB253	三工位开关接地分闸位置辅助开关		-BB57	三工位开关接地分闸位置辅助开关	
-BB15	三工位开关隔离分闸位置辅助开关		-BB212	三工位开关隔离合闸位置辅助开关					-BB58	三工位开关接地合闸位置辅助开关	

-QAB
VD4X-UNI-57-RL

[illegible]

断路器处于分闸状态 操作机构弹簧未储能

名称	描述	备注
-TB0...9	桥式整流装置	
-MB01	第一分闸脱扣器	
-MBC	合闸脱扣器	
-KFN	防跳继电器	
-RLE1	合闸闭锁电磁铁	
-QB0	断路器开关	
-MAS	断路器操作机构储能电机	






名称	描述	备注
-RAR	串联电阻	
-BGB1	与断路器主轴联动的辅助开关	
-BGB1	与断路器主轴联动的辅助开关	
BGS1.1~1.5	与储能机构联动的辅助开关	
-BGL1	合闸闭锁电磁铁的辅助开关	

REV.	DESCRIPTION	REV.	DATE

			DRAWN	YAL	TITLE	ABB	FUNCTION	进线断路器柜	= I2	SHEET NO	21
			CHECKED	CHERRY	断路器接线图		PROJECT	南京西路永源浜4号地块项目	SCALE 1:1	TOTAL PAGES	25
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977				DRAWING NO	XXZ2-48147-A01-I2-S	

REF: H615		X120		1/5A		IL1	
	/15.4C	—	9	—	7	—	3E
	/15.4C	—	8	—	N	—	3E
	/15.5C	—	9	—	1/5A	—	IL2
	/15.5C	—	10	—	N	—	3E
	/15.6C	—	11	—	1/5A	—	IL3
	/15.6C	—	12	—	N	—	3E
	/15.6C	—	13	—	0.271A	—	Io
	/15.6C	—	14	—	N	—	3E

X130		60-210V		U12B	
	—	—	9	—	3E
	/18.3E	—	10	—	3E
	/18.3E	—	11	—	210V
	/18.3E	—	12	—	N
	/18.3E	—	13	—	60-210V
	/18.3E	—	14	—	N
	/18.4E	—	15	—	60-210V
	/18.4E	—	16	—	N
	/18.4E	—	17	—	60-210V
	/18.2E	—	18	—	N



REF615



F

F

REV.	


			DRAWN	YAEI	TITLE	ABB	FUNCTION	进线断路器柜	= I2	SHEET NO	23
			CHECKED	CHERRY							
			APPROVED	JOE							
			FIRST DATE	4/24/2025	CONTRACT NO.:	504473977	PROJECT	南京西路永源浜4号地块项目	DRAWING NO	XZX2-48147-A01-I2-S	
REV.	DESCRIPTION		REV. DATE								

REV.	DESCRIPTION	REV. DATE

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

RET615

-BCR



RET615

[illegible]

[illegible]

[illegible]

A		B		C		D		E		F	
1		2		3		4		5		6	
7		8		9		10		11		12	
13		14		15		16		17		18	
19		20		21		22		23		24	
25		26		27		28		29		30	
31		32		33		34		35		36	
37		38		39		40		41		42	
43		44		45		46		47		48	
49		50		51		52		53		54	
55		56		57		58		59		60	
61		62		63		64		65		66	
67		68		69		70		71		72	
73		74		75		76		77		78	
79		80		81		82		83		84	
85		86		87		88		89		90	
91		92		93		94		95		96	
97		98		99		100		101		102	
103		104		105		106		107		108	
109		110		111		112		113		114	
115		116		117		118		119		120	
121		122		123		124		125		126	
127		128		129		130		131		132	
133		134		135		136		137		138	
139		140		141		142		143		144	
145		146		147		148		149		150	
151		152		153		154		155		156	
157		158		159		160		161		162	
163		164		165		166		167		168	
169		170		171		172		173		174	
175		176		177		178		179		180	
181		182		183		184		185		186	
187		188		189		190		191		192	
193		194		195		196		197		198	
199		200		201		202		203		204	
205		206		207		208		209		210	
211		212		213		214		215		216	
217		218		219		220		221		222	
223		224		225		226		227		228	
229		230		231		232		233		234	
235		236		237		238		239		240	
241		242		243		244		245		246	
247		248		249		250		251		252	
253		254		255		256		257		258	
259		260		261		262		263		264	
265		266		267		268		269		270	
271		272		273		274		275		276	
277		278		279		280		281		282	
283		284		285		286		287		288	
289		290		291		292		293		294	
295		296		297		298		299		300	
301		302		303		304		305		306	
307		308		309		310		311		312	
313		314		315		316		317		318	
319		320		321		322		323		324	
325		326		327		328		329		330	
331		332		333		334		335		336	
337		338		339		340		341		342	
343		344		345		346		347		348	
349		350		351		352		353		354	
355											

[illegible]

A		B		C		D		E		F	
1		2		3		4		5		6	
7		8		9		10		11		12	
13		14		15		16		17		18	
19		20		21		22		23		24	
25		26		27		28		29		30	
31		32		33		34		35		36	
37		38		39		40		41		42	
43		44		45		46		47		48	
49		50		51		52		53		54	
55		56		57		58		59		60	
61		62		63		64		65		66	
67		68		69		70		71		72	
73		74		75		76		77		78	
79		80		81		82		83		84	
85		86		87		88		89		90	
91		92		93		94		95		96	
97		98		99		100		101		102	
103		104		105		106		107		108	
109		110		111		112		113		114	
115		116		117		118		119		120	
121		122		123		124		125		126	
127		128		129		130		131		132	
133		134		135		136		137		138	
139		140		141		142		143		144	
145		146		147		148		149		150	
151		152		153		154		155		156	
157		158		159		160		161		162	
163		164		165		166		167		168	
169		170		171		172		173		174	
175		176		177		178		179		180	
181		182		183		184		185		186	
187		188		189		190		191		192	
193		194		195		196		197		198	
199		200		201		202		203		204	
205		206		207		208		209		210	
211		212		213		214		215		216	
217		218		219		220		221		222	
223		224		225		226		227		228	
229		230		231		232		233		234	
235		236		237		238		239		240	
241		242		243		244		245		246	
247		248		249		250		251		252	
253		254		255		256		257		258	
259		260		261		262		263		264	
265		266		267		268		269		270	
271		272		273		274		275		276	
277		278		279		280		281		282	
283		284		285		286		287		288	
289		290		291		292		293		294	
295		296		297		298		299		300	
301		302		303		304		305		306	
307		308		309		310		311		312	
313		314		315		316		317		318	
319		320		321		322		323		324	
325		326		327		328		329		330	
331		332		333		334		335		336	
337		338		339		340		341		342	
343		344		345		346		347		348	
349		350		351		352		353		354	
355											

F		E		D		C		B		A												
REV.	DESCRIPTION	REV. DATE																				
This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.																						
== A01 = I2 + -X7																						
备注	外引电缆	设备	线号	端子号	型号	线号	设备	外引电缆	备注													
	-X7:26			1	NEK4			-FCM11:4														
				2	NEK4																	
				3	NEK4			-SB1:3														
				4	NEK4			-X20:11														
				5	NEK4			-X30:13														
				6	NEK4			-SFS32:5														
				7	NEK4			-X30:7														
				8	NEK4			-X30:5														
				9	NEK4			-X30:9														
				10	NEK4			-X30:11														
				11	NEK4			-X7:41														
				12	NEK4																	
				13	NEK4			-SB2:3														
				14	NEK4			-KFB1:13														
				15	NEK4			-X31:13														
				16	NEK4			-SFS32:1														
				17	NEK4			-X31:7														
				18	NEK4			-X31:5														
				19	NEK4			-X31:9														
				20	NEK4			-X31:11														
	-FCM11:2			21	NEK4			-MCU12:3														
				22	NEK4			-MCU22:3														
				23	NEK4																	
	-X7:26			24	NEK4			-MCU11:11														
	-X7:27			25	NEK4			-MCU11:12														
	-X7:1			26	NEK4			-X7:24														
				27	NEK4			-X7:25														
△	-远方控制信号			28	NEK4																	
△	-远方控制信号			29	NEK4			-SFS32:8														
	-SB1:4			30	NEK4			-MCU11:10														
	-MCU11:14			31	NEK4			-SFS33:4														
△	-远方控制信号			32	NEK4																	
	-MCU11:15			33	NEK4			-SFS33:2														
△	-远方控制信号			34	NEK4																	
	-MCU11:16			35	NEK4			-SFS34:4														
△	-远方控制信号			36	NEK4																	
	-MCU11:17			37	NEK4			-SFS34:2														
△	-远方控制信号			38	NEK4																	
	-X30:61			39	NEK4			-MCU11:3														
	-X30:1			40	NEK4			-MCU11:4														
	-X7:11			41	NEK4			-X7:45														
				42	NEK4			-X7:46														
△	-远方控制信号			43	NEK4																	
△	-远方控制信号			44	NEK4			-SFS32:4														
	-X7:41			45	NEK4			-MCU21:11														
	-X7:42			46	NEK4			-MCU21:2														
	-SB2:4			47	NEK4			-MCU21:0														
	-MCU21:14			48	NEK4			-SFS35:4														
△	-远方控制信号			49	NEK4																	
	-MCU21:15			50	NEK4			-SFS35:2														
△	-远方控制信号			51	NEK4																	
	-SFS36:4			52	NEK4			-MCU21:6														
△	-远方控制信号			53	NEK4																	
	-SFS36:2			54	NEK4			-MCU21:7														
☆ 相间小母线 断相闭锁 △ 相间控制电源 (由客户自备) ● 短接排 × 分闸板 (测试短片 ○ 其他																						

DRAWN Yael		TITLE 端子图表 ==A01=I2+-X7		FUNCTION 进线断路器柜		= I2 SHEET NO 6	
CHECKED Cherry		CONTRACT NO.: 504473977		PROJECT 南京西路永源浜4号地块项目		SCALE 1:1 TOTAL PAGES 17	
APPROVED JOE		4/24/2025		DRAWING NO XZX2-48147-A01-I2-T			

[illegible]

[illegible]


[illegible]


This drawing and information contained hereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
==A01=I2+-X30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table><tr><td>备注</td><td>外引电缆</td><td>设备</td><td>线号</td><td>端子号</td><td>型号</td><td>线号</td><td>设备</td><td>线号</td><td>备注</td><td>外引电缆</td><td>备注</td></tr><tr><td rowspan="54"></td><td></td><td>-X7:40</td><td></td><td>1</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/1</td><td></td></tr><tr><td></td><td>-X30:62</td><td></td><td>2</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/2</td><td></td></tr><tr><td></td><td>-X20:12</td><td></td><td>3</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/3</td><td></td></tr><tr><td></td><td>-MCUI:13</td><td></td><td>4</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/4</td><td></td></tr><tr><td></td><td>-X7:8</td><td></td><td>5</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/5</td><td></td></tr><tr><td></td><td>-MCUI:19</td><td></td><td>6</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/6</td><td></td></tr><tr><td></td><td>-X7:7</td><td></td><td>7</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/7</td><td></td></tr><tr><td></td><td>-MCUI:18</td><td></td><td>8</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/8</td><td></td></tr><tr><td></td><td>-X7:9</td><td></td><td>9</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/9</td><td></td></tr><tr><td></td><td>-MCUI:20</td><td></td><td>10</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/10</td><td></td></tr><tr><td></td><td>-X7:10</td><td></td><td>11</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/11</td><td></td></tr><tr><td></td><td>-MCUI:21</td><td></td><td>12</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/12</td><td></td></tr><tr><td></td><td>-X7:5</td><td></td><td>13</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/13</td><td></td></tr><tr><td></td><td>-MCUI:22</td><td></td><td>14</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/14</td><td></td></tr><tr><td></td><td></td><td></td><td>15</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/15</td><td></td></tr><tr><td></td><td></td><td></td><td>16</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/16</td><td></td></tr><tr><td></td><td></td><td></td><td>17</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/17</td><td></td></tr><tr><td></td><td></td><td></td><td>18</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/18</td><td></td></tr><tr><td></td><td></td><td></td><td>19</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/19</td><td></td></tr><tr><td></td><td></td><td></td><td>20</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/20</td><td></td></tr><tr><td></td><td></td><td></td><td>21</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/21</td><td></td></tr><tr><td></td><td>-X3:1</td><td></td><td>22</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/22</td><td></td></tr><tr><td></td><td>-X3:14</td><td></td><td>23</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/23</td><td></td></tr><tr><td></td><td>-X3:37</td><td></td><td>24</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/24</td><td></td></tr><tr><td></td><td></td><td></td><td>25</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/25</td><td></td></tr><tr><td></td><td></td><td></td><td>26</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/26</td><td></td></tr><tr><td></td><td></td><td></td><td>27</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/27</td><td></td></tr><tr><td></td><td></td><td></td><td>28</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/28</td><td></td></tr><tr><td></td><td></td><td></td><td>29</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/29</td><td></td></tr><tr><td></td><td>-X2:7</td><td></td><td>30</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/30</td><td></td></tr><tr><td></td><td>-PEX11:2</td><td></td><td>31</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/31</td><td></td></tr><tr><td></td><td>-PEX11:3</td><td></td><td>32</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/32</td><td></td></tr><tr><td></td><td>-PEX11:4</td><td></td><td>33</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/33</td><td></td></tr><tr><td></td><td></td><td></td><td>34</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/34</td><td></td></tr><tr><td></td><td></td><td></td><td>35</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/35</td><td></td></tr><tr><td></td><td></td><td></td><td>36</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/36</td><td></td></tr><tr><td></td><td></td><td></td><td>37</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/37</td><td></td></tr><tr><td></td><td></td><td></td><td>38</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/38</td><td></td></tr><tr><td></td><td></td><td></td><td>39</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/39</td><td></td></tr><tr><td></td><td></td><td></td><td>40</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/40</td><td></td></tr><tr><td></td><td></td><td></td><td>41</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/41</td><td></td></tr><tr><td></td><td></td><td></td><td>42</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/42</td><td></td></tr><tr><td></td><td></td><td></td><td>43</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/43</td><td></td></tr><tr><td></td><td></td><td></td><td>44</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/44</td><td></td></tr><tr><td></td><td>-X2:17</td><td></td><td>45</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/45</td><td></td></tr><tr><td></td><td>-BCGX110:10</td><td></td><td>46</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/46</td><td></td></tr><tr><td></td><td></td><td></td><td>47</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/47</td><td></td></tr><tr><td></td><td></td><td></td><td>48</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/48</td><td></td></tr><tr><td></td><td></td><td></td><td>49</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/49</td><td></td></tr><tr><td></td><td></td><td></td><td>50</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/50</td><td></td></tr><tr><td></td><td></td><td></td><td>51</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/51</td><td></td></tr><tr><td></td><td></td><td></td><td>52</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/52</td><td></td></tr><tr><td></td><td>-X2:18</td><td></td><td>53</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/53</td><td></td></tr><tr><td></td><td>-BCGX110:11</td><td></td><td>54</td><td>NEK4</td><td></td><td></td><td></td><td></td><td>-QB51:X30/54</td><td></td></tr></table>												备注	外引电缆	设备	线号	端子号	型号	线号	设备	线号	备注	外引电缆	备注			-X7:40		1	NEK4					-QB51:X30/1			-X30:62		2	NEK4					-QB51:X30/2			-X20:12		3	NEK4					-QB51:X30/3			-MCUI:13		4	NEK4					-QB51:X30/4			-X7:8		5	NEK4					-QB51:X30/5			-MCUI:19		6	NEK4					-QB51:X30/6			-X7:7		7	NEK4					-QB51:X30/7			-MCUI:18		8	NEK4					-QB51:X30/8			-X7:9		9	NEK4					-QB51:X30/9			-MCUI:20		10	NEK4					-QB51:X30/10			-X7:10		11	NEK4					-QB51:X30/11			-MCUI:21		12	NEK4					-QB51:X30/12			-X7:5		13	NEK4					-QB51:X30/13			-MCUI:22		14	NEK4					-QB51:X30/14					15	NEK4					-QB51:X30/15					16	NEK4					-QB51:X30/16					17	NEK4					-QB51:X30/17					18	NEK4					-QB51:X30/18					19	NEK4					-QB51:X30/19					20	NEK4					-QB51:X30/20					21	NEK4					-QB51:X30/21			-X3:1		22	NEK4					-QB51:X30/22			-X3:14		23	NEK4					-QB51:X30/23			-X3:37		24	NEK4					-QB51:X30/24					25	NEK4					-QB51:X30/25					26	NEK4					-QB51:X30/26					27	NEK4					-QB51:X30/27					28	NEK4					-QB51:X30/28					29	NEK4					-QB51:X30/29			-X2:7		30	NEK4					-QB51:X30/30			-PEX11:2		31	NEK4					-QB51:X30/31			-PEX11:3		32	NEK4					-QB51:X30/32			-PEX11:4		33	NEK4					-QB51:X30/33					34	NEK4					-QB51:X30/34					35	NEK4					-QB51:X30/35					36	NEK4					-QB51:X30/36					37	NEK4					-QB51:X30/37					38	NEK4					-QB51:X30/38					39	NEK4					-QB51:X30/39					40	NEK4					-QB51:X30/40					41	NEK4					-QB51:X30/41					42	NEK4					-QB51:X30/42					43	NEK4					-QB51:X30/43					44	NEK4					-QB51:X30/44			-X2:17		45	NEK4					-QB51:X30/45			-BCGX110:10		46	NEK4					-QB51:X30/46					47	NEK4					-QB51:X30/47					48	NEK4					-QB51:X30/48					49	NEK4					-QB51:X30/49					50	NEK4					-QB51:X30/50					51	NEK4					-QB51:X30/51					52	NEK4					-QB51:X30/52			-X2:18		53	NEK4					-QB51:X30/53			-BCGX110:11		54	NEK4					-QB51:X30/54	
备注	外引电缆	设备	线号	端子号	型号	线号	设备	线号	备注	外引电缆	备注																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		-X7:40		1	NEK4					-QB51:X30/1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X30:62		2	NEK4					-QB51:X30/2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X20:12		3	NEK4					-QB51:X30/3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:13		4	NEK4					-QB51:X30/4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X7:8		5	NEK4					-QB51:X30/5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:19		6	NEK4					-QB51:X30/6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X7:7		7	NEK4					-QB51:X30/7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:18		8	NEK4					-QB51:X30/8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X7:9		9	NEK4					-QB51:X30/9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:20		10	NEK4					-QB51:X30/10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X7:10		11	NEK4					-QB51:X30/11																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:21		12	NEK4					-QB51:X30/12																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X7:5		13	NEK4					-QB51:X30/13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-MCUI:22		14	NEK4					-QB51:X30/14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				15	NEK4					-QB51:X30/15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				16	NEK4					-QB51:X30/16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				17	NEK4					-QB51:X30/17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				18	NEK4					-QB51:X30/18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				19	NEK4					-QB51:X30/19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				20	NEK4					-QB51:X30/20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				21	NEK4					-QB51:X30/21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X3:1		22	NEK4					-QB51:X30/22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X3:14		23	NEK4					-QB51:X30/23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X3:37		24	NEK4					-QB51:X30/24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				25	NEK4					-QB51:X30/25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				26	NEK4					-QB51:X30/26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				27	NEK4					-QB51:X30/27																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				28	NEK4					-QB51:X30/28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				29	NEK4					-QB51:X30/29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X2:7		30	NEK4					-QB51:X30/30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-PEX11:2		31	NEK4					-QB51:X30/31																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-PEX11:3		32	NEK4					-QB51:X30/32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-PEX11:4		33	NEK4					-QB51:X30/33																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				34	NEK4					-QB51:X30/34																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				35	NEK4					-QB51:X30/35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				36	NEK4					-QB51:X30/36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				37	NEK4					-QB51:X30/37																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				38	NEK4					-QB51:X30/38																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				39	NEK4					-QB51:X30/39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				40	NEK4					-QB51:X30/40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				41	NEK4					-QB51:X30/41																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				42	NEK4					-QB51:X30/42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				43	NEK4					-QB51:X30/43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				44	NEK4					-QB51:X30/44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X2:17		45	NEK4					-QB51:X30/45																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-BCGX110:10		46	NEK4					-QB51:X30/46																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				47	NEK4					-QB51:X30/47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				48	NEK4					-QB51:X30/48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				49	NEK4					-QB51:X30/49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				50	NEK4					-QB51:X30/50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				51	NEK4					-QB51:X30/51																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				52	NEK4					-QB51:X30/52																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-X2:18		53	NEK4					-QB51:X30/53																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		-BCGX110:11		54	NEK4					-QB51:X30/54																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
☆ 柜内小母线 断路器提供 △ 柜内控制电源 (由客户自备) ● 短接排 ✕ 分母板 (测试短接片 ○ 其他																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

DRAWN Yael		TITLE		FUNCTION		= I2		SHEET NO	
CHECKED CHERRY		端子图表 ==A01=I2+-X30		ABB		进线断路器柜		12	
APPROVED JOE		CONTRACT NO.:		PROJECT		南京西路永源浜4号地块项目		TOTAL PAGES	
4/24/2025		504473977						17	
REV. DESCRIPTION		REV. DATE		DRAWING NO		XZX2-48147-A01-I2-T			

F		E		D		C		B		A												
REV.	DESCRIPTION		REV. DATE																			
This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.																						
==A01=I2+-X31																						
备注	外引电缆	设备	线号	端子号	型号	线号	设备	外引电缆	备注													
		-X7:57		1	NEK4		-QBS2-X31/1															
		-X31:62		2	NEK4		-QBS2-X31/2															
		-KFB1:14		3	NEK4		-QBS2-X31/3															
		-MCU2:13		4	NEK4		-QBS2-X31/4															
		-X7:18		5	NEK4		-QBS2-X31/5															
		-MCU2:19		6	NEK4		-QBS2-X31/6															
		-X7:17		7	NEK4		-QBS2-X31/7															
		-MCU2:18		8	NEK4		-QBS2-X31/8															
		-X7:19		9	NEK4		-QBS2-X31/9															
		-MCU2:20		10	NEK4		-QBS2-X31/10															
		-X7:20		11	NEK4		-QBS2-X31/11															
		-MCU2:21		12	NEK4		-QBS2-X31/12															
		-X7:15		13	NEK4		-QBS2-X31/13															
		-MCU2:22		14	NEK4		-QBS2-X31/14															
				15	NEK4		-QBS2-X31/15															
				16	NEK4		-QBS2-X31/16															
				17	NEK4		-QBS2-X31/17															
				18	NEK4		-QBS2-X31/18															
				19	NEK4		-QBS2-X31/19															
				20	NEK4		-QBS2-X31/20															
				21	NEK4		-QBS2-X31/21															
		-X3:14		22	NEK4		-QBS2-X31/22															
		-X3:16		23	NEK4		-QBS2-X31/23															
	△	=D1-X5:6		24	NEK4		-QBS2-X31/24															
				25	NEK4		-QBS2-X31/25															
				26	NEK4		-QBS2-X31/26															
				27	NEK4		-QBS2-X31/27															
				28	NEK4		-QBS2-X31/28															
				29	NEK4		-QBS2-X31/29															
		-X2:8		30	NEK4		-QBS2-X31/30															
		-PFX12:2		31	NEK4		-QBS2-X31/31															
		-PFX12:3		32	NEK4		-QBS2-X31/32															
		-PFX12:4		33	NEK4		-QBS2-X31/33															
				34	NEK4		-QBS2-X31/34															
				35	NEK4		-QBS2-X31/35															
				36	NEK4		-QBS2-X31/36															
				37	NEK4		-QBS2-X31/37															
				38	NEK4		-QBS2-X31/38															
				39	NEK4		-QBS2-X31/39															
				40	NEK4		-QBS2-X31/40															
				41	NEK4		-QBS2-X31/41															
				42	NEK4		-QBS2-X31/42															
				43	NEK4		-QBS2-X31/43															
				44	NEK4		-QBS2-X31/44															
		-X2:19		45	NEK4		-QBS2-X31/45															
		-BCGX110:13		46	NEK4		-QBS2-X31/46															
				47	NEK4		-QBS2-X31/47															
				48	NEK4		-QBS2-X31/48															
				49	NEK4		-QBS2-X31/49															
				50	NEK4		-QBS2-X31/50															
				51	NEK4		-QBS2-X31/51															
				52	NEK4		-QBS2-X31/52															
		-X2:26		53	NEK4		-QBS2-X31/53															
		-BCGX120:5		54	NEK4		-QBS2-X31/54															
☆ 柜内小电线 扁铝排板 △ 柜内控制电源 (由客户自备) ● 短接排 ✕ 分母板 (测试短排片 ○ 其他																						

DRAWN		Yael		TITLE		FUNCTION		= I2		SHEET NO	
CHECKED		Cherry		端子图表 ==A01=I2+-X31		ABB		SCALE 1:1		TOTAL PAGES	
APPROVED		JOE		CONTRACT NO.: 504473977		PROJECT		DRAWING NO		XZX2-48147-A01-I2-T	
REV. DATE		4/24/2025				南京西路永源浜4号地块项目					







This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

			DRAWN	YAL	TITLE		FUNCTION	进线断路器柜		= I2	SHEET NO	2
			CHECKED	CHERRY	低压室门板接线图		PROJECT	南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES	7
			APPROVED	JOE	CONTRACT NO.:							
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977					DRAWING NO	XZX2-48147-A01-I2-W	


设备连接图




			DRAWN	YAL	TITLE		FUNCTION	进线断路器柜		= I2	SHEET NO	2.a
			CHECKED	CHERRY	低压室门板接线图		PROJECT	南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES	7
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977					DRAWING NO	XZX2-48147-A01-I2-W	



设备连接图



			DRAWN	YAL	TITLE		FUNCTION	进线断路器柜		= I2	SHEET NO	3
			CHECKED	CHERRY	低压室接线图		PROJECT	南京西路永源浜4号地块项目		SCALE 1:1	TOTAL PAGES	7
REV.	DESCRIPTION	REV. DATE	APPROVED	JOE	CONTRACT NO.: 504473977					DRAWING NO	XZX2-48147-A01-I2-W	
			FIRST DATE	4/24/2025								





红色区域深度不超过207

绿色区域深度不超过261

黄绿区域深度不超过235

橙黄区域深度不超过124

白色区域深度不超过124


红白区域深度不超过380

棕红区域深度不超过207


ZX2 W800mm D400mm

LV panel arrangement


Cutout



Cutout 1:2



A



B

			DRAWN	Yael	TITLE	ABB	FUNCTION	计量出线柜	=	M1	SHEET NO	1	
			CHECKED	Cherry					门板开孔图	SCALE	1:8	TOTAL PAGES	2
			APPROVED	Joe						CONTRACT NO.:	504473977	PROJECT	南京西路永源浜4号地块项目
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025									

ABID

FUNCTION

PROJECT

计量出线柜

南京西路永源浜4号地块项目

=	M1	SHEET NO	1
SCALE	1:8	TOTAL PAGES	2
DRAWING NO XZX2-48147-A01-M1-C			

A

B

C


D

E

F

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

低压室布置



注：X30使用双层端子



- 注：1. 左右侧板红色虚框内的导轨不可安装元器件
2. 下中低压室不要安装双层端子
3. 此布置图不适用电容器柜


ZX2 W800 D400

REV.		DESCRIPTION	REV. DATE	DRAWN	YAL	TITLE	FUNCTION	=	M1	SHEET NO	2
				CHECKED	CHERRY	CONTRACT NO.:	PROJECT	SCALE	1:8	TOTAL PAGES	2
				APPROVED	JOE	504473977	南京西路永源浜4号地块项目	DRAWING NO XZX2-48147-A01-M1-C			
				FIRST DATE	4/24/2025						


F


			DRAWN	Yael
			CHECKED	Cherry
			APPROVED	Joe
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025





REV.	DESCRIPTION	REV. DATE







This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

A	三工位开关状态												
	隔离合			隔离分（分闸-接地）			接地合		接地分（分闸-合闸）		三工位位置确定		中间位
B													
C													
D													
E													
F													

REV.		DESCRIPTION		REV. DATE	
		</			






REV.	DESCRIPTION	REV. DATE	FIRST DATE	DRAWN YAL	CHECKED CHERRY	APPROVED JOE	TITLE 电流电压回路 504473977	ABB	FUNCTION 计量出线柜	= M1 SCALE 1:1	SHEET NO 8 TOTAL PAGES 9
REV.	DESCRIPTION	REV. DATE	FIRST DATE	DRAWN YAL	CHECKED CHERRY	APPROVED JOE	CONTRACT NO.: 504473977	ABB	PROJECT 南京西路永源浜4号地块项目	DRAWING NO XZX2-48147-A01-M1-S	

UX2TE

-QBS1

EP-UX2TE-X30-RL1-T



This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

三工位开关在分闸位置
使用双层端子接线

名称	描述	备注	名称	描述	备注	名称	描述	备注	名称	描述	备注
-BB11	三工位开关隔离分闸位置辅助开关		-BB16	三工位开关隔离合闸位置辅助开关		-BB214	三工位开关隔离合闸位置辅助开关		-BB51	三工位开关接地分闸位置辅助开关	
-BB12	三工位开关隔离合闸位置辅助开关		-BB151.152	操作孔盖板的辅助开关		-BB251	三工位开关接地分闸位置辅助开关		-BB52	三工位开关接地合闸位置辅助开关	
-BB13	三工位开关隔离分闸位置辅助开关		-BB211	三工位开关隔离分闸位置辅助开关		-BB253	三工位开关接地分闸位置辅助开关		-BB57	三工位开关接地分闸位置辅助开关	
-BB15	三工位开关隔离分闸位置辅助开关		-BB212	三工位开关隔离合闸位置辅助开关		-RLE1	闭锁电磁铁		-BB58	三工位开关接地合闸位置辅助开关	

This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.

设备号	-MCU1	物料号	MCU5.0-110-3P	数量	1	制造商	Peaks
设备名称	三工位开关控制器					型号	MCU5.0
设备参数	Un=110VAC/DC(-15%, +10%)不带通讯						
符号							
节点位置	S/1.6B		S/3.1B		S/4.8B		S/3.5C
							S/4.2E
设备号	-U1	物料号	PMM-AUX-01	数量	1	制造商	/
设备名称	电度表挂表架					型号	270
设备参数							
符号							
节点位置	S/1.6C						
设备号	-XB1	物料号	TX-DFY1	数量	1	制造商	HAIYAN
设备名称	端子盒					型号	DFY1
设备参数	13 TERMINAL						
符号							
节点位置	S/8.2D		S/8.2D		S/8.4D		S/8.4D
					S/8.5D		S/8.5D
							S/8.3D

REV.	DESCRIPTION	REV. DATE	

			DRAWN	YAEI	TITLE		FUNCTION	计量出线柜		= M1	SHEET NO	3.a
			CHECKED	CHERRY	设备清单(低压室)		PROJECT			SCALE 1:1	TOTAL PAGES	4
			APPROVED	JOE	CONTRACT NO:		南京西路永源浜4号地块项目		DRAWING NO XZX2-48147-A01-M1-E			
REV.	DESCRIPTION	REV. DATE	FIRST DATE	4/24/2025	504473977							

A		B		C		D		E		F	
This drawing and information contained thereon is the property of ABB (XIAMEN) Switchgear CO. LTD. and shall not be used, reproduced for any purpose, or shown to third parties without the written consent of ABB (XIAMEN) Switchgear CO. LTD.		REV.		DESCRIPTION		REV. DATE					
		REV.		DESCRIPTION		REV. DATE					
1		2		3		4		5		6	
2		3		4		5		6		7	
3		4		5		6		7		8	
4		5		6		7		8		9	
5		6		7		8		9		10	
6		7		8		9		10		11	
7		8		9		10		11		12	
8		9		10		11		12		13	
9		10		11		12		13		14	
10		11		12		13		14		15	
11		12		13		14		15		16	
12		13		14		15		16		17	
13		14		15		16		17		18	
14		15		16		17		18		19	
15		16		17		18		19		20	
16		17		18		19		20		21	
17		18		19		20		21		22	
18		19		20		21		22		23	
19		20		21		22		23		24	
20		21		22		23		24		25	
21		22		23		24		25		26	
22		23		24		25		26		27	
23		24		25		26		27		28	
24		25		26		27		28		29	
25		26		27		28		29		30	
26		27		28		29		30		31	
27		28		29		30		31		32	
28		29		30		31		32		33	
29		30		31		32		33		34	
30		31		32		33		34		35	
31		32		33		34		35		36	
32		33		34		35		36		37	
33		34		35		36		37		38	
34		35		36		37		38		39	
35		36		37		38		39		40	
36		37		38		39		40		41	
37		38		39		40		41		42	
38		39		40		41		42		43	
39		40		41		42		43		44	
40		41		42		43		44		45	
41		42		43		44		45		46	
42		43		44		45		46		47	
43		44		45		46		47		48	
44		45		46		47		48		49	
45		46		47		48		49		50	
46		47		48		49		50		51	
47		48		49		50		51		52	
48		49		50		51		52		53	
49		50		51		52		53		54	
50		51		52		53		54		55	
51		52		53		54		55		56	
52		53		54		55		56		57	
53		54		55		56		57		58	
54		55		56		57		58		59	
55		56		57		58		59		60	
56		57		58		59		60		61	
57		58		59		60		61		62	
58		59		60		61		62		63	
59		60		61		62		63		64	
60		61		62		63		64		65	
61		62		63		64		65		66	
6											

[illegible]

A		B		C		D		E		F	
1		2		3		4		5		6	
7		8		9		10		11		12	
13		14		15		16		17		18	
19		20		21		22		23		24	
25		26		27		28		29		30	
31		32		33		34		35		36	
37		38		39		40		41		42	
43		44		45		46		47		48	
49		50		51		52		53		54	
55		56		57		58		59		60	
61		62		63		64		65		66	
67		68		69		70		71		72	
73		74		75		76		77		78	
79		80		81		82		83		84	
85		86		87		88		89		90	
91		92		93		94		95		96	
97		98		99		100		101		102	
103		104		105		106		107		108	
109		110		111		112		113		114	
115		116		117		118		119		120	
121		122		123		124		125		126	
127		128		129		130		131		132	
133		134		135		136		137		138	
139		140		141		142		143		144	
145		146		147		148		149		150	
151		152		153		154		155		156	
157		158		159		160		161		162	
163		164		165		166		167		168	
169		170		171		172		173		174	
175		176		177		178		179		180	
181		182		183		184		185		186	
187		188		189		190		191		192	
193		194		195		196		197		198	
199		200		201		202		203		204	
205		206		207		208		209		210	
211		212		213		214		215		216	
217		218		219		220		221		222	
223		224		225		226		227		228	
229		230		231		232		233		234	
235		236		237		238		239		240	
241		242		243		244		245		246	
247		248		249		250		251		252	
253		254		255		256		257		258	
259		260		261		262		263		264	
265		266		267		268		269		270	
271		272		273		274		275		276	
277		278		279		280		281		282	
283		284		285		286		287		288	
289		290		291		292		293		294	
295		296		297		298		299		300	
301		302		303		304		305		306	
307		308		309		310		311		312	
313		314		315		316		317		318	
319		320		321		322		323		324	
325		326		327		328		329		330	
331		332		333		334		335		336	
337		338		339		340		341		342	
343		344		345		346		347		348	
349		350		351		352		353		354	
355											

[illegible]

[illegible]

