

# Tutorial Sheet - Topic 09

---

## Programming Fundamentals 1

---

Product Validation, Loops, Switch Statements, and Menus

### 1. Product Class & Validation (Shop 2.2)

---

#### Q1 -- Getter Methods

Given the following field:

```
private double unitCost;
```

Write the getter method for `unitCost`.

---

#### Q2 -- Setter Methods

Write the setter method for `unitCost`. You do **not** need to include validation yet.

---

#### Q3 -- toString()

Explain what `toString()` should return in an object-oriented program. Why is `toString()` especially useful when debugging?

---

#### Q4 -- Apply Validation

Write a **setter method** for `unitCost` with the following rule:

- Valid unit cost: **1.00 to 5000.00**
- 

#### Q5 -- String Validation

The product name must be **max 20 characters**.

Given the input:

```
"SuperUltraWideMonitorDisplay"
```

State what the stored value should be after the constructor validation.

---

## 2. Loops (Counter-Controlled, Sentinel, Flag-Based)

---

### Q6 -- Sentinel-Based Loop (Simple)

Write a loop that repeatedly reads integers until the user enters **-1**.  
Print the total sum at the end.

(No array needed.)

---

### Q7 -- Counting Inputs

Extend your previous solution so it also prints **how many** numbers were entered before **-1**.

---

### Q8 -- Flag Example

Given an array of integers, write pseudocode that checks if **any** number is odd.  
If at least one is odd → print a message.  
If none are odd → print a different message.

---

### Q9 -- Boolean Method Version

Rewrite Q8 as a **method**:

```
public boolean containsOdd(int[] nums)
```

Method returns **true** if an odd number exists. (Assume all elements of array are populated.)

---

### Q10 -- Loop Control Variable (LCV)

Briefly explain the term **Loop Control Variable** using your own words.

---

### Q11 -- Error Spotting

Explain what is wrong with this sentinel loop:

```
int num = input.nextInt();  
int sum = 0;  
  
while(num != -1) {  
    sum += num;  
}
```

Provide a corrected version.

### 3. Switch Statement

---

#### Q12 -- Switch vs If-Else

Describe one advantage of using a `switch` statement instead of a long chain of `if/else if`.

---

#### Q13 -- Basic Switch

Write a switch that prints:

- "Hello" if `choice == 1`
  - "Goodbye" if `choice == 2`
  - "Invalid option" otherwise
-

## 4. Menu-Driven Applications

---

### Q14 -- Menu Concept

What is a **menu-driven program**?

Give an example of when you would use one.

---

### Q15 -- Simple Menu Output

Write the code to print the following menu using a raw string (triple quotes):

```
1. Add Product
2. View Product
3. Exit
```

---

### Q16 -- Switch + Menu

Write a switch on `option` that:

- Calls `addProduct()` for case 1\
  - Calls `viewProduct()` for case 2\
  - Prints "Exiting..." for case 3
- 

### Q17 -- Menu Integration

Write a small `main` method that:

- Displays the menu\
- Reads the option\
- Loops until exit\
- Uses your switch from Q16

(You may use pseudocode or Java.)

---