

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 10mg

Tested for: PUREPEP

COA #: COA-2026-09HZFV
Lot Number: RTA10-001
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 08/06/2026
Appearance: Good
Volume: 3mL
Date Received: 07/23/2026

Method: Purity, Identity & Quantitation (HPLC), Endotoxin (USP <85>)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: HC82TJDN

Identity	Peptide Purity	Fentanyl Free
Retatrutide	99.90%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.90%	%	PASS
Net Peptide Content	Report Only	10.71	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 10mg - RTA10-001

HPLC Chromatogram



Retatrutide 10mg - RTA10-001: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 08/06/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/6/2026

COA #: COA-2026-09HZFV
Access Code: HC82TJDN
Verify: portal.ils-lab.com
Issued: 8/6/2026