

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 30mg

Tested for: PUREPEP

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: CRYVRVNS

COA #: COA-2026-XYKFUA
Lot Number: RTA30-001
Labeled Content: 30mg
Volume: 3mL

Analysis Date: 08/06/2026
Appearance: Good
Volume: 3mL
Date Received: 07/23/2026

Method: Purity, Identity & Quantitation (HPLC), Endotoxin (USP <85>)

Identity

Retatrutide

Peptide Purity

99.89%



Fentanyl
Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.89%	%	PASS
Net Peptide Content	Report Only	31.55	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 30mg - RTA30-001

HPLC Chromatogram



Retatrutide 30mg - RTA30-001: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 08/06/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
8/6/2026

COA #: COA-2026-XYKFUA
Access Code: CRYVRVNS
Verify: portal.ils-lab.com
Issued: 8/6/2026