```
import java.util.Scanner;

class Employee {
   String name;
   double basicSalary;

   Employee() {

   }

   Employee(String name) {
      this.name = name;
   }

   Employee(String name, double basicSalary) {
      this.name = name;
      this.basicSalary = basicSalary;
   }

   void getFinalSalary() {

   }

}

class ContractEmployee extends Employee {
   ContractEmployee(String name, double basicSalary) {
      super(name, basicSalary);
   }
```

```
    @Override
    void getFinalSalary() {
        double mysalary = super.basicSalary * 1.1;
        System.out.println("Final Salary: " + mysalary);
    }
}

class PermanentEmployee extends Employee {
    PermanentEmployee(String name, double basicSalary) {
        super(name, basicSalary);
    }

    @Override
    void getFinalSalary() {
        double mysalary = super.basicSalary * 1.2;
        System.out.println("Final Salary: " + mysalary);
    }
}

public class Main {
    public static void main(String[] args) {
        int t;
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter the number of testcases: ");
        t = sc.nextInt();
        for (int i = 0; i < t; i++) {
            String employee_type;
            String employee_name;
            double salary;

            employee_type = sc.next();
```

```
        employee_name = sc.next();
        salary = sc.nextDouble();
        if (employee_type.equals("P")) {
          PermanentEmployee emp = new PermanentEmployee(employee_name, salary);
          System.out.println("Employee: " + emp.name);
          emp.getFinalSalary();

        } else {
          ContractEmployee emp = new ContractEmployee(employee_name, salary);
          System.out.println("Employee: " + emp.name);
          emp.getFinalSalary();
        }
      }
    }
}
```

Output

```
Enter the number of testcases:
3

P
Aman
20000
C
Priya
30000
P
Rahul
15000
Employee: Aman
Final Salary: 24000.0
Employee: Priya
Final Salary: 33000.0
Employee: Rahul
Final Salary: 18000.0
```