Investor Hub

Plan for one investor tracking dashboard: a single email index with dedupe, YAMM analytics, and response tracking. Draft for review.

Recommendation in one line: keep the three Google Sheets as they are and sync them through the Google Sheets API into a **Supabase (Postgres)** database. Put a small web dashboard on top. A unique index on the cleaned email address is the hashmap: every new list is checked against it in about a second.

Size: about 25-30 MB today. At 500 contacts a week it reaches about 120 MB after year 1 and about 300 MB after year 3. **Cost:** the free tier is enough to build and pilot. Move to Pro (USD 25/month) at go-live for backups and no pausing.

1. Rules this plan follows

Rule	What the system does
An email counts as **used** once it has been contacted	Contacted means YAMM has merged it (any Merge status such as EMAIL_SENT, EMAIL_OPENED or RESPONDED), or it sits on a pipeline/tracker tab.
Exhausted list = do not contact	All 8,233 rows of the Exhausted tab are loaded as do_not_contact. They are always blocked, even if never mailed by us.
A new upload is **checked, not added**	Uploading a list never marks anyone as used. The emails are only promoted to contacted when the sync later sees a YAMM merge status for them.
Unmerged uploads stay saved	Every uploaded row is kept as staged, with who uploaded it and when. Staged rows are not used, so they can be mailed later. A second upload that contains them gets a warning ('already staged by X on date'), not a block.

2. What we are starting from

Sheet	Contents	Approx. rows
Investor Tracker	Pipeline tabs per person (Email List, Heet, Hitansh, Stuti, Saumya InMail, AS Tracker, LinkedIn Reverts, Investor Status, Data requirements)	~1,200
Master Investor Database	Exhausted (do-not-contact) + manual 'Check' tab	~8,200
Master Investor Sheet	~50 lead and campaign tabs (10k List, Chinmay/Aditi reviewed, Workflow, Family Office, HNI, FMCG, Pharma ...). Most carry YAMM 'Merge status' and 'Previous merge status'.	~21,000
Total	**Before removing overlaps between tabs**	**~30,700**

Clean-up the sync must handle: the email column has a different header and position on each tab; emails with trailing dots (pratik@samaracapital.com.); two emails in one cell; placeholders such as 'WA' and 'Not availaible'; dates in mixed formats; a #REF! error on AS Tracker. After overlaps are removed we expect **~20,000 unique emails**.

3. Database choice

What the job needs: one row per email with a guaranteed-unique key, fast lookups for thousands of emails at once, joins for analytics (campaign by owner by week), and several people uploading at the same time.

Option	Fit	Verdict
Supabase (Postgres)	Unique index on email enforces dedupe even when two people upload at once. Full SQL for analytics. Auto API and a table editor the team can browse. 500 MB free, 8 GB on Pro.	**Recommended**
Neon (Postgres)	Same database engine and similar free tier. No built-in login or table UI, so more to build.	Good alternative
Firebase Firestore	Email as document ID works as a hashmap, but analytics queries and joins are weak and you pay per read.	Not ideal
Airtable	Friendly UI, but per-base record caps and per-seat pricing hurt at 25k+ new rows a year. No true unique constraint.	Not ideal
Stay in Google Sheets	No uniqueness enforcement, gets slow with 30k+ rows across 50 tabs, and this is the problem today.	No

4. How big it gets at 500 a week

Assumptions: 500 newly contacted emails a week, plus about 250 a week uploaded but never merged (staged). Each contacted email produces about 4 YAMM status snapshots (sent, opened, follow-up, reply). Row sizes include indexes, with 50% headroom for Postgres overhead.

	Today (backfill)	After 1 year	After 2 years	After 3 years	After 5 years
Emails in index (all statuses)	~20,000	~59,000	~98,000	~137,000	~215,000
of which contacted	~20,000	~46,000	~72,000	~98,000	~150,000
YAMM status snapshots	~20,000	~124,000	~228,000	~332,000	~540,000
Saved upload rows	0	~39,000	~78,000	~117,000	~195,000
Database size	**~27 MB**	**~120 MB**	**~210 MB**	**~300 MB**	**~490 MB**


- **The hashmap itself is tiny:** even 215,000 emails is about 6 MB, so the whole set fits in memory and a 5,000-row upload is checked in under a second.
- **Free tier (500 MB)** holds roughly 4-5 years of data. **Pro (8 GB included)** holds decades. Storage will not be the limit.
- To slow growth further, the raw copy of each uploaded row can be dropped after 12 months, keeping only email, status and dates. That roughly halves the size of the upload tables.
- These are estimates based on tab row counts. The real figure gets measured after the first backfill.

Cost

Item	Plan	Monthly
Supabase	Free while building. Free projects pause after 1 week without activity and have no managed backups. Pro at go-live.	USD 0 to 25
Dashboard hosting	Vercel Hobby / Pro (already connected to this workspace)	USD 0 to 20
Google Sheets API	Service account, within free quota for nightly syncs	USD 0

Prices from supabase.com/pricing as of 2026. Check them before signing up.

5. How it fits together



Email lifecycle

Status	How it gets there	On a new upload
staged	Uploaded through the dashboard, not yet merged	Warn (shows who staged it and when)
contacted	Sync sees a YAMM merge status, or the email is on a tracker tab	**Blocked**
bounced / unsubscribed	YAMM status BOUNCED / UNSUBSCRIBED	**Blocked**
do_not_contact	On the Exhausted list, or marked by hand	**Blocked**
(not found)	Never seen before	Passes to clean list

Login and access

Logins come from the existing users sheet, read through the Google Sheets API on the server only. The sheet is never sent to the browser. Columns: **username, password, role, account_id, display_name, Email, Contact**. The password is a 4-digit PIN.

- **Only rows with role = admin can sign in.** Every other role, unknown username or wrong PIN gets the same 'invalid login' message.
- On success the server sets a signed, http-only session cookie (about 12 hours) holding account_id and display_name. These fill uploaded_by and changed_by, so every upload and stage change shows who made it.
- The users list is cached for about 5 minutes. Adding or removing an admin in the sheet takes effect within minutes, with no code change.
- **Guards for a 4-digit PIN** (only 10,000 combinations): lock the username for 15 minutes after 5 wrong attempts, rate-limit by IP, and log every attempt to a login_attempts table.
- The PINs sit in the sheet as plain text, so share that sheet only with its owner and the service account.

6. Data model

Table	Holds	Key fields
contacts	One row per cleaned email (the hashmap)	email (unique), name, org, domain, status, owner, first_contacted_at, last_contacted_at
contact_sources	Every place an email was seen	email, file, tab, row, seen_at
uploads	Each list uploaded for checking	id, name, uploaded_by, uploaded_at, counts by result

Table	Holds	Key fields
upload_rows	Every uploaded row, kept even if never merged	upload_id, email, raw row, result, merged_at
campaigns	One per YAMM tab	file, tab, owner, list type, first_sent_at
email_events	Snapshot of YAMM status at each sync	email, campaign, status, previous_status, observed_at
pipeline	Response tracking for investors who engage	email, stage, owner, next_follow_up, data_requested, notes
stage_history	Every stage change, for funnel timing	email, from_stage, to_stage, changed_by, changed_at
login_attempts	Every sign-in attempt, for lockout and audit	username, success, ip, attempted_at (users themselves stay in the users sheet)

Email cleaning rule: trim, lowercase, strip trailing punctuation, split multi-email cells, drop non-emails. The domain is stored separately so the dashboard can warn when another person at the same firm was already contacted.

7. Dashboard pages

Page	What it shows
Overview	Contacted this week vs the 500 target, total unique contacts, reply rate, meetings booked, investors in due diligence, weekly trend.
Upload & check	Paste, upload a CSV, or pick a Google Sheet tab. Results: New / Already contacted / Do not contact / Bounced / Already staged. One click writes the clean list to a Google Sheet tab ready for YAMM. The upload is saved as staged.
YAMM analytics	Per campaign: sent, opened, clicked, replied, bounced, unsubscribed and rates. First send vs follow-up. By month, list type and sender.
Pipeline	Stage funnel (Waiting for reply, Follow-up, Connected, Meeting 1/2/3, Data shared, Due diligence, Converted, Not interested, Inactive). Follow-ups due or overdue today, by owner. Data requests open.
Contact search	Type any email, name or firm and see its full history: which lists, every YAMM status, stage, notes. Replaces the Master Search tab.
Staged	Uploaded but not yet merged emails, filterable by upload and person, so they can be picked up later.

8. Build phases

Phase	Deliverable	Time
1. Foundation	Supabase project, schema, Sheets API service account with read access to the 3 files and the users sheet, admin PIN login with lockout, one-off backfill, data-quality report (bad emails, duplicates found).	3 days
2. Upload & check	Upload page, check against the index, saved staged rows, clean list exported to Google Sheets, nightly sync that promotes merged emails to contacted.	2-3 days
3. YAMM analytics	Campaign detection, status snapshots per sync, analytics page.	2 days
4. Pipeline	Single pipeline table with fixed stages, migration of the tracker tabs, follow-up view, Overview page.	3-4 days
5. Go-live	Security check of login and lockout, move to Supabase Pro, backups, alert if a sync fails.	1 day

Total: about 2-3 weeks of build time. Phases 1-2 alone replace the manual Check tab and are usable after the first week.

9. Decisions still needed

- **Stage names:** agree on one fixed list (draft in section 7) and who owns each tracker tab.
- **Same firm, different person:** warn only (suggested), or block?
- **Tracker tabs:** move the team to the dashboard's pipeline page, or keep editing the sheets and sync from them for now?
- **Upload retention:** keep raw uploaded rows forever, or trim them after 12 months?

Risks and how they are handled

- **YAMM overwrites its status cell.** Status history only exists from the day syncing starts. Before that, only the latest status (and 'Previous merge status') is known.
- **Opens are not reliable** because mail apps such as Apple Mail pre-load tracking pixels. Use replies and meetings as the main success measure.
- **Tabs get renamed or columns moved.** The sync finds email columns by header and content, and a small settings table lists which tabs to include or ignore.
- **Access.** The service account needs at least view access to all three files and the users sheet. If a file changes owner, access must be re-shared.
- **Weak PINs.** A 4-digit PIN is guessable without the lockout and rate limit. Those guards are part of Phase 1, not an add-on. Storing hashed PINs instead of plain text is an easy upgrade later.