Test Report

Dashboard

% Coverage

226	1112	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
Test Suites Total	Tests Total	Failed Suites	Failed Tests	Pending Suites	Pending Tests

Information



StartTime	2026-04-13 15:10:52	MaxWorkers	1
Time	00:10.855		
RootDir	/Users/pippovenzo/Documents/Università/Ingegneria del Software/Progetto/MVP/backend		

Details

Show Execution Time Expand All

File	ExecTime	Status	Action
/test/unit/alarms/adapters/in/alarm-events.controller.spec.ts	00:00.010	All Passed 6	
AlarmEventsController > should be defined	00:00.005	Passed	
AlarmEventsController > should call getAllAlarmEventsUseCase.getAllAlarmEvents	00:00.002	Passed	
AlarmEventsController > should call getAlarmEventByIdUseCase.getAlarmEventById	00:00.001	Passed	
AlarmEventsController > should call getAllManagedAlarmEventsByUserIdUseCase.getAllManagedAlarmEventsByUserId	00:00.001	Passed	
AlarmEventsController > should call getAllUnmanagedAlarmEventsByUserIdUseCase.getAllUnmanagedAlarmEventsByUserId	00:00.000	Passed	
AlarmEventsController > should call resolveAlarmEventUseCase.resolveAlarmEvent with correct args	00:00.001	Passed	

File	ExecTime	Status	Action
/test/unit/analytics/application/services/analytics.service.spec.ts	00:00.009	All Passed 7	
AnalyticsService > should be defined	00:00.001	Passed	
AnalyticsService > getAnalyticsByPlantId > should return all Plots when all strategies succeed	00:00.001	Passed	
AnalyticsService > getAnalyticsByPlantId > should throw when all strategies fail	00:00.005	Passed	
AnalyticsService > getAnalyticsByPlantId > should return only successful plots when some strategies fail	00:00.001	Passed	
AnalyticsService > getAnalyticsByPlantId > should return plots with correct title and metric	00:00.001	Passed	
AnalyticsService > getAnalyticsByPlantId > should attach suggestion to each plot	00:00.000	Passed	
AnalyticsService > getAnalyticsByPlantId > should call getSuggestion once per successful plot	00:00.000	Passed	
/test/unit/cache/adapters/in/event/event-cache.controller.spec.ts	00:00.110	All Passed 2	
EventCacheController > should call updateAllCache when fetched.tokens event is emitted	00:00.105	Passed	
EventCacheController > should skip duplicate fetched.tokens while a sync is already running	00:00.005	Passed	
/test/unit/device/infrastructure/persistence/device-repository-impl.spec.ts	00:00.028	All Passed 35	
Merge Data			
DeviceRepositoryImpl > should be defined	00:00.002	Passed	
DeviceRepositoryImpl > findById > should find device by id	00:00.001	Passed	
DeviceRepositoryImpl > findById > should return null when device not found	00:00.000	Passed	
DeviceRepositoryImpl > findById > should handle database errors	00:00.007	Passed	
DeviceRepositoryImpl > findById > should release connection on error	00:00.001	Passed	
DeviceRepositoryImpl > findById > should handle null device in result	00:00.000	Passed	
DeviceRepositoryImpl > findById > should extract device from jsonb_path_query result	00:00.001	Passed	
DeviceRepositoryImpl > findByPlantId > should find all devices by plant id	00:00.000	Passed	
DeviceRepositoryImpl > findByPlantId > should return null when no devices found	00:00.001	Passed	
DeviceRepositoryImpl > findByPlantId > should handle empty device array	00:00.001	Passed	

File	ExecTime	Status	Action
DeviceRepositoryImpl > findByPlantId > should map all devices from query result	00:00.000	Passed	
DeviceRepositoryImpl > findByPlantId > should handle database errors	00:00.001	Passed	
DeviceRepositoryImpl > findByPlantId > should release connection on error	00:00.001	Passed	
DeviceRepositoryImpl > findByPlantId > should handle connection errors	00:00.000	Passed	
DeviceRepositoryImpl > findByPlantId > should query correct table and column	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should successfully ingest datapoint with valid parameters	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should return true when ON CONFLICT update succeeds	00:00.000	Passed	
DeviceRepositoryImpl > ingestTimeseries > should return false when rowCount is 0	00:00.000	Passed	
DeviceRepositoryImpl > ingestTimeseries > should use correct parameter order: timestamp, datapointId, value	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should cast parameters to correct types	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle ON CONFLICT DO UPDATE clause	00:00.000	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle database errors	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should release connection on error	00:00.000	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle connection pool errors	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle timestamps in ISO 8601 format	00:00.000	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle numeric values as strings	00:00.001	Passed	
DeviceRepositoryImpl > ingestTimeseries > should handle special characters in datapointId	00:00.000	Passed	
DeviceRepositoryImpl > findByDatapointId > should return a device when datapoint exists	00:00.001	Passed	
DeviceRepositoryImpl > findByDatapointId > should return null when datapoint is not found	00:00.000	Passed	
DeviceRepositoryImpl > findByDatapointId > should throw wrapped database error	00:00.001	Passed	
DeviceRepositoryImpl > getDeviceValue > should delegate to DeviceApiImpl	00:00.001	Passed	

File	ExecTime	Status	Action
DeviceRepositoryImpl > getDeviceValue > should propagate DeviceApiImpl errors	00:00.001	Passed	
DeviceRepositoryImpl > writeDatapointValue > should delegate to DeviceApiImpl	00:00.000	Passed	
DeviceRepositoryImpl > writeDatapointValue > should return false when DeviceApiImpl returns false	00:00.000	Passed	
DeviceRepositoryImpl > writeDatapointValue > should propagate DeviceApiImpl errors	00:00.001	Passed	
/test/unit/auth/adapters/in/auth.controller.spec.ts	00:00.010	All Passed 6	
AuthController > should be defined	00:00.002	Passed	
AuthController > first-login: should call firstLogin use case, set cookie and return FirstLoginResDto	00:00.001	Passed	
AuthController > login: should call login use case, set cookie and return LoginResDto	00:00.001	Passed	
AuthController > refresh: should call refresh use case and return RefreshResDto	00:00.000	Passed	
AuthController > refresh: should throw UnauthorizedException when refresh cookie is missing	00:00.005	Passed	
AuthController > logout: should clear cookie	00:00.001	Passed	
/test/unit/device/adapters/in/device.controller.spec.ts	00:00.013	All Passed 24	
Merge Data			
DeviceController > should return device dto when requested by id, correctly converted into a dto	00:00.001	Passed	
DeviceController > should return all plant's devices when requested by plant id, correctly converted into a dto	00:00.001	Passed	
DeviceController > should throw an InternalServerErrorException when catch an error	00:00.008	Passed	
DeviceController > should throw an InternalServerErrorException when catch an error	00:00.000	Passed	
DeviceController > should reject when plant id is missing	00:00.000	Passed	
DeviceController > writeDatapointValue > should throw BadRequestException when datapointId is missing	00:00.000	Passed	
DeviceController > writeDatapointValue > should throw BadRequestException when value is missing	00:00.000	Passed	
DeviceController > writeDatapointValue > should call use case and return accepted payload on success	00:00.000	Passed	

File	ExecTime	Status	Action
DeviceController > writeDatapointValue > should throw ServiceUnavailableException when use case fails	00:00.000	Passed	
DeviceController > getDeviceValue > should throw BadRequestException when device id is missing	00:00.000	Passed	
DeviceController > getDeviceValue > should return DeviceValueDto on success	00:00.001	Passed	
DeviceController > getDeviceValue > should throw InternalServerErrorException on use case error	00:00.000	Passed	
DeviceController > onDatapointUpdate > should return 202 status on successful datapoint update	00:00.000	Passed	
DeviceController > onDatapointUpdate > should filter datapoints by type	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle multiple datapoints	00:00.001	Passed	
DeviceController > onDatapointUpdate > should call ingestTimeseries with correct command	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle empty payload	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle errors from ingestTimeseries gracefully	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle non-Error values from ingestTimeseries gracefully	00:00.000	Passed	
DeviceController > onDatapointUpdate > should log stack trace when checkAlarmRule throws an Error	00:00.001	Passed	
DeviceController > onDatapointUpdate > should log undefined stack when checkAlarmRule throws non-Error values	00:00.000	Passed	
DeviceController > onDatapointUpdate > should return 202 status code	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle datapoints with numeric values	00:00.000	Passed	
DeviceController > onDatapointUpdate > should handle complex datapoint IDs	00:00.000	Passed	
/test/unit/cache/infrastructure/http/fetch-plant-structure-impl.spec.ts	00:00.014	All Passed 16	
Merge Data			
FetchStructureCacheImpl > fetch > should return null when locations response has no data	00:00.001	Passed	
FetchStructureCacheImpl > fetch > should fetch and map plant structure from api	00:00.001	Passed	
FetchStructureCacheImpl > fetch > should return null when initial locations call throws	00:00.001	Passed	
FetchStructureCacheImpl > fetch > should fallback to empty host when HOST3 is not set	00:00.000	Passed	

File	ExecTime	Status	Action
FetchStructureCacheImpl > fetch > should return null when any room fetch fails with Promise.all()	00:00.000	Passed	
FetchStructureCacheImpl > fetch > should return null when any device fetch fails with Promise.all()	00:00.001	Passed	
FetchStructureCacheImpl > fetch > should fetch multiple rooms in parallel	00:00.000	Passed	
FetchStructureCacheImpl > fetch > should filter out non-location items	00:00.001	Passed	
FetchStructureCacheImpl > fetch > should return null when room devices response has no data	00:00.000	Passed	
FetchStructureCacheImpl > fetch > should return null when device datapoints response has no data	00:00.000	Passed	
FetchStructureCacheImpl > getAllPlantIds > should fetch and return plant ids from plant domain	00:00.000	Passed	
FetchStructureCacheImpl > getAllPlantIds > should return empty array when no plant ids found	00:00.000	Passed	
FetchStructureCacheImpl > getAllPlantIds > should use PLANT_DOMAIN env var when set	00:00.000	Passed	
FetchStructureCacheImpl > getAllPlantIds > should throw error when api call fails	00:00.009	Passed	
FetchStructureCacheImpl > getAllPlantIds > should throw error when response structure is invalid	00:00.000	Passed	
FetchStructureCacheImpl > getAllPlantIds > should include authorization header with token	00:00.000	Passed	
/test/unit/users/adapters/in/users.controller.spec.ts	00:00.007	All Passed 7	
UsersController > should be defined	00:00.003	Passed	
UsersController > should call findAllUsersUseCase.findAllUsers	00:00.001	Passed	
UsersController > should call findAllAvailableUsersUseCase.findAllAvailableUsers	00:00.000	Passed	
UsersController > should call findUserByIdUseCase.findUserById	00:00.001	Passed	
UsersController > should call updateUserUseCase.updateUser with correct args	00:00.001	Passed	
UsersController > should call createUserUseCase.createUser with correct args	00:00.000	Passed	
UsersController > should call deleteUserUseCase.deleteUser with correct args	00:00.001	Passed	
/test/unit/notifications/infrastructure/persistance/notifications-repository-impl.spec.ts	00:00.003	All Passed 3	

File	ExecTime	Status	Action
NotificationsRepositoryImpl > should delegate notifyAlarmWard to notificationsGateway	00:00.001	Passed	
NotificationsRepositoryImpl > should delegate notifyAlarmResolution to notificationsGateway	00:00.001	Passed	
NotificationsRepositoryImpl > should delegate writeNotification to notificationRepository	00:00.001	Passed	
/test/unit/wards/adapters/in/wards-plants-relationships.controller.spec.ts	00:00.004	All Passed 4	
WardsPlantsRelationshipsController > should be defined	00:00.002	Passed	
WardsPlantsRelationshipsController > should call addPlantToWardUseCase.addPlantToWard with correct args	00:00.001	Passed	
WardsPlantsRelationshipsController > should call findAllPlantsByWardIdUseCase.findAllPlantsByWardId with correct args	00:00.001	Passed	
WardsPlantsRelationshipsController > should call removePlantFromWardUseCase.removePlantFromWard with correct args	00:00.000	Passed	
/test/unit/cache/infrastructure/cache-repository-impl.spec.ts	00:00.001	All Passed 3	
CacheRepositoryImpl > should delegate fetch to fetchStructureCache	00:00.001	Passed	
CacheRepositoryImpl > should delegate getAllPlantIds to fetchStructureCache	00:00.000	Passed	
CacheRepositoryImpl > should delegate write to structureCache	00:00.000	Passed	
/test/unit/alarms/adapters/in/alarm-rules.controller.spec.ts	00:00.005	All Passed 6	
AlarmRulesController > should be defined	00:00.002	Passed	
AlarmRulesController > should call createAlarmUseCase.createAlarmRule	00:00.001	Passed	
AlarmRulesController > should call deleteAlarmRuleUseCase.deleteAlarmRule	00:00.000	Passed	
AlarmRulesController > should call getAlarmRuleByIdUseCase.getAlarmRuleById	00:00.001	Passed	
AlarmRulesController > should call getAllAlarmRulesUseCase.getAllAlarmRules	00:00.000	Passed	
AlarmRulesController > should call updateAlarmRuleUseCase.updateAlarmRule with correct args	00:00.001	Passed	
/test/unit/wards/adapters/in/wards.controller.spec.ts	00:00.005	All Passed 5	
WardsController > should be defined	00:00.002	Passed	

File	ExecTime	Status	Action
WardsController > should call createWardUseCase.createWard with correct args	00:00.001	Passed	
WardsController > should call findAllWardUseCase.findAllWards	00:00.001	Passed	
WardsController > should call updateWardUseCase.updateWard with correct args	00:00.001	Passed	
WardsController > should call deleteWardUseCase.deleteWard with correct args	00:00.000	Passed	
/test/unit/cache/adapters/out/cache.adapter.spec.ts	00:00.013	All Passed 13	
Merge Data			
CacheAdapter > should be defined	00:00.001	Passed	
CacheAdapter > fetch > should fetch new cache data with valid token	00:00.001	Passed	
CacheAdapter > fetch > should throw error when plantId is null	00:00.006	Passed	
CacheAdapter > fetch > should throw error when plantId is missing	00:00.001	Passed	
CacheAdapter > fetch > should throw error when no valid token found	00:00.000	Passed	
CacheAdapter > fetch > should throw error when plant is not found	00:00.001	Passed	
CacheAdapter > fetch > should propagate repository errors	00:00.000	Passed	
CacheAdapter > getAllPlantIds > should get all plant ids with valid token	00:00.001	Passed	
CacheAdapter > getAllPlantIds > should throw error when no valid token found	00:00.000	Passed	
CacheAdapter > getAllPlantIds > should propagate repository errors	00:00.001	Passed	
CacheAdapter > writeStructure > should write cache structure successfully	00:00.000	Passed	
CacheAdapter > writeStructure > should return false when write fails	00:00.000	Passed	
CacheAdapter > writeStructure > should propagate repository errors	00:00.001	Passed	
/test/unit/alarms/application/services/alarm-events.service.spec.ts	00:00.017	All Passed 19	
Merge Data			
AlarmEventsService > getAlarmEventById > should return alarm event by id	00:00.002	Passed	
AlarmEventsService > getAlarmEventById > should return null when event not found	00:00.001	Passed	
AlarmEventsService > getAlarmEventById > should propagate port errors	00:00.005	Passed	
AlarmEventsService > getAllAlarmEvents > should return all alarm events	00:00.001	Passed	
AlarmEventsService > getAllAlarmEvents > should return empty array when no events exist	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmEventsService > getAllAlarmEvents > should propagate port errors	00:00.001	Passed	
AlarmEventsService > getAllManagedAlarmEventsByUserId > should return managed alarm events by user id	00:00.000	Passed	
AlarmEventsService > getAllManagedAlarmEventsByUserId > should return empty array when user has no managed events	00:00.001	Passed	
AlarmEventsService > getAllManagedAlarmEventsByUserId > should propagate port errors	00:00.000	Passed	
AlarmEventsService > getAllUnmanagedAlarmEventsByUserId > should return unmanaged alarm events by user id	00:00.001	Passed	
AlarmEventsService > getAllUnmanagedAlarmEventsByUserId > should return empty array when user has no unmanaged events	00:00.000	Passed	
AlarmEventsService > getAllUnmanagedAlarmEventsByUserId > should propagate port errors	00:00.001	Passed	
AlarmEventsService > resolveAlarmEvent > should resolve alarm event and emit event	00:00.001	Passed	
AlarmEventsService > resolveAlarmEvent > should emit alarm.resolved event with correct ward id	00:00.000	Passed	
AlarmEventsService > resolveAlarmEvent > should propagate resolveAlarmEvent port errors	00:00.001	Passed	
AlarmEventsService > resolveAlarmEvent > should propagate getWardAlarmEvent port errors	00:00.000	Passed	
AlarmEventsService > resolveAlarmEvent > should call ports in correct order	00:00.001	Passed	
AlarmEventsService > integration scenarios > should handle multiple sequential operations	00:00.001	Passed	
AlarmEventsService > integration scenarios > should handle unresolved and resolved events	00:00.000	Passed	
/test/unit/api-auth-vimar/adapters/in/api-auth-vimar.controller.spec.ts	00:00.017	All Passed 14	
Merge Data			
ApiAuthVimarController > should be defined	00:00.001	Passed	
ApiAuthVimarController > getAccountStatus > should return linked=true when a valid token is available	00:00.001	Passed	
ApiAuthVimarController > getAccountStatus > should return linked=false when token is not available	00:00.000	Passed	
ApiAuthVimarController > disconnectAccount > should clear tokens and return success=true	00:00.001	Passed	
ApiAuthVimarController > disconnectAccount > should throw InternalServerErrorException when clear fails	00:00.007	Passed	

File	ExecTime	Status	Action
ApiAuthVimarController > saveTokens > should save tokens and return redirect url with 302 status code	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should decode redirect URL from JSON encoded state	00:00.000	Passed	
ApiAuthVimarController > saveTokens > should throw BadRequestException when code is missing	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should throw BadRequestException when state is missing	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should throw BadRequestException when state is not valid base64/json	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should throw BadRequestException when state has no redirectUrl	00:00.000	Passed	
ApiAuthVimarController > saveTokens > should throw BadRequestException when state has no userId	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should throw InternalServerErrorException when getTokens fails	00:00.001	Passed	
ApiAuthVimarController > saveTokens > should handle null code	00:00.001	Passed	
/test/unit/analytics/adapters/in/analytics.controller.spec.ts	00:00.012	All Passed 8	
AnalyticsController > should be defined	00:00.001	Passed	
AnalyticsController > should return an array of PlotDto mapped from domain models	00:00.007	Passed	
AnalyticsController > should pass plantId to use case as GetAnalyticsCmd	00:00.001	Passed	
AnalyticsController > should return PlotDto with series when plot has series	00:00.000	Passed	
AnalyticsController > should return PlotDto with suggestion when plot has suggestion	00:00.001	Passed	
AnalyticsController > should return PlotDto with undefined suggestion when plot has no suggestion	00:00.001	Passed	
AnalyticsController > should return empty array when use case returns no plots	00:00.001	Passed	
AnalyticsController > should return PlotDto with empty labels and series when plot is empty	00:00.000	Passed	
/test/unit/wards/adapters/in/wards-users-relationships.controller.spec.ts	00:00.004	All Passed 4	
WardsUsersRelationshipsController > should be defined	00:00.002	Passed	
WardsUsersRelationshipsController > should call addUserToWardUseCase.addUserToWard with correct args	00:00.001	Passed	

File	ExecTime	Status	Action
WardsUsersRelationshipsController > should call findAllUsersByWardIdUseCase.findAllUsersByWardId with correct args	00:00.000	Passed	
WardsUsersRelationshipsController > should call removeUserFromWardUseCase.removeUserFromWard with correct args	00:00.001	Passed	
/test/unit/plant/infrastructure/http/dtos/room.dto.spec.ts	00:00.002	All Passed 8	
RoomDto > toDomain > should convert RoomDto to Room domain model	00:00.001	Passed	
RoomDto > toDomain > should handle empty devices array	00:00.000	Passed	
RoomDto > toDomain > should handle multiple devices	00:00.000	Passed	
RoomDto > fromDomain > should convert Room domain model to RoomDto	00:00.001	Passed	
RoomDto > fromDomain > should handle room with no devices	00:00.000	Passed	
RoomDto > fromDomain > should convert multiple devices correctly	00:00.000	Passed	
RoomDto > fromDomain > should preserve all room properties during conversion	00:00.000	Passed	
RoomDto > round-trip conversion > should maintain data integrity in round-trip conversion	00:00.000	Passed	
/test/unit/analytics/analytics.module.spec.ts	00:00.002	All Passed 3	
AnalyticsModule > espone il token ANALYTICS_STRATEGIES_TOKEN	00:00.001	Passed	
AnalyticsModule > dichiara providers nel metadata del modulo	00:00.000	Passed	
AnalyticsModule > factory di ANALYTICS_STRATEGIES_TOKEN costruisce la mappa attesa	00:00.001	Passed	
/test/unit/alarms/application/services/alarm-rules.service.spec.ts	00:00.015	All Passed 18	
Merge Data			
AlarmRulesService > getAllAlarmRules > should return all alarm rules	00:00.001	Passed	
AlarmRulesService > getAllAlarmRules > should return empty array when no rules exist	00:00.000	Passed	
AlarmRulesService > getAllAlarmRules > should propagate port errors	00:00.005	Passed	
AlarmRulesService > getAlarmRuleById > should return alarm rule by id	00:00.001	Passed	
AlarmRulesService > getAlarmRuleById > should return null when rule not found	00:00.000	Passed	
AlarmRulesService > getAlarmRuleById > should propagate port errors	00:00.001	Passed	
AlarmRulesService > createAlarmRule > should create alarm rule successfully	00:00.001	Passed	
AlarmRulesService > createAlarmRule > should propagate port errors	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmRulesService > updateAlarmRule > should update alarm rule successfully	00:00.001	Passed	
AlarmRulesService > updateAlarmRule > should propagate port errors	00:00.000	Passed	
AlarmRulesService > deleteAlarmRule > should delete alarm rule successfully	00:00.001	Passed	
AlarmRulesService > deleteAlarmRule > should propagate port errors	00:00.000	Passed	
AlarmRulesService > checkAlarmRule > should check alarm rule and emit event when alarm matches	00:00.001	Passed	
AlarmRulesService > checkAlarmRule > should not emit event when no matching alarm rule found	00:00.001	Passed	
AlarmRulesService > checkAlarmRule > should propagate port errors	00:00.000	Passed	
AlarmRulesService > checkAlarmRule > should propagate createAlarmEvent errors	00:00.001	Passed	
AlarmRulesService > checkAlarmRule > should emit alarm.activated event with correct data	00:00.001	Passed	
AlarmRulesService > integration scenarios > should handle multiple sequential operations	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/in/create-alarm-rule-req-dto.spec.ts	00:00.000	All Passed 1	
CreateAlarmRuleReqDto > should be defined	00:00.000	Passed	
/test/unit/plant/adapters/in/plant.controller.spec.ts	00:00.002	All Passed 7	
PlantController > should return PlantDto mapped from domain model	00:00.001	Passed	
PlantController > getAllAvailablePlants > should return array of available plants as DTOs	00:00.000	Passed	
PlantController > getAllAvailablePlants > should return error message when no plants found	00:00.000	Passed	
PlantController > getAllAvailablePlants > should handle empty plants array	00:00.001	Passed	
PlantController > getAllAvailablePlants > should map multiple plants correctly	00:00.000	Passed	
PlantController > getAllPlants > should return all plants as DTOs	00:00.000	Passed	
PlantController > getAllPlants > should return fallback response when no plants are found	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/in/add-plant-to-ward-req.dto.spec.ts	00:00.001	All Passed 1	

File	ExecTime	Status	Action
AddPlantToWardReqDto > should be defined	00:00.001	Passed	
/test/unit/plant/infrastructure/http/dtos/plant.dto.spec.ts	00:00.007	All Passed 5	
PlantDto > toDomain > should convert PlantDto to Plant domain model	00:00.001	Passed	
PlantDto > toDomain > should default to empty rooms when dto.rooms is undefined	00:00.000	Passed	
PlantDto > fromDomain > should convert Plant domain model to PlantDto	00:00.006	Passed	
PlantDto > fromDomain > should map missing rooms and wardId to optional dto fields	00:00.000	Passed	
PlantDto > fromDomain > should keep wardId undefined when domain wardId is 0 in current model behavior	00:00.000	Passed	
/test/unit/api-auth-vimar/infrastructure/dto/tokens.dto.spec.ts	00:00.000	All Passed 1	
TokensDto > should hold token fields values	00:00.000	Passed	
/test/unit/api-auth-vimar/adapters/out/api-auth-vimar.adapter.spec.ts	00:00.020	All Passed 18	
Merge Data			
ApiAuthVimarAdapter > should be defined	00:00.002	Passed	
ApiAuthVimarAdapter > deleteTokens > should delete tokens successfully	00:00.001	Passed	
ApiAuthVimarAdapter > deleteTokens > should handle delete failure	00:00.000	Passed	
ApiAuthVimarAdapter > getTokensWithCode > should get tokens with code successfully	00:00.001	Passed	
ApiAuthVimarAdapter > getTokensWithCode > should throw error when no tokens found	00:00.008	Passed	
ApiAuthVimarAdapter > OAuth ticket operations > should save ticket successfully	00:00.001	Passed	
ApiAuthVimarAdapter > OAuth ticket operations > should consume ticket successfully	00:00.000	Passed	
ApiAuthVimarAdapter > OAuth ticket operations > should return null when ticket not found	00:00.001	Passed	
ApiAuthVimarAdapter > OAuth ticket operations > should throw error when delete ticket fails	00:00.001	Passed	
ApiAuthVimarAdapter > readStatus > should read status as linked	00:00.000	Passed	
ApiAuthVimarAdapter > readStatus > should read status as not linked	00:00.001	Passed	
ApiAuthVimarAdapter > readTokens > should read tokens successfully	00:00.000	Passed	

File	ExecTime	Status	Action
ApiAuthVimarAdapter > readTokens > should throw error when no tokens found	00:00.001	Passed	
ApiAuthVimarAdapter > refreshTokens > should refresh tokens successfully	00:00.001	Passed	
ApiAuthVimarAdapter > refreshTokens > should throw error when refresh fails	00:00.000	Passed	
ApiAuthVimarAdapter > writeTokens > should write tokens with provided credentials	00:00.001	Passed	
ApiAuthVimarAdapter > writeTokens > should throw error when missing metadata and cache is empty	00:00.000	Passed	
ApiAuthVimarAdapter > writeTokens > should fetch metadata from cache when not provided	00:00.001	Passed	
/test/unit/notifications/adapters/out/notifications.adapter.spec.ts	00:00.007	All Passed 15	
Merge Data			
NotificationsAdapter > notifyAlarmWard > should call notifyAlarmWard on repository with correct parameters	00:00.001	Passed	
NotificationsAdapter > notifyAlarmWard > should throw error when cmd is null	00:00.004	Passed	
NotificationsAdapter > notifyAlarmWard > should throw error when alarm is missing	00:00.000	Passed	
NotificationsAdapter > notifyAlarmWard > should throw error when cmd is undefined	00:00.001	Passed	
NotificationsAdapter > notifyAlarmResolution > should call notifyAlarmResolution on repository	00:00.000	Passed	
NotificationsAdapter > notifyAlarmResolution > should handle notifyAlarmResolution errors gracefully	00:00.000	Passed	
NotificationsAdapter > notifyAlarmResolution > should pass correct parameters regardless of case	00:00.000	Passed	
NotificationsAdapter > writeNotification > should write notification successfully	00:00.001	Passed	
NotificationsAdapter > writeNotification > should return false when repository returns false	00:00.000	Passed	
NotificationsAdapter > writeNotification > should throw error when alarm_event_id is missing	00:00.000	Passed	
NotificationsAdapter > writeNotification > should throw error when timestamp is missing	00:00.000	Passed	
NotificationsAdapter > writeNotification > should throw error when ward_id is null	00:00.000	Passed	
NotificationsAdapter > writeNotification > should throw error when ward_id is undefined	00:00.000	Passed	

File	ExecTime	Status	Action
NotificationsAdapter > writeNotification > should throw error when cmd is undefined	00:00.000	Passed	
NotificationsAdapter > writeNotification > should throw error when cmd is null	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/in/first-login-req.dto.spec.ts	00:00.001	All Passed 1	
FirstLoginReq > should be defined	00:00.001	Passed	
/test/unit/alarms/infrastructure/dtos/in/update-alarm-rule-req-dto.spec.ts	00:00.000	All Passed 1	
UpdateAlarmRuleReqDto > should be defined	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/in/resolve-alarm-event-req-dto.spec.ts	00:00.000	All Passed 1	
ResolveAlarmEventReqDto > should be defined	00:00.000	Passed	
/test/unit/device/infrastructure/http/dtos/out/datapoint.dto.spec.ts	00:00.002	All Passed 6	
DatapointDto > toDomain > should convert DatapointDto to Datapoint domain model	00:00.001	Passed	
DatapointDto > toDomain > should handle empty enum array	00:00.000	Passed	
DatapointDto > toDomain > should handle null enum as empty array	00:00.000	Passed	
DatapointDto > toDomain > should convert datapoint with multiple enum values	00:00.000	Passed	
DatapointDto > toDomain > should handle read-only datapoint	00:00.000	Passed	
DatapointDto > toDomain > should handle write-only datapoint	00:00.001	Passed	
/test/unit/device/infrastructure/http/dtos/out/device.dto.spec.ts	00:00.002	All Passed 8	
DeviceDto > toDomain > should convert DeviceDto to Device domain model	00:00.001	Passed	
DeviceDto > toDomain > should handle empty datapoints array	00:00.000	Passed	
DeviceDto > toDomain > should handle multiple datapoints	00:00.000	Passed	
DeviceDto > fromDomain > should convert Device domain model to DeviceDto	00:00.000	Passed	
DeviceDto > fromDomain > should handle device with no datapoints	00:00.000	Passed	
DeviceDto > fromDomain > should convert multiple datapoints correctly	00:00.001	Passed	

File	ExecTime	Status	Action
DeviceDto > fromDomain > should preserve all device properties during conversion	00:00.000	Passed	
DeviceDto > round-trip conversion > should maintain data integrity in round-trip conversion	00:00.000	Passed	
/test/unit/users/infrastructure/dtos/in/update-user-req.dto.spec.ts	00:00.002	All Passed 7	
UpdateUserReqDto > should be defined	00:00.000	Passed	
UpdateUserReqDto validation > should succeed with valid data	00:00.001	Passed	
UpdateUserReqDto validation > should fail when username is too short	00:00.001	Passed	
UpdateUserReqDto validation > should fail when surname is too short	00:00.000	Passed	
UpdateUserReqDto validation > should fail when surname is too long	00:00.000	Passed	
UpdateUserReqDto validation > should fail when name is too short	00:00.000	Passed	
UpdateUserReqDto validation > should fail when name is too long	00:00.000	Passed	
/test/unit/api-auth-vimar/adapters/in/api-auth-ticket.controller.spec.ts	00:00.011	All Passed 6	
ApiAuthTicketController > should be defined	00:00.002	Passed	
ApiAuthTicketController > prepareOAuth > should create and return ticket for authenticated user	00:00.001	Passed	
ApiAuthTicketController > prepareOAuth > should throw UnauthorizedException when request has no user id	00:00.006	Passed	
ApiAuthTicketController > authorize > should consume ticket and redirect to provider login URL	00:00.001	Passed	
ApiAuthTicketController > authorize > should throw UnauthorizedException when ticket is invalid	00:00.000	Passed	
ApiAuthTicketController > authorize > should throw BadRequestException when redirect_url is missing	00:00.001	Passed	
/test/unit/device/infrastructure/http/dtos/out/device-value.dto.spec.ts	00:00.001	All Passed 3	
DatapointValueDto > should map domain to dto and dto to domain	00:00.001	Passed	
DeviceValueDto > should map domain to dto	00:00.000	Passed	
DeviceValueDto > should map dto to domain	00:00.000	Passed	
/test/unit/device/infrastructure/http/device-api-impl.spec.ts	00:00.005	All Passed 4	
DeviceApiImpl > getDeviceValue > should call external API and return only readable datapoints	00:00.000	Passed	

File	ExecTime	Status	Action
DeviceApiImpl > getDeviceValue > should throw mapped error when API request fails	00:00.004	Passed	
DeviceApiImpl > writeDeviceValue > should call Vimar endpoint and return true on success	00:00.000	Passed	
DeviceApiImpl > writeDeviceValue > should return false when API write fails	00:00.001	Passed	
/test/unit/users/infrastructure/dtos/in/create-user-req.dto.spec.ts	00:00.002	All Passed 7	
CreateUserReqDto > should be defined	00:00.001	Passed	
CreateUserReqDto validation > should succeed with valid data	00:00.000	Passed	
CreateUserReqDto validation > should fail when username is too short	00:00.000	Passed	
CreateUserReqDto validation > should fail when surname is too short	00:00.001	Passed	
CreateUserReqDto validation > should fail when surname is too long	00:00.000	Passed	
CreateUserReqDto validation > should fail when name is too short	00:00.000	Passed	
CreateUserReqDto validation > should fail when name is too long	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/in/update-ward-req.dto.spec.ts	00:00.000	All Passed 1	
UpdateWardReqDto > should be defined	00:00.000	Passed	
/test/unit/subscription/adapters/in/event/event-sub.controller.spec.ts	00:00.008	All Passed 13	
Merge Data			
EventSubscriptionController > should be defined	00:00.002	Passed	
EventSubscriptionController > refreshNodeSubscriptions > should call refreshNodeSub.refreshSub	00:00.001	Passed	
EventSubscriptionController > refreshNodeSubscriptions > should handle errors in refreshNodeSubscriptions	00:00.000	Passed	
EventSubscriptionController > refreshDatapointSubscriptions > should call refreshDatapointSub.refreshDatapointSub	00:00.001	Passed	
EventSubscriptionController > refreshDatapointSubscriptions > should handle errors in refreshDatapointSubscriptions	00:00.000	Passed	
EventSubscriptionController > refreshAllSubsByPlantId > should call refreshAllSub.refreshAllSubscription with plantId	00:00.001	Passed	
EventSubscriptionController > refreshAllSubsByPlantId > should throw error when plantId is null	00:00.000	Passed	
EventSubscriptionController > refreshAllSubsByPlantId > should throw error when payload is null	00:00.000	Passed	
EventSubscriptionController > refreshAllSubsByPlantId > should handle	00:00.001	Passed	

File	ExecTime	Status	Action
errors in refreshAllSub			
EventSubscriptionController > refreshAllSubsByPlantId > should process multiple plant refreshes	00:00.000	Passed	
EventSubscriptionController > refreshAllSubsAfterFullCacheSync > should refresh node and datapoint subscriptions sequentially	00:00.001	Passed	
EventSubscriptionController > refreshAllSubsAfterFullCacheSync > should handle errors in full cache sync subscription refresh	00:00.001	Passed	
EventSubscriptionController > refreshAllSubsAfterFullCacheSync > should skip duplicate cache.all.updated events while a refresh is running	00:00.000	Passed	
/test/unit/cache/adapters/in/http/http-cache.controller.spec.ts	00:00.003	All Passed 12	
Merge Data			
HttpCacheController > should be defined	00:00.001	Passed	
HttpCacheController > updateCache > should return 202 immediately with success message	00:00.000	Passed	
HttpCacheController > updateCache > should update cache for all service items asynchronously	00:00.000	Passed	
HttpCacheController > updateCache > should filter out non-service items	00:00.001	Passed	
HttpCacheController > updateCache > should handle empty data array	00:00.000	Passed	
HttpCacheController > updateCache > should handle data with no service items	00:00.000	Passed	
HttpCacheController > updateCache > should handle updateCache errors gracefully	00:00.000	Passed	
HttpCacheController > updateCache > should continue processing plants if one updateCache fails	00:00.000	Passed	
HttpCacheController > updateCache > should stringify non-Error values when updateCache fails	00:00.000	Passed	
HttpCacheController > updateCache > should handle queue-level errors when promise chain throws an Error	00:00.001	Passed	
HttpCacheController > updateCache > should handle queue-level errors when promise chain throws non-Error values	00:00.000	Passed	
HttpCacheController > updateCache > should include correct count in response message	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/in/refresh-req-dto.spec.ts	00:00.000	All Passed 1	
RefreshReqDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/in/create-ward-req.dto.spec.ts	00:00.001	All Passed 1	

File	ExecTime	Status	Action
CreateWardReqDto > should be defined	00:00.001	Passed	
/test/unit/wards/infrastructure/dtos/in/add-user-to-ward-req.dto.spec.ts	00:00.000	All Passed 1	
AddUserToWardReqDto > should be defined	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/in/login-req.dto.spec.ts	00:00.001	All Passed 1	
LoginReqDto > should be defined	00:00.001	Passed	
/test/unit/subscription/adapters/out/subscription.adapter.spec.ts	00:00.018	All Passed 15	
Merge Data			
SubscriptionAdapter > should be defined	00:00.002	Passed	
SubscriptionAdapter > refreshSub > should refresh node subscription successfully	00:00.000	Passed	
SubscriptionAdapter > refreshSub > should throw error when plantId is null	00:00.005	Passed	
SubscriptionAdapter > refreshSub > should throw error when plantId is missing	00:00.001	Passed	
SubscriptionAdapter > refreshSub > should throw error when no valid token found	00:00.000	Passed	
SubscriptionAdapter > refreshSub > should handle refresh failure from repo	00:00.001	Passed	
SubscriptionAdapter > refreshSub > should propagate repo errors	00:00.000	Passed	
SubscriptionAdapter > refreshSub > should propagate token port errors	00:00.001	Passed	
SubscriptionAdapter > refreshDatapointSub > should refresh datapoint subscription successfully	00:00.005	Passed	
SubscriptionAdapter > refreshDatapointSub > should throw error when plantId is null	00:00.001	Passed	
SubscriptionAdapter > refreshDatapointSub > should throw error when plantId is missing	00:00.000	Passed	
SubscriptionAdapter > refreshDatapointSub > should throw error when no valid token found	00:00.001	Passed	
SubscriptionAdapter > refreshDatapointSub > should handle refresh failure from repo	00:00.000	Passed	
SubscriptionAdapter > refreshDatapointSub > should propagate repo errors	00:00.001	Passed	
SubscriptionAdapter > refreshDatapointSub > should propagate token port errors	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/users/infrastructure/dtos/out/find-all-user-res.dto.spec.ts	00:00.001	All Passed 1	
FindAllUserResDto > should be defined	00:00.001	Passed	
/test/unit/analytics/adapters/out/get-analytics-data.adapter.spec.ts	00:00.016	All Passed 15	
Merge Data			
GetAnalyticsData > should be defined	00:00.002	Passed	
GetAnalyticsData > getDataForPlant > should call repository.query with correct serialized params	00:00.001	Passed	
GetAnalyticsData > getDataForPlant > should return a map grouped by ISO timestamp with correct datapoint fields	00:00.001	Passed	
GetAnalyticsData > getDataForPlant > should return an empty map when repository returns no rows	00:00.001	Passed	
GetAnalyticsData > getDataForWard > should call repository.query with correct serialized params	00:00.000	Passed	
GetAnalyticsData > getDataForWard > should return a correctly grouped map	00:00.001	Passed	
GetAnalyticsData > getDataForWard > should return an empty map when repository returns no rows	00:00.000	Passed	
GetAnalyticsData > getDataForSensor > should call repository.query with correct serialized params	00:00.001	Passed	
GetAnalyticsData > getDataForSensor > should return a correctly grouped map	00:00.000	Passed	
GetAnalyticsData > getDataForSensor > should return an empty map when repository returns no rows	00:00.001	Passed	
GetAnalyticsData > getAlarmsForWard > should call repository.query with correct params when onlyResolved is false	00:00.000	Passed	
GetAnalyticsData > getAlarmsForWard > should call repository.query with correct params when onlyResolved is true	00:00.001	Passed	
GetAnalyticsData > getAlarmsForWard > should return a map keyed by day string with parsed alarm counts	00:00.000	Passed	
GetAnalyticsData > getAlarmsForWard > should handle day field as a Date object and convert it to ISO date string	00:00.007	Passed	
GetAnalyticsData > getAlarmsForWard > should return an empty map when repository returns no rows	00:00.000	Passed	
/test/unit/plant/adapters/out/plant.adapter.spec.ts	00:00.013	All Passed 12	
Merge Data			
PlantAdapter > should be defined	00:00.002	Passed	

File	ExecTime	Status	Action
PlantAdapter > findById > should find plant by id and return mapped domain model	00:00.001	Passed	
PlantAdapter > findById > should throw error when plantId is null	00:00.005	Passed	
PlantAdapter > findById > should throw error when plantId is missing	00:00.001	Passed	
PlantAdapter > findById > should return null when repository returns null	00:00.000	Passed	
PlantAdapter > findById > should propagate repository errors	00:00.001	Passed	
PlantAdapter > findAllAvailablePlants > should find all available plants and return mapped domain models	00:00.000	Passed	
PlantAdapter > findAllAvailablePlants > should return null when repository returns null	00:00.001	Passed	
PlantAdapter > findAllAvailablePlants > should propagate repository errors	00:00.000	Passed	
PlantAdapter > findAllPlants > should find all plants and return mapped domain models	00:00.001	Passed	
PlantAdapter > findAllPlants > should return null when repository returns null	00:00.000	Passed	
PlantAdapter > findAllPlants > should propagate repository errors	00:00.001	Passed	
/test/unit/api-auth-vimar/infrastructure/http/get-tokens-from-api.spec.ts	00:00.012	All Passed 16	
Merge Data			
GetTokensFromApiImpl > getTokensWithCode > should return tokens when api call succeeds	00:00.001	Passed	
GetTokensFromApiImpl > getTokensWithCode > should call the api with correct params	00:00.001	Passed	
GetTokensFromApiImpl > getTokensWithCode > should fallback to empty token and redirect urls when config values are missing	00:00.000	Passed	
GetTokensFromApiImpl > getTokensWithCode > should use secondary env variables when primary ones are missing	00:00.000	Passed	
GetTokensFromApiImpl > getTokensWithCode > should return null when api call fails	00:00.009	Passed	
GetTokensFromApiImpl > getTokensWithCode > should log unknown error details when failure is not an Error instance	00:00.000	Passed	
GetTokensFromApiImpl > getTokensWithCode > should use preferred_username when email claim is missing	00:00.000	Passed	
GetTokensFromApiImpl > getTokensWithCode > should return null when access token is empty	00:00.000	Passed	
GetTokensFromApiImpl > getTokensWithCode > should return null when decoded access token is invalid	00:00.001	Passed	

File	ExecTime	Status	Action
GetTokensFromApiImpl > getTokensWithCode > should return null when all email-like claims are blank	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should refresh token when api calls succeed	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should call api for refresh with the right parameters	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should fallback to empty token url when config value is missing	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should return null when api call fails	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should use upn when email and preferred_username are missing	00:00.000	Passed	
GetTokensFromApiImpl > refresh > should use username as last fallback claim	00:00.000	Passed	
/test/unit/auth/application/services/auth.service.spec.ts	00:00.006	All Passed 5	
AuthService > should be defined	00:00.002	Passed	
AuthService > firstLogin: should check credentials, change credentials and return tokens	00:00.002	Passed	
AuthService > login: should return change-password tokens when firstAccess is true	00:00.000	Passed	
AuthService > login: should return normal tokens when firstAccess is false	00:00.001	Passed	
AuthService > refresh: should extract payload and generate new access token	00:00.001	Passed	
/test/unit/alarms/infrastructure/dtos/out/update-alarm-rule-res-dto.spec.ts	00:00.000	All Passed 1	
UpdateAlarmRuleResDto > should be defined	00:00.000	Passed	
/test/unit/cache/infrastructure/persistence/structure-cache-repository-impl.spec.ts	00:00.009	All Passed 8	
StructureCacheImpl > should be defined	00:00.001	Passed	
StructureCacheImpl > write > should write plant to cache successfully	00:00.002	Passed	
StructureCacheImpl > write > should handle on conflict update	00:00.001	Passed	
StructureCacheImpl > write > should handle write errors	00:00.000	Passed	
StructureCacheImpl > write > should handle connection errors	00:00.004	Passed	
StructureCacheImpl > write > should release connection on error	00:00.001	Passed	
StructureCacheImpl > write > should handle null ward_id	00:00.000	Passed	

File	ExecTime	Status	Action
StructureCacheImpl > write > should convert plant data to JSON	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/out/get-all-managed-alarm-events-by-user-id-res-dto.spec.ts	00:00.000	All Passed 1	
GetAllManagedAlarmEventsByUserIdResDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/find-all-plants-by-ward-id-res.dto.spec.ts	00:00.000	All Passed 1	
FindAllPlantsByWardIdResDto > should be defined	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/out/login-res-dto.spec.ts	00:00.000	All Passed 1	
LoginResDto > should be defined	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/out/create-alarm-rule-res-dto.spec.ts	00:00.000	All Passed 1	
CreateAlarmRuleResDto > should be defined	00:00.000	Passed	
/test/unit/notifications/adapters/in/notification-event.controller.spec.ts	00:00.001	All Passed 5	
EventNotificationController > should ignore activation event when payload is empty	00:00.000	Passed	
EventNotificationController > should map and notify activation event	00:00.000	Passed	
EventNotificationController > should swallow errors during activation notification	00:00.001	Passed	
EventNotificationController > should ignore resolved event when payload has no alarmEventId	00:00.000	Passed	
EventNotificationController > should notify resolved event	00:00.000	Passed	
/test/unit/alarms/adapters/out/alarm-events-persistence-adapter.spec.ts	00:00.008	All Passed 14	
Merge Data			
AlarmEventsPersistenceAdapter > should be defined	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should call repository.getAlarmEventById and map result	00:00.001	Passed	
AlarmEventsPersistenceAdapter > should return null when alarm event not found	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should propagate getAlarmEventById errors	00:00.003	Passed	

File	ExecTime	Status	Action
AlarmEventsPersistenceAdapter > should call repository.getAllAlarmEvents and map result	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should propagate getAllAlarmEvents errors	00:00.001	Passed	
AlarmEventsPersistenceAdapter > should call repository.getAllManagedAlarmEventsByUserId	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should call repository.getAllUnmanagedAlarmEventsByUserId	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should call repository.resolveAlarmEvent	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should propagate resolveAlarmEvent errors	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should call repository.createAlarmEvent	00:00.001	Passed	
AlarmEventsPersistenceAdapter > should call repository.getWardAlarmEvent	00:00.000	Passed	
AlarmEventsPersistenceAdapter > should throw if getWardAlarmEvent cmd is invalid	00:00.002	Passed	
AlarmEventsPersistenceAdapter > should propagate getWardAlarmEvent errors	00:00.000	Passed	
/test/unit/users/infrastructure/dtos/out/update-user-res.dto.spec.ts	00:00.000	All Passed 1	
UpdateUserResDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/create-ward-res.dto.spec.ts	00:00.000	All Passed 1	
CreateWardResDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/add-user-to-ward-res-dto.spec.ts	00:00.000	All Passed 1	
AddUserToWardResDto > should be defined	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/out/refresh-res-dto.spec.ts	00:00.000	All Passed 1	
RefreshResDto > should be defined	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/out/get-all-alarm-events-res-dto.spec.ts	00:00.000	All Passed 1	
GetAllAlarmEventsResDto > should be defined	00:00.000	Passed	
/test/unit/cache/application/services/sync-cache.service.spec.ts	00:00.007	All Passed 10	

Merge Data

File	ExecTime	Status	Action
SyncCacheService > should throw PlantId is null when cmd.plantId is absent	00:00.005	Passed	
SyncCacheService > should fetch and write plant structure when updateCache is called	00:00.000	Passed	
SyncCacheService > should throw error when write cache fails	00:00.001	Passed	
SyncCacheService > should propagate fetch errors	00:00.000	Passed	
SyncCacheService > updateAllCache > should update cache for all plants	00:00.000	Passed	
SyncCacheService > updateAllCache > should continue with next plant when fetch fails for one plant	00:00.000	Passed	
SyncCacheService > updateAllCache > should continue with next plant when write fails for one plant	00:00.001	Passed	
SyncCacheService > updateAllCache > should log success message when cache is updated for a plant	00:00.000	Passed	
SyncCacheService > updateAllCache > should handle empty plant ids list	00:00.000	Passed	
SyncCacheService > updateAllCache > should propagate error when getAllPlantIds fails	00:00.000	Passed	
/test/unit/analytics/application/services/suggestion.service.spec.ts	00:00.008	All Passed 6	
SuggestionService > should be defined	00:00.002	Passed	
SuggestionService > getSuggestion > should return the suggestion from the LLM port	00:00.001	Passed	
SuggestionService > getSuggestion > should call generateSuggestion with the correct cmd	00:00.001	Passed	
SuggestionService > getSuggestion > should throw when the LLM port returns a falsy value	00:00.003	Passed	
SuggestionService > getSuggestion > should propagate errors thrown by the LLM port	00:00.000	Passed	
SuggestionService > getSuggestion > should return a suggestion with isSuggestion=false when no action is needed	00:00.001	Passed	
/test/unit/alarms/infrastructure/persistence/alarm-rules-repository-impl.spec.ts	00:00.005	All Passed 12	
Merge Data			
AlarmRulesRepositoryImpl > should return alarm rule if found	00:00.000	Passed	
AlarmRulesRepositoryImpl > should return null if not found	00:00.001	Passed	
AlarmRulesRepositoryImpl > should create alarm rule	00:00.000	Passed	
AlarmRulesRepositoryImpl > should return all alarm rules	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmRulesRepositoryImpl > should delete alarm rule if not used	00:00.000	Passed	
AlarmRulesRepositoryImpl > should mark as changed if delete fails	00:00.000	Passed	
AlarmRulesRepositoryImpl > should update alarm rule if not used	00:00.001	Passed	
AlarmRulesRepositoryImpl > should clone alarm rule if already used	00:00.000	Passed	
AlarmRulesRepositoryImpl > should rollback on error	00:00.003	Passed	
AlarmRulesRepositoryImpl > should return alarm when condition matches	00:00.000	Passed	
AlarmRulesRepositoryImpl > should return null when no alarm matches	00:00.000	Passed	
AlarmRulesRepositoryImpl > should propagate checkAlarmRule errors	00:00.000	Passed	
/test/unit/validation/pipe/validation.pipe.spec.ts	00:00.004	All Passed 6	
ValidationPipe > should be defined	00:00.000	Passed	
ValidationPipe > should return value if no metatype	00:00.000	Passed	
ValidationPipe > should skip validation for primitive types	00:00.000	Passed	
ValidationPipe > should pass validation for valid DTO	00:00.001	Passed	
ValidationPipe > should throw error for invalid DTO	00:00.003	Passed	
ValidationPipe > should throw error when required field is missing	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/out/get-alarm-event-by-id-res-dto.spec.ts	00:00.000	All Passed 1	
GetAlarmEventByIdResDto > should be defined	00:00.000	Passed	
/test/unit/notifications/infrastructure/websocket/websocket-gateway.spec.ts	00:00.003	All Passed 9	
Merge Data			
NotificationsGateway > should emit push-event to ward room	00:00.001	Passed	
NotificationsGateway > should emit alarm-resolved to ward room	00:00.000	Passed	
NotificationsGateway > should not throw when server is not initialized	00:00.001	Passed	
NotificationsGateway > should join ward room	00:00.000	Passed	
NotificationsGateway > should disconnect client when join fails	00:00.000	Passed	
NotificationsGateway > should disconnect client when join is called with empty ward id	00:00.000	Passed	
NotificationsGateway > should leave ward room	00:00.001	Passed	
NotificationsGateway > should disconnect client when leave fails	00:00.000	Passed	

File	ExecTime	Status	Action
NotificationsGateway > should disconnect client when leave is called with empty ward id	00:00.000	Passed	
/test/unit/subscription/application/services/subscription.service.spec.ts	00:00.015	All Passed 21	
Merge Data			
SubscriptionService > refreshSub > should refresh node subscriptions for all plants successfully	00:00.001	Passed	
SubscriptionService > refreshSub > should throw error when no plant IDs found for refreshSub	00:00.006	Passed	
SubscriptionService > refreshSub > should continue with next plant when refresh fails for one plant	00:00.000	Passed	
SubscriptionService > refreshSub > should handle errors during node subscription refresh	00:00.000	Passed	
SubscriptionService > refreshSub > should log successful refresh for each plant	00:00.005	Passed	
SubscriptionService > refreshSub > should process multiple plants in sequence	00:00.000	Passed	
SubscriptionService > refreshDatapointSub > should refresh datapoint subscriptions for all plants successfully	00:00.000	Passed	
SubscriptionService > refreshDatapointSub > should throw error when no plant IDs found for refreshDatapointSub	00:00.000	Passed	
SubscriptionService > refreshDatapointSub > should continue with next plant when datapoint refresh fails for one plant	00:00.000	Passed	
SubscriptionService > refreshDatapointSub > should handle errors during datapoint subscription refresh	00:00.001	Passed	
SubscriptionService > refreshDatapointSub > should log successful datapoint refresh for each plant	00:00.000	Passed	
SubscriptionService > refreshDatapointSub > should process datapoint subscriptions in sequence	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should refresh both node and datapoint subscriptions for a plant	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should throw error when plantId is null	00:00.001	Passed	
SubscriptionService > refreshAllSubscription > should throw error when cmd is null	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should handle node subscription refresh failure	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should handle datapoint subscription refresh failure	00:00.000	Passed	

File	ExecTime	Status	Action
SubscriptionService > refreshAllSubscription > should handle errors during refreshAllSubscription	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should return false when datapoint port throws error	00:00.000	Passed	
SubscriptionService > refreshAllSubscription > should handle plantId with special characters	00:00.001	Passed	
SubscriptionService > refreshAllSubscription > should handle both ports failing	00:00.000	Passed	
/test/unit/users/infrastructure/dtos/out/find-all-available-users-res-dto.spec.ts	00:00.000	All Passed 1	
FindAllAvailableUsersResDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/find-all-wards-res.dto.spec.ts	00:00.000	All Passed 1	
FindAllWardsResDto > should be defined	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/add-plant-to-ward-res-dto.spec.ts	00:00.000	All Passed 1	
AddPlantToWardResDto > should be defined	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/out/first-login-res.dto.spec.ts	00:00.000	All Passed 1	
FirstLoginResDto > should be defined	00:00.000	Passed	
/test/unit/users/infrastructure/dtos/out/find-user-by-id-res-dto.spec.ts	00:00.000	All Passed 1	
FindUserByIdResDto > should be defined	00:00.000	Passed	
/test/unit/users/infrastructure/dtos/out/create-user-res.dto.spec.ts	00:00.000	All Passed 1	
CreateUserResDto > should be defined	00:00.000	Passed	
/test/unit/alarms/infrastructure/dtos/out/get-all-unmanaged-alarm-events-by-user-id-res-dto.spec.ts	00:00.001	All Passed 1	
GetAllUnmanagedAlarmEventsByUserIdResDto > should be defined	00:00.001	Passed	
/test/unit/alarms/infrastructure/dtos/out/get-all-alarm-rules-res-dto.spec.ts	00:00.000	All Passed 1	
GetAllAlarmRulesResDto > should be defined	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/alarms/infrastructure/dtos/out/get-alarm-rule-by-id-res-dto.spec.ts	00:00.000	All Passed 1	
GetAlarmRuleByIdResDto > should be defined	00:00.000	Passed	
/test/unit/users/application/services/users.service.spec.ts	00:00.006	All Passed 7	
UsersService > should be defined	00:00.002	Passed	
UsersService > should call createUserPort.createUser with correct args	00:00.001	Passed	
UsersService > should call findAllUsersPort.findAllUsers	00:00.001	Passed	
UsersService > should call findAllAvailableUsersPort.findAllAvailableUsers	00:00.001	Passed	
UsersService > should call findUserByIdPort.findUserById	00:00.000	Passed	
UsersService > should call updateUserPort.updateUser with correct args	00:00.001	Passed	
UsersService > should call deleteUserPort.deleteUser with correct args	00:00.000	Passed	
/test/unit/analytics/adapters/out/llm-suggestion.adapter.spec.ts	00:00.010	All Passed 5	
LLMSuggestionAdapter > generateSuggestion > should return a Suggestion with empty message and isSuggestion=false if the metric has no baseline configuration	00:00.003	Passed	
LLMSuggestionAdapter > generateSuggestion > should map GroqSuggestionResult correctly to Suggestion when isSuggestion is true	00:00.002	Passed	
LLMSuggestionAdapter > generateSuggestion > should map GroqSuggestionResult correctly to Suggestion when isSuggestion is false	00:00.001	Passed	
LLMSuggestionAdapter > generateSuggestion > should call groqClient with the correct cmd and baseline	00:00.000	Passed	
LLMSuggestionAdapter > generateSuggestion > should propagate errors thrown by the groqClient	00:00.004	Passed	
/test/unit/api-auth-vimar/infrastructure/dto/my-vimar-account-status.dto.spec.ts	00:00.001	All Passed 2	
MyVimar DTOs > should create account status dto	00:00.001	Passed	
MyVimar DTOs > should create disconnect response dto	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/find-all-users-by-ward-id-res.dto.spec.ts	00:00.000	All Passed 1	
FindAllUsersByWardIdResDto > should be defined	00:00.000	Passed	
/test/unit/device/adapters/out/device.adapter.spec.ts	00:00.010	All Passed 19	

File	ExecTime	Status	Action
Merge Data			
DeviceAdapter > findById > should return mapped device when repository finds entity	00:00.001	Passed	
DeviceAdapter > findById > should throw when id is missing	00:00.007	Passed	
DeviceAdapter > findById > should throw when repository returns null	00:00.000	Passed	
DeviceAdapter > findByPlantId > should return mapped devices when repository finds entities	00:00.000	Passed	
DeviceAdapter > findByPlantId > should throw when plantId is missing	00:00.001	Passed	
DeviceAdapter > findByPlantId > should throw when repository returns null	00:00.000	Passed	
DeviceAdapter > findByDatapointId > should return mapped device when repository finds entity	00:00.000	Passed	
DeviceAdapter > findByDatapointId > should throw when datapointId is missing	00:00.000	Passed	
DeviceAdapter > findByDatapointId > should throw when repository returns null	00:00.000	Passed	
DeviceAdapter > ingestTimeseries > should validate and ingest timeseries data	00:00.001	Passed	
DeviceAdapter > ingestTimeseries > should throw when required parameters are missing	00:00.000	Passed	
DeviceAdapter > ingestTimeseries > should throw when repository ingest fails	00:00.000	Passed	
DeviceAdapter > getDeviceValue > should fetch device value with valid token	00:00.000	Passed	
DeviceAdapter > getDeviceValue > should throw when deviceId or plantId is missing	00:00.000	Passed	
DeviceAdapter > getDeviceValue > should throw when valid token is missing	00:00.000	Passed	
DeviceAdapter > writeDatapointValue > should write datapoint value with valid token	00:00.000	Passed	
DeviceAdapter > writeDatapointValue > should throw when required parameters are missing	00:00.000	Passed	
DeviceAdapter > writeDatapointValue > should throw when valid token is missing	00:00.000	Passed	
DeviceAdapter > writeDatapointValue > should throw when write fails	00:00.000	Passed	
/test/unit/analytics/infrastructure/groq/groq-client.impl.spec.ts	00:00.006	All Passed 7	
GroqClientImpl > generateSuggestion > should return a valid GroqSuggestionResult when Groq responds correctly	00:00.002	Passed	

File	ExecTime	Status	Action
GroqClientImpl > generateSuggestion > should return isSuggestion false and empty message array when no action required	00:00.001	Passed	
GroqClientImpl > generateSuggestion > should return empty suggestion when current has no series	00:00.001	Passed	
GroqClientImpl > generateSuggestion > should return empty suggestion when series have no data	00:00.000	Passed	
GroqClientImpl > generateSuggestion > should return empty suggestion on rate limit (429)	00:00.001	Passed	
GroqClientImpl > generateSuggestion > should return empty suggestion on other API errors	00:00.000	Passed	
GroqClientImpl > generateSuggestion > should return empty suggestion when series have no data	00:00.001	Passed	
/test/unit/api-auth-vimar/infrastructure/persistence/oauth-ticket-cache.spec.ts	00:00.005	All Passed 9	
Merge Data			
OAuthTicketCacheImpl > should write ticket in cache and return true when query succeeds	00:00.001	Passed	
OAuthTicketCacheImpl > should return false when write query throws an error	00:00.000	Passed	
OAuthTicketCacheImpl > should read valid ticket and map row fields to entity	00:00.000	Passed	
OAuthTicketCacheImpl > should return null when ticket is missing or expired	00:00.001	Passed	
OAuthTicketCacheImpl > should rethrow when read query fails	00:00.003	Passed	
OAuthTicketCacheImpl > should delete ticket and return true when row is deleted	00:00.000	Passed	
OAuthTicketCacheImpl > should return false when no rows are deleted	00:00.000	Passed	
OAuthTicketCacheImpl > should return false when delete rowCount is undefined	00:00.000	Passed	
OAuthTicketCacheImpl > should return false when delete query throws	00:00.000	Passed	
/test/unit/database/database.module.spec.ts	00:00.002	All Passed 1	
DatabaseModule > should provide PG pool token	00:00.002	Passed	
/test/unit/wards/application/services/ward.service.spec.ts	00:00.004	All Passed 5	
WardService > should be defined	00:00.002	Passed	
WardService > should create a ward	00:00.001	Passed	

File	ExecTime	Status	Action
WardService > should find all wards	00:00.001	Passed	
WardService > should update a ward	00:00.000	Passed	
WardService > should delete a ward	00:00.000	Passed	
/test/unit/wards/application/services/wards-users-relationships.service.spec.ts	00:00.005	All Passed 4	
WardsUsersRelationshipsServiceService > should be defined	00:00.002	Passed	
WardsUsersRelationshipsServiceService > should add a user to a ward	00:00.001	Passed	
WardsUsersRelationshipsServiceService > should find all users by ward id	00:00.001	Passed	
WardsUsersRelationshipsServiceService > should remove a user from a ward	00:00.001	Passed	
/test/unit/subscription/infrastructure/http/sub-repo-impl.spec.ts	00:00.003	All Passed 12	
Merge Data			
SubscriptionRepoImpl > refreshSub > should create node subscription successfully	00:00.001	Passed	
SubscriptionRepoImpl > refreshSub > should return false when HTTP request fails for refreshSub	00:00.000	Passed	
SubscriptionRepoImpl > refreshSub > should throw error when SECRET_FOR_SUB is missing	00:00.000	Passed	
SubscriptionRepoImpl > refreshSub > should throw error when NODE_SUB_CALLBACK is missing	00:00.000	Passed	
SubscriptionRepoImpl > refreshSub > should handle correct payload structure for node subscription	00:00.001	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should create datapoint subscription successfully	00:00.000	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should return false when locations request fails	00:00.000	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should return false when subscription creation fails	00:00.000	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should throw error when location data is missing	00:00.001	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should throw error when DATAPOINT_SUB_CALLBACK is missing	00:00.000	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should use correct location id from locations response	00:00.000	Passed	
SubscriptionRepoImpl > refreshDatapointSub > should include authorization header in locations request	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/wards/application/services/wards-plants-relationships.service.spec.ts	00:00.004	All Passed 4	
WardsPlantsRelationshipsService > should be defined	00:00.002	Passed	
WardsPlantsRelationshipsService > should add a plant to a ward	00:00.001	Passed	
WardsPlantsRelationshipsService > should find all plants by ward id	00:00.001	Passed	
WardsPlantsRelationshipsService > should remove a plant from a ward	00:00.000	Passed	
/test/unit/device/application/services/device.service.spec.ts	00:00.008	All Passed 10	
Merge Data			
DeviceService > should return the same device that FindByIdPort returns	00:00.000	Passed	
DeviceService > should return the same device array that FindByPlantIdPort returns	00:00.001	Passed	
DeviceService > ingestTimeseries > should successfully ingest timeseries data	00:00.000	Passed	
DeviceService > ingestTimeseries > should handle port errors	00:00.004	Passed	
DeviceService > getDeviceValue > should throw when deviceId is missing	00:00.002	Passed	
DeviceService > getDeviceValue > should enrich command with plantId before calling output port	00:00.000	Passed	
DeviceService > writeDatapointValue > should resolve plantId from datapoint and call output port	00:00.000	Passed	
DeviceService > writeDatapointValue > should propagate errors from findByDatapointId port	00:00.001	Passed	
DeviceService > findByDatapointId > should throw when datapointId is missing	00:00.000	Passed	
DeviceService > findByDatapointId > should delegate to output port when datapointId is provided	00:00.000	Passed	
/test/unit/api-auth-vimar/application/services/api-auth-tokens.service.spec.ts	00:00.003	All Passed 2	
ApiAuthTokensService > should fetch tokens with code and persist them	00:00.001	Passed	
ApiAuthTokensService > should throw when token persistence fails	00:00.002	Passed	
/test/unit/auth/infrastructure/jwt-token-generator/jwt-token-generator.spec.ts	00:00.011	All Passed 15	
Merge Data			
JwtTokenGenerator > generateAccessToken > should generate a valid access token	00:00.002	Passed	

File	ExecTime	Status	Action
JwtTokenGenerator > generateAccessToken > should generate access token even when payload already contains exp/iat	00:00.000	Passed	
JwtTokenGenerator > generateRefreshToken > should generate a valid refresh token	00:00.001	Passed	
JwtTokenGenerator > change-password tokens > should generate a valid change-password access token	00:00.000	Passed	
JwtTokenGenerator > change-password tokens > should generate a valid change-password refresh token	00:00.000	Passed	
JwtTokenGenerator > change-password tokens > should round-trip change-password access token payload	00:00.001	Passed	
JwtTokenGenerator > change-password tokens > should round-trip change-password refresh token payload	00:00.000	Passed	
JwtTokenGenerator > change-password tokens > should throw if change-password access token signed with different secret	00:00.005	Passed	
JwtTokenGenerator > change-password tokens > should throw if change-password refresh token signed with different secret	00:00.000	Passed	
JwtTokenGenerator > access token round-trip > should generate and extract access token payload	00:00.000	Passed	
JwtTokenGenerator > refresh token round-trip > should generate and extract refresh token payload	00:00.001	Passed	
JwtTokenGenerator > error handling > should throw for invalid access token	00:00.000	Passed	
JwtTokenGenerator > error handling > should throw for invalid refresh token	00:00.000	Passed	
JwtTokenGenerator > error handling > should throw if access token is signed with different secret	00:00.000	Passed	
JwtTokenGenerator > error handling > should throw if refresh token is signed with different secret	00:00.001	Passed	
/test/unit/alarms/adapters/out/alarm-rules-persistence-adapter.spec.ts	00:00.007	All Passed 18	
Merge Data			
AlarmRulesPersistenceAdapter > should be defined	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should call repository.createAlarmRule with correct args	00:00.001	Passed	
AlarmRulesPersistenceAdapter > should propagate createAlarmRule errors	00:00.003	Passed	
AlarmRulesPersistenceAdapter > should call repository.updateAlarmRule with correct args	00:00.001	Passed	
AlarmRulesPersistenceAdapter > should propagate updateAlarmRule errors	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmRulesPersistenceAdapter > should call repository.deleteAlarmRule with correct args	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should propagate deleteAlarmRule errors	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should call repository.getAlarmRuleById	00:00.001	Passed	
AlarmRulesPersistenceAdapter > should return null if alarm rule not found	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should propagate getAlarmRuleById errors	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should call repository.getAllAlarmRules	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should propagate getAllAlarmRules errors	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should call repository.checkAlarmRule	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should return null if checkAlarmRule returns null	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should propagate checkAlarmRule errors	00:00.001	Passed	
AlarmRulesPersistenceAdapter > should return null if ward_id is null	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should normalize value "true" to "on"	00:00.000	Passed	
AlarmRulesPersistenceAdapter > should normalize value "false" to "off"	00:00.000	Passed	
/test/unit/plant/infrastructure/persistence/plant-repository-impl.spec.ts	00:00.013	All Passed 15	
Merge Data			
PlantRepositoryImpl > findById > should find plant by id	00:00.001	Passed	
PlantRepositoryImpl > findById > should return null when plant not found	00:00.000	Passed	
PlantRepositoryImpl > findById > should parse JSONB data correctly	00:00.000	Passed	
PlantRepositoryImpl > findById > should handle string JSONB data	00:00.001	Passed	
PlantRepositoryImpl > findById > should handle database query errors	00:00.003	Passed	
PlantRepositoryImpl > findById > should handle connection errors	00:00.001	Passed	
PlantRepositoryImpl > findById > should release connection even on error	00:00.000	Passed	
PlantRepositoryImpl > findAllAvailablePlants > should find all available plants	00:00.006	Passed	
PlantRepositoryImpl > findAllAvailablePlants > should return null when no available plants found	00:00.000	Passed	
PlantRepositoryImpl > findAllAvailablePlants > should return only plants with ward_id IS NULL	00:00.000	Passed	

File	ExecTime	Status	Action
PlantRepositoryImpl > findAllAvailablePlants > should handle database query errors on findAllAvailablePlants	00:00.001	Passed	
PlantRepositoryImpl > findAllAvailablePlants > should release connection even on findAllAvailablePlants error	00:00.000	Passed	
PlantRepositoryImpl > findAllPlants > should return all plants	00:00.000	Passed	
PlantRepositoryImpl > findAllPlants > should return null when there are no plants	00:00.000	Passed	
PlantRepositoryImpl > findAllPlants > should release connection when findAllPlants fails	00:00.000	Passed	
/test/unit/api-auth-vimar/infrastructure/persistence/tokens-cache.spec.ts	00:00.005	All Passed 11	
Merge Data			
TokenCacheImpl > should write tokens in cache and return true when query succeeds	00:00.000	Passed	
TokenCacheImpl > should return false when query throws an error	00:00.003	Passed	
TokenCacheImpl > should log unknown error details when writeTokens fails with non-Error value	00:00.000	Passed	
TokenCacheImpl > should read tokens from cache and map row fields to token entity	00:00.001	Passed	
TokenCacheImpl > should return null when cache has no tokens	00:00.000	Passed	
TokenCacheImpl > should rethrow when read query fails	00:00.000	Passed	
TokenCacheImpl > should delete tokens and return true when query succeeds	00:00.000	Passed	
TokenCacheImpl > should return false when delete query throws	00:00.000	Passed	
TokenCacheImpl > readStatus > should return email when user has linked tokens	00:00.001	Passed	
TokenCacheImpl > readStatus > should return null when no status row is found	00:00.000	Passed	
TokenCacheImpl > readStatus > should return null when email value is empty	00:00.000	Passed	
/test/unit/auth/infrastructure/guards/first-login.guard.spec.ts	00:00.005	All Passed 6	
FirstLoginGuard > should be defined	00:00.000	Passed	
FirstLoginGuard > allows when Authorization Bearer token has payload.firstAccess === true	00:00.000	Passed	
FirstLoginGuard > throws UnauthorizedException when Authorization header is missing	00:00.004	Passed	

File	ExecTime	Status	Action
FirstLoginGuard > throws UnauthorizedException when Authorization header is malformed	00:00.001	Passed	
FirstLoginGuard > throws UnauthorizedException when token is invalid (verify throws)	00:00.000	Passed	
FirstLoginGuard > throws UnauthorizedException when payload.firstAccess !== true	00:00.000	Passed	
/test/unit/alarms/infrastructure/persistence/alarm-events-repository-impl.spec.ts	00:00.007	All Passed 14	
Merge Data			
AlarmEventsRepositoryImpl > should be defined	00:00.000	Passed	
AlarmEventsRepositoryImpl > should call getAllAlarmEvents with correct args	00:00.001	Passed	
AlarmEventsRepositoryImpl > should return alarm event if found	00:00.000	Passed	
AlarmEventsRepositoryImpl > should return null if not found	00:00.000	Passed	
AlarmEventsRepositoryImpl > should call getAllManagedAlarmEventsByUserId	00:00.000	Passed	
AlarmEventsRepositoryImpl > should call getAllUnmanagedAlarmEventsByUserId	00:00.000	Passed	
AlarmEventsRepositoryImpl > should call resolveAlarmEvent with correct args	00:00.001	Passed	
AlarmEventsRepositoryImpl > should create alarm event and return id	00:00.000	Passed	
AlarmEventsRepositoryImpl > should return empty string if no id returned	00:00.000	Passed	
AlarmEventsRepositoryImpl > should return wardId if found	00:00.000	Passed	
AlarmEventsRepositoryImpl > should throw error if wardId is null	00:00.004	Passed	
AlarmEventsRepositoryImpl > should throw error if no rows returned	00:00.001	Passed	
AlarmEventsRepositoryImpl > should use default params in getAllAlarmEvents	00:00.000	Passed	
AlarmEventsRepositoryImpl > should use default params in getAllManagedAlarmEventsByUserId	00:00.000	Passed	
/test/unit/users/adapters/out/user-persistence-adapter.spec.ts	00:00.005	All Passed 14	
Merge Data			
UserPersistenceAdapter > should be defined	00:00.000	Passed	
UserPersistenceAdapter > should call repository.createUser with correct args	00:00.001	Passed	
UserPersistenceAdapter > should propagate repository.createUser errors	00:00.003	Passed	

File	ExecTime	Status	Action
UserPersistenceAdapter > should call repository.updateUser with correct args	00:00.000	Passed	
UserPersistenceAdapter > should propagate repository.updateUser errors	00:00.000	Passed	
UserPersistenceAdapter > should call repository.findAllAvailableUsers	00:00.001	Passed	
UserPersistenceAdapter > should propagate repository.findAllAvailableUsers errors	00:00.000	Passed	
UserPersistenceAdapter > should call repository.findAllUsers	00:00.000	Passed	
UserPersistenceAdapter > should propagate repository.findAllUsers errors	00:00.000	Passed	
UserPersistenceAdapter > should call repository.deleteUser with correct args	00:00.000	Passed	
UserPersistenceAdapter > should propagate repository.deleteUser errors	00:00.000	Passed	
UserPersistenceAdapter > should call repository.findUserById with correct args	00:00.000	Passed	
UserPersistenceAdapter > should call repository.findUserById	00:00.000	Passed	
UserPersistenceAdapter > should propagate repository.findUserById errors	00:00.000	Passed	
/test/unit/wards/infrastructure/persistence/wards-repository-impl.spec.ts	00:00.007	All Passed 11	
Merge Data			
WardsRepositoryImpl > should be defined	00:00.001	Passed	
WardsRepositoryImpl > should create a ward and return it	00:00.000	Passed	
WardsRepositoryImpl > should throw if no ward is created	00:00.004	Passed	
WardsRepositoryImpl > should propagate DB error on create	00:00.000	Passed	
WardsRepositoryImpl > should return all wards	00:00.001	Passed	
WardsRepositoryImpl > should propagate DB error on findAll	00:00.000	Passed	
WardsRepositoryImpl > should update ward and return it	00:00.000	Passed	
WardsRepositoryImpl > should throw if ward is not updated	00:00.000	Passed	
WardsRepositoryImpl > should propagate DB error on update	00:00.001	Passed	
WardsRepositoryImpl > should call query to delete ward	00:00.000	Passed	
WardsRepositoryImpl > should propagate DB error on delete	00:00.000	Passed	
/test/unit/plant/application/services/plant.service.spec.ts	00:00.006	All Passed 10	
Merge Data			
PlantService > should return plant from port	00:00.001	Passed	

File	ExecTime	Status	Action
PlantService > should throw PlantId is null when command id is absent	00:00.003	Passed	
PlantService > should throw error when plant not found	00:00.001	Passed	
PlantService > findAllAvailablePlants > should return array of plants	00:00.000	Passed	
PlantService > findAllAvailablePlants > should throw error when no available plants	00:00.000	Passed	
PlantService > findAllAvailablePlants > should return empty array when available plants returned	00:00.000	Passed	
PlantService > findAllAvailablePlants > should propagate port errors	00:00.000	Passed	
PlantService > findAllPlants > should return all plants	00:00.001	Passed	
PlantService > findAllPlants > should throw error when no plants are returned	00:00.000	Passed	
PlantService > findAllPlants > should propagate port errors	00:00.000	Passed	
/test/unit/users/infrastructure/persistence/users-repository-impl.spec.ts	00:00.006	All Passed 11	
Merge Data			
UsersRepositoryImpl > should be defined	00:00.001	Passed	
UsersRepositoryImpl > should call query with correct parameters when creating a user	00:00.000	Passed	
UsersRepositoryImpl > should throw an error if createUser does not return a row	00:00.005	Passed	
UsersRepositoryImpl > should call query with correct parameters when updating a user	00:00.000	Passed	
UsersRepositoryImpl > should throw an error if updateUser does not return a row	00:00.000	Passed	
UsersRepositoryImpl > should call query with correct parameters when deleting a user	00:00.000	Passed	
UsersRepositoryImpl > should call query with correct parameters when finding all users	00:00.000	Passed	
UsersRepositoryImpl > should call query with correct parameters when finding a user	00:00.000	Passed	
UsersRepositoryImpl > should return null when finding a user that does not exist	00:00.000	Passed	
UsersRepositoryImpl > should return a user when finding an existing user	00:00.000	Passed	
UsersRepositoryImpl > should call query with correct parameters when finding all available users	00:00.000	Passed	
/test/unit/wards/infrastructure/persistence/wards-users-relationships-repository-impl.spec.ts	00:00.003	All Passed 9	

File	ExecTime	Status	Action
Merge Data			
WardsUsersRelationshipsRepositoryImpl > should be defined	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should call query with correct parameters when adding a user to a ward	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should return UserEntity when adding a user to a ward	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should throw if no user is added to ward	00:00.003	Passed	
WardsUsersRelationshipsRepositoryImpl > should propagate DB error on add user to ward	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should find all users by ward id	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should propagate DB error on find all users by ward id	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should call query with correct parameters when removing a user from a ward	00:00.000	Passed	
WardsUsersRelationshipsRepositoryImpl > should propagate DB error on remove user from ward	00:00.000	Passed	
/test/unit/wards/infrastructure/persistence/wards-plants-relationships-repository-impl.spec.ts	00:00.006	All Passed 9	
Merge Data			
WardsPlantsRelationshipsRepositoryImpl > should be defined	00:00.000	Passed	
WardsPlantsRelationshipsRepositoryImpl > should call query with correct parameters when adding a plant to a ward	00:00.000	Passed	
WardsPlantsRelationshipsRepositoryImpl > should return PlantEntity when update succeeds	00:00.001	Passed	
WardsPlantsRelationshipsRepositoryImpl > should throw error when no rows are updated	00:00.004	Passed	
WardsPlantsRelationshipsRepositoryImpl > should propagate DB error on add plant to ward	00:00.001	Passed	
WardsPlantsRelationshipsRepositoryImpl > should return all plants for a ward	00:00.000	Passed	
WardsPlantsRelationshipsRepositoryImpl > should propagate DB error on find all plants by ward id	00:00.000	Passed	
WardsPlantsRelationshipsRepositoryImpl > should call query with correct parameters when removing a plant from a ward	00:00.000	Passed	
WardsPlantsRelationshipsRepositoryImpl > should propagate error when removing plant fails	00:00.000	Passed	
/test/unit/notifications/application/services/notifications.service.spec.ts	00:00.004	All Passed 4	

File	ExecTime	Status	Action
NotificationsService > should notify ward and persist notification on alarm activation	00:00.000	Passed	
NotificationsService > should throw when alarm event id is missing on activation	00:00.004	Passed	
NotificationsService > should notify resolution and persist notification	00:00.000	Passed	
NotificationsService > should throw when resolution command is missing parameters	00:00.000	Passed	
/test/unit/wards/adapters/out/wards-users-relationships-persistence-adapter.spec.ts	00:00.004	All Passed 8	
WardsUsersRelationshipsPersistenceAdapter > should be defined	00:00.000	Passed	
WardsUsersRelationshipsPersistenceAdapter > should call repository.addUserToWard with correct args	00:00.000	Passed	
WardsUsersRelationshipsPersistenceAdapter > should propagate repository errors	00:00.003	Passed	
WardsUsersRelationshipsPersistenceAdapter > should call repository.findAllUsersByWardId with correct args	00:00.000	Passed	
WardsUsersRelationshipsPersistenceAdapter > should map UserEntity to User	00:00.000	Passed	
WardsUsersRelationshipsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
WardsUsersRelationshipsPersistenceAdapter > should call repository.removeUserFromWard with correct args	00:00.001	Passed	
WardsUsersRelationshipsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
/test/unit/wards/adapters/out/wards-persistence-adapter.spec.ts	00:00.004	All Passed 10	
Merge Data			
WardsPersistenceAdapter > should be defined	00:00.000	Passed	
WardsPersistenceAdapter > should call repository.createWard with correct args	00:00.000	Passed	
WardsPersistenceAdapter > should propagate repository errors	00:00.003	Passed	
WardsPersistenceAdapter > should call repository.findAllWards with correct args	00:00.000	Passed	
WardsPersistenceAdapter > should map WardEntity to Ward	00:00.000	Passed	
WardsPersistenceAdapter > should propagate repository errors	00:00.001	Passed	
WardsPersistenceAdapter > should call repository.updateWard with correct args	00:00.000	Passed	

File	ExecTime	Status	Action
WardsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
WardsPersistenceAdapter > should call repository.deleteWard with correct args	00:00.000	Passed	
WardsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
/test/unit/guard/admin/admin.guard.spec.ts	00:00.001	All Passed 1	
AdminGuard > should be defined	00:00.001	Passed	
/test/unit/wards/adapters/out/wards-plants-relationships-persistence-adapter.spec.ts	00:00.003	All Passed 8	
WardsPlantsRelationshipsPersistenceAdapter > should be defined	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should call repository.addPlantToWard with correct args	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should propagate repository errors	00:00.003	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should call repository.findAllPlantsByWardId with correct args	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should map PlantEntity to Plant	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should call repository.removePlantFromWard with correct args	00:00.000	Passed	
WardsPlantsRelationshipsPersistenceAdapter > should propagate repository errors	00:00.000	Passed	
/test/unit/api-auth-vimar/application/services/oauth-ticket.service.spec.ts	00:00.004	All Passed 5	
OAuthTicketService > should generate UUID ticket and persist it with 60 seconds TTL	00:00.001	Passed	
OAuthTicketService > should throw when user id is not valid	00:00.003	Passed	
OAuthTicketService > should throw when ticket persistence fails	00:00.000	Passed	
OAuthTicketService > should return null when ticket is empty	00:00.000	Passed	
OAuthTicketService > should consume ticket and return associated user id	00:00.000	Passed	
/test/unit/api-auth-vimar/application/services/api-auth-vimar.service.spec.ts	00:00.006	All Passed 7	
ApiAuthVimarService > should build a valid OAuth login URL without state	00:00.001	Passed	

File	ExecTime	Status	Action
ApiAuthVimarService > should include state parameter when provided	00:00.000	Passed	
ApiAuthVimarService > should throw error when REDIRECT_URI is not set	00:00.004	Passed	
ApiAuthVimarService > should throw error when CLIENTID is not set	00:00.000	Passed	
ApiAuthVimarService > should include all required OAuth parameters	00:00.001	Passed	
ApiAuthVimarService > should construct correct URL with all parameters including state	00:00.000	Passed	
ApiAuthVimarService > should handle special characters in state parameter	00:00.000	Passed	
/test/unit/api-auth-vimar/application/services/tokens.spec.ts	00:00.005	All Passed 4	
TokenService > should fetch tokens from repo and return them	00:00.000	Passed	
TokenService > should fetch tokens from repo, found them invalid and refresh new tokens	00:00.000	Passed	
TokenService > should throw an error when tokens from API are null	00:00.005	Passed	
TokenService > should return account status from read status port	00:00.000	Passed	
/test/unit/auth/infrastructure/persistence/change-credentials-repository-impl.spec.ts	00:00.002	All Passed 3	
ChangeCredentialsRepositoryImpl > should be defined	00:00.001	Passed	
ChangeCredentialsRepositoryImpl > should call query with correct parameters when changing credentials	00:00.000	Passed	
ChangeCredentialsRepositoryImpl > should propagate errors from the database	00:00.001	Passed	
/test/unit/auth/infrastructure/persistence/check-credentials-repository-impl.spec.ts	00:00.003	All Passed 3	
CheckCredentialsRepositoryImpl > should be defined	00:00.000	Passed	
CheckCredentialsRepositoryImpl > should return PayloadEntity when user exists	00:00.001	Passed	
CheckCredentialsRepositoryImpl > should throw error when user not found	00:00.002	Passed	
/test/unit/device/infrastructure/http/dtos/out/write-datapoint-value-request.dto.spec.ts	00:00.000	All Passed 3	
WriteDatapointValueRequestDto > should build request payload from datapoint id and value	00:00.000	Passed	
WriteDatapointValueRequestDto > should default datapoint type to datapoint	00:00.000	Passed	

File	ExecTime	Status	Action
WriteDatapointValueRequestDto > should allow manual nested dto composition	00:00.000	Passed	
/test/unit/wards/infrastructure/dtos/out/update-ward-res.dto.spec.ts	00:00.000	All Passed 1	
UpdateWardResDto > should be defined	00:00.000	Passed	
/test/unit/auth/adapters/out/extract-from-access-token-adapter.spec.ts	00:00.003	All Passed 3	
ExtractFromAccessTokenAdapter > should be defined	00:00.000	Passed	
ExtractFromAccessTokenAdapter > should extract payload from refresh token	00:00.000	Passed	
ExtractFromAccessTokenAdapter > should propagate errors from extractor	00:00.003	Passed	
/test/unit/auth/adapters/out/check-credentials-adapter.spec.ts	00:00.003	All Passed 3	
CheckCredentialsAdapter > should be defined	00:00.001	Passed	
CheckCredentialsAdapter > should call repository and return Payload	00:00.000	Passed	
CheckCredentialsAdapter > should propagate error from repository	00:00.002	Passed	
/test/unit/guard/guard.module.spec.ts	00:00.001	All Passed 2	
GuardModule > espone il token JWT_SERVICE	00:00.000	Passed	
GuardModule > dichiara providers e exports attesi	00:00.001	Passed	
/test/unit/analytics/application/strategy/strategies/plant-anomalies.spec.ts	00:00.001	All Passed 5	
PlantAnomalies > should return an empty Plot if consumption plot has no data	00:00.000	Passed	
PlantAnomalies > should return 1 for a day that exceeds the threshold	00:00.001	Passed	
PlantAnomalies > should return 0 for a day that is below the threshold	00:00.000	Passed	
PlantAnomalies > should return correct anomaly flags for each day	00:00.000	Passed	
PlantAnomalies > should preserve labels alignment between labels and data	00:00.000	Passed	
/test/unit/auth/adapters/out/extract-from-refresh-token-adapter.spec.ts	00:00.003	All Passed 3	
ExtractFromRefreshTokenAdapter > should be defined	00:00.000	Passed	

File	ExecTime	Status	Action
ExtractFromRefreshTokenAdapter > should extract payload from refresh token	00:00.000	Passed	
ExtractFromRefreshTokenAdapter > should propagate errors from extractor	00:00.003	Passed	
/test/unit/auth/adapters/out/generate-refresh-token-adapter.spec.ts	00:00.001	All Passed 2	
GenerateRefreshTokenAdapter > should be defined	00:00.001	Passed	
GenerateRefreshTokenAdapter > should generate refresh token from payload	00:00.000	Passed	
/test/unit/auth/adapters/out/generate-change-password-access-token-adapter.spec.ts	00:00.000	All Passed 2	
GenerateChangePasswordAccessTokenAdapter > should be defined	00:00.000	Passed	
GenerateChangePasswordAccessTokenAdapter > should generate refresh token from payload	00:00.000	Passed	
/test/unit/analytics/application/strategy/strategies/ward-alarms-frequency.spec.ts	00:00.001	All Passed 5	
WardAlarmsFrequency > should return an empty Plot if there are no alarms	00:00.000	Passed	
WardAlarmsFrequency > should return the number of alarms for a single day	00:00.001	Passed	
WardAlarmsFrequency > should correctly aggregate alarms over multiple days	00:00.000	Passed	
WardAlarmsFrequency > should call getAlarmsForWard with onlyResolved=false	00:00.000	Passed	
WardAlarmsFrequency > should return labels sorted by date ascending	00:00.000	Passed	
/test/unit/analytics/application/strategy/strategies/sensor-long-presence.spec.ts	00:00.002	All Passed 5	
SensorLongPresence > should return an empty Plot if there are no snapshots	00:00.000	Passed	
SensorLongPresence > should not detect long presence if duration is less than 30 minutes	00:00.001	Passed	
SensorLongPresence > should detect long presence if duration exceeds 30 minutes	00:00.000	Passed	
SensorLongPresence > should count only one event per long presence session	00:00.001	Passed	
SensorLongPresence > should reset and count a new event after Absent	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/analytics/application/strategy/strategies/plant-consumption.spec.ts	00:00.000	All Passed 5	
PlantConsumption > should return an empty Plot if there are no snapshots	00:00.000	Passed	
PlantConsumption > should calculate consumption when light is On	00:00.000	Passed	
PlantConsumption > should not calculate consumption when light is Off	00:00.000	Passed	
PlantConsumption > should correctly aggregate consumption over multiple days	00:00.000	Passed	
PlantConsumption > should not consider non-light datapoints	00:00.000	Passed	
/test/unit/auth/adapters/out/generate-change-password-refresh-token-adapter.spec.ts	00:00.001	All Passed 2	
GenerateChangePasswordRefreshTokenAdapter > should be defined	00:00.001	Passed	
GenerateChangePasswordRefreshTokenAdapter > should generate refresh token from payload	00:00.000	Passed	
/test/unit/auth/adapters/out/generate-access-token-adapter.spec.ts	00:00.001	All Passed 2	
GenerateTokenAdapter > should be defined	00:00.000	Passed	
GenerateTokenAdapter > should generate refresh token from payload	00:00.001	Passed	
/test/unit/guard/user/user.guard.spec.ts	00:00.000	All Passed 1	
UserGuard > should be defined	00:00.000	Passed	
/test/unit/analytics/application/strategy/strategies/ward-resolved-alarm.spec.ts	00:00.001	All Passed 6	
WardResolvedAlarm > should return an empty Plot if there are no alarms	00:00.000	Passed	
WardResolvedAlarm > should return total and resolved alarms series for the same day	00:00.000	Passed	
WardResolvedAlarm > should return 0 for resolved if no alarms were resolved that day	00:00.001	Passed	
WardResolvedAlarm > should correctly aggregate alarms over multiple days	00:00.000	Passed	
WardResolvedAlarm > should call getAlarmsForWard twice — once for total and once for resolved	00:00.000	Passed	
WardResolvedAlarm > resolved alarms should never exceed total alarms	00:00.000	Passed	
/test/unit/analytics/application/strategy/strategies/ward-falls.spec.ts	00:00.002	All Passed 6	

File	ExecTime	Status	Action
WardFalls > should return an empty Plot if there are no snapshots	00:00.001	Passed	
WardFalls > should detect a Fall when it changes from False to True	00:00.000	Passed	
WardFalls > should not count a fall if the value stays to Fall	00:00.000	Passed	
WardFalls > should count two separate falls on the same day	00:00.000	Passed	
WardFalls > should correctly aggregate falls per day	00:00.001	Passed	
WardFalls > should not consider a fall if the datapoint is not SFE_State_ManDown	00:00.000	Passed	
/test/unit/auth/adapters/out/change-credentials-adapter.spec.ts	00:00.002	All Passed 3	
ChangeCredentialsAdapter > should be defined	00:00.000	Passed	
ChangeCredentialsAdapter > should call repository.changeCredentials with correct args	00:00.000	Passed	
ChangeCredentialsAdapter > should propagate repository errors	00:00.002	Passed	
/test/unit/middlewares/raw-body.middleware.spec.ts	00:00.000	All Passed 1	
RawBodyMiddleware > should call body-parser raw middleware with wildcard type	00:00.000	Passed	
/test/unit/analytics/application/strategy/strategies/sensor-presence.spec.ts	00:00.002	All Passed 5	
SensorPresence > should return an empty Plot if there are no snapshots	00:00.001	Passed	
SensorPresence > should detect presence when it changes from Absent to Moving	00:00.000	Passed	
SensorPresence > should not count presence if value stays Moving	00:00.000	Passed	
SensorPresence > should count two separate presences on the same day	00:00.000	Passed	
SensorPresence > should correctly aggregate presences over multiple days	00:00.001	Passed	
/test/unit/analytics/application/strategy/strategies/plant-thermostat-temperature.spec.ts	00:00.000	All Passed 4	
PlantThermostatTemperature > should return an empty Plot if there are no snapshots	00:00.000	Passed	
PlantThermostatTemperature > should calculate daily average temperature	00:00.000	Passed	
PlantThermostatTemperature > should correctly aggregate average temperature over multiple days	00:00.000	Passed	

File	ExecTime	Status	Action
PlantThermostatTemperature > should not consider non-temperature datapoints	00:00.000	Passed	
/test/unit/notifications/infrastructure/persistance/notification-repository-impl.spec.ts	00:00.001	All Passed 3	
NotificationRepositoryImpl > should return true when insert query affects one row	00:00.000	Passed	
NotificationRepositoryImpl > should return false when insert query affects no rows	00:00.001	Passed	
NotificationRepositoryImpl > should return false when rowCount is undefined	00:00.000	Passed	
/test/unit/middlewares/json-body.middleware.spec.ts	00:00.001	All Passed 1	
JsonBodyMiddleware > should call body-parser json middleware	00:00.001	Passed	
/test/unit/auth/adapters/out/hash-password-adapter.spec.ts	00:00.001	All Passed 2	
HashPasswordAdapter > should be defined	00:00.001	Passed	
HashPasswordAdapter > should generate hashed password from password	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/api-plant.dto.spec.ts	00:00.000	All Passed 7	
ApiPlantDto > should instantiate room with required properties	00:00.000	Passed	
ApiPlantDto > should handle plant attributes	00:00.000	Passed	
ApiPlantDto > should handle plant meta type	00:00.000	Passed	
ApiPlantDto > should handle multiple rooms in response	00:00.000	Passed	
ApiPlantDto > should handle empty room list	00:00.000	Passed	
ApiPlantDto > should handle various room types	00:00.000	Passed	
ApiPlantDto > should handle meta with multiple types	00:00.000	Passed	
/test/unit/wards/infrastructure/entities/plant-entity.spec.ts	00:00.000	All Passed 1	
PlantEntity > should be defined	00:00.000	Passed	
/test/unit/alarms/domain/models/alarm-rule.model.spec.ts	00:00.003	All Passed 26	
Merge Data			
AlarmRule > should be defined	00:00.000	Passed	
AlarmRule > getId > should return the alarm rule id	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmRule > getId > should return the correct id type	00:00.000	Passed	
AlarmRule > getPosition > should return the position	00:00.000	Passed	
AlarmRule > getPosition > should return a string	00:00.001	Passed	
AlarmRule > getName > should return the alarm rule name	00:00.000	Passed	
AlarmRule > getName > should return a string	00:00.000	Passed	
AlarmRule > getThresholdOperator > should return the threshold operator	00:00.000	Passed	
AlarmRule > getThresholdOperator > should handle different operators	00:00.000	Passed	
AlarmRule > getThresholdValue > should return the threshold value	00:00.000	Passed	
AlarmRule > getThresholdValue > should return a string	00:00.000	Passed	
AlarmRule > getThresholdValue > should handle numeric string values	00:00.000	Passed	
AlarmRule > getPriority > should return the priority	00:00.000	Passed	
AlarmRule > getPriority > should handle different priority levels	00:00.001	Passed	
AlarmRule > getArmingTime > should return the arming time	00:00.000	Passed	
AlarmRule > getArmingTime > should return a Date object	00:00.000	Passed	
AlarmRule > getDearmingTime > should return the dearming time	00:00.000	Passed	
AlarmRule > getDearmingTime > should return a Date object	00:00.000	Passed	
AlarmRule > getDearmingTime > should have dearming time after arming time	00:00.000	Passed	
AlarmRule > getIsArmed > should return the armed status when true	00:00.000	Passed	
AlarmRule > getIsArmed > should return the armed status when false	00:00.000	Passed	
AlarmRule > getIsArmed > should return a boolean	00:00.000	Passed	
AlarmRule > constructor > should create an instance with all parameters	00:00.001	Passed	
AlarmRule > constructor > should handle different configurations	00:00.000	Passed	
AlarmRule > time validation scenarios > should handle same day arming and dearming times	00:00.000	Passed	
AlarmRule > time validation scenarios > should handle different day arming and dearming times	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/api-device.dto.spec.ts	00:00.001	All Passed 5	
ApiDeviceDto > should instantiate with required properties	00:00.000	Passed	
ApiDeviceDto > should handle device meta information	00:00.000	Passed	
ApiDeviceDto > should handle multiple devices in response	00:00.000	Passed	

File	ExecTime	Status	Action
ApiDeviceDto > should handle empty device list	00:00.001	Passed	
ApiDeviceDto > should handle various device types	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/api-datapoint.dto.spec.ts	00:00.000	All Passed 8	
ApiDatapointDto > should instantiate with required properties	00:00.000	Passed	
ApiDatapointDto > should handle datapoint attributes with all properties	00:00.000	Passed	
ApiDatapointDto > should handle datapoint meta information	00:00.000	Passed	
ApiDatapointDto > should handle multiple datapoints in response	00:00.000	Passed	
ApiDatapointDto > should handle read-only datapoint	00:00.000	Passed	
ApiDatapointDto > should handle write-only datapoint	00:00.000	Passed	
ApiDatapointDto > should handle empty enum values	00:00.000	Passed	
ApiDatapointDto > should handle multiple enum values	00:00.000	Passed	
/test/unit/subscription/infrastructure/http/dtos/subscription.dto.spec.ts	00:00.003	All Passed 17	
Merge Data			
SubscriptionDtos > should instantiate dto classes at runtime	00:00.001	Passed	
SubscriptionDtos > SubscriptionAttributesDto > should create valid subscription attributes	00:00.000	Passed	
SubscriptionDtos > SubscriptionAttributesDto > should allow zero lifetime	00:00.000	Passed	
SubscriptionDtos > SubscriptionDataRelationDto > should create valid relation without meta	00:00.000	Passed	
SubscriptionDtos > SubscriptionDataRelationDto > should create valid relation with meta	00:00.001	Passed	
SubscriptionDtos > SubscriptionRelationshipsDto > should create relationships with only subscriptionNode	00:00.000	Passed	
SubscriptionDtos > SubscriptionRelationshipsDto > should create relationships with only subscriptionDatapoints	00:00.000	Passed	
SubscriptionDtos > SubscriptionRelationshipsDto > should create relationships with both types	00:00.000	Passed	
SubscriptionDtos > SubscriptionDataDto > should create subscription data with required fields	00:00.000	Passed	
SubscriptionDtos > SubscriptionDataDto > should create subscription data with datapoints	00:00.000	Passed	
SubscriptionDtos > SubscriptionCreateDto > should create valid subscription create request	00:00.000	Passed	

File	ExecTime	Status	Action
SubscriptionDtos > SubscriptionCreateDto > should create subscription with datapoint relationships	00:00.001	Passed	
SubscriptionDtos > SubscriptionResponseDto > should parse subscription response with attributes	00:00.000	Passed	
SubscriptionDtos > SubscriptionResponseDto > should parse subscription response without attributes	00:00.000	Passed	
SubscriptionDtos > SubscriptionsCollectionDto > should parse collection of subscriptions	00:00.000	Passed	
SubscriptionDtos > SubscriptionsCollectionDto > should parse empty collection	00:00.000	Passed	
SubscriptionDtos > SubscriptionsCollectionDto > should parse collection without attributes	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/api-plant-attributes.dto.spec.ts	00:00.001	All Passed 6	
ApiPlantAttributesDto > should instantiate with title property	00:00.000	Passed	
ApiPlantAttributesDto > should handle empty string title	00:00.000	Passed	
ApiPlantAttributesDto > should handle various title values	00:00.001	Passed	
ApiPlantAttributesDto > should handle long title values	00:00.000	Passed	
ApiPlantAttributesDto > should handle special characters in title	00:00.000	Passed	
ApiPlantAttributesDto > should handle unicode characters	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/api-common.dto.spec.ts	00:00.000	All Passed 2	
ApiMetaDto > should assign collection meta values	00:00.000	Passed	
ApiMetaDto > should transform nested collection metadata from plain object	00:00.000	Passed	
/test/unit/plant/infrastructure/persistence/entities/plant.entity.spec.ts	00:00.001	All Passed 5	

File	ExecTime	Status	Action
PlantEntity > toDomain > should convert PlantEntity to Plant domain model	00:00.000	Passed	
PlantEntity > toDomain > should handle null ward_id and undefined rooms safely	00:00.000	Passed	
PlantEntity > fromDomain > should convert Plant domain model to PlantEntity	00:00.001	Passed	
PlantEntity > fromDomain > should map missing rooms and wardId to safe defaults	00:00.000	Passed	
PlantEntity > fromDomain > should map wardId 0 to null with current model behavior	00:00.000	Passed	
/test/unit/cache/infrastructure/persistence/entities/room.entity.spec.ts	00:00.001	All Passed 2	
RoomEntity > toDomain converte entity in domain Room	00:00.001	Passed	
RoomEntity > fromDomain converte domain Room in entity	00:00.000	Passed	
/test/unit/plant/domain/models/room.model.spec.ts	00:00.001	All Passed 7	
Room > should create an instance with all properties	00:00.000	Passed	
Room > should create an instance with empty devices array	00:00.000	Passed	
Room > should copy devices array to prevent external modification	00:00.000	Passed	
Room > should return safe copy of devices array	00:00.001	Passed	
Room > should handle rooms with multiple devices	00:00.000	Passed	
Room > should create independent room instances	00:00.000	Passed	
Room > should store and retrieve large device arrays	00:00.000	Passed	
/test/unit/device/domain/models/device.model.spec.ts	00:00.001	All Passed 3	
Device > should correctly return all attributes	00:00.001	Passed	
Device > should return correctly the content of the datapoints array	00:00.000	Passed	
Device > should use defensive copy for constructor input and getter output	00:00.000	Passed	
/test/unit/alarms/domain/models/alarm-event.model.spec.ts	00:00.003	All Passed 19	
Merge Data			
AlarmEvent > should be defined	00:00.000	Passed	
AlarmEvent > getId > should return the alarm event id	00:00.001	Passed	
AlarmEvent > getId > should return the correct id type	00:00.000	Passed	

File	ExecTime	Status	Action
AlarmEvent > getPosition > should return the position	00:00.000	Passed	
AlarmEvent > getAlarmRuleId > should return the alarm rule id	00:00.000	Passed	
AlarmEvent > getAlarmName > should return the alarm name	00:00.000	Passed	
AlarmEvent > getPriority > should return the priority	00:00.000	Passed	
AlarmEvent > getPriority > should return the correct priority enum value	00:00.000	Passed	
AlarmEvent > getActivationTime > should return the activation time	00:00.000	Passed	
AlarmEvent > getActivationTime > should return a Date object	00:00.000	Passed	
AlarmEvent > getResolutionTime > should return the resolution time when present	00:00.001	Passed	
AlarmEvent > getResolutionTime > should return null when alarm is not resolved	00:00.000	Passed	
AlarmEvent > getUserId > should return the user id when present	00:00.000	Passed	
AlarmEvent > getUserId > should return null when user id is not set	00:00.000	Passed	
AlarmEvent > getUserId > should return the correct user id type	00:00.000	Passed	
AlarmEvent > getUserUsername > should return the user username when present	00:00.000	Passed	
AlarmEvent > getUserUsername > should return null when user username is not set	00:00.000	Passed	
AlarmEvent > constructor > should create an instance with all parameters	00:00.000	Passed	
AlarmEvent > constructor > should handle null values for optional fields	00:00.001	Passed	
/test/unit/analytics/domain/plot.model.spec.ts	00:00.002	All Passed 15	
Merge Data			
Plot > with series > should be defined	00:00.001	Passed	
Plot > with series > should return the correct title	00:00.000	Passed	
Plot > with series > should return the correct metric	00:00.000	Passed	
Plot > with series > should return the correct unit	00:00.000	Passed	
Plot > with series > should return the correct labels	00:00.000	Passed	
Plot > with series > should return the correct series	00:00.000	Passed	
Plot > with series > should return undefined suggestion when not set	00:00.000	Passed	
Plot > with series > should return the suggestion after setSuggestion is called	00:00.001	Passed	
Plot > with empty series > should return empty labels	00:00.000	Passed	

File	ExecTime	Status	Action
Plot > with empty series > should return empty series	00:00.000	Passed	
Plot > with suggestion in constructor > should return the suggestion passed in the constructor	00:00.000	Passed	
Series > should be defined	00:00.000	Passed	
Series > should return the correct id	00:00.000	Passed	
Series > should return the correct name	00:00.000	Passed	
Series > should return the correct data	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/subNotification.dto.spec.ts	00:00.002	All Passed 8	
SubNotificationPayloadDto > should create valid notification payload	00:00.001	Passed	
SubNotificationPayloadDto > should handle multiple notifications	00:00.000	Passed	
SubNotificationPayloadDto > should handle numeric values	00:00.000	Passed	
SubNotificationPayloadDto > should handle string values	00:00.000	Passed	
SubNotificationPayloadDto > should handle empty notification data	00:00.000	Passed	
SubNotificationPayloadDto > should handle missing optional timestamp	00:00.001	Passed	
SubNotificationPayloadDto > should handle missing optional value	00:00.000	Passed	
SubNotificationPayloadDto > should handle different notification types	00:00.000	Passed	
/test/unit/device/infrastructure/http/dtos/in/datapoint-response.dto.spec.ts	00:00.000	All Passed 3	
DatapointExtractedDto > should map a single api datapoint with fromApiResponse	00:00.000	Passed	
DatapointExtractedDto > should keep only readable datapoints with fromApiResponses	00:00.000	Passed	
DatapointExtractedDto > should convert extracted dto to domain datapoint value	00:00.000	Passed	
/test/unit/device/infrastructure/persistence/entities/device.entity.spec.ts	00:00.001	All Passed 6	
DeviceEntity > toDomain > should convert DeviceEntity to Device domain model	00:00.000	Passed	
DeviceEntity > toDomain > should handle device with multiple datapoints	00:00.001	Passed	
DeviceEntity > toDomain > should handle device with no datapoints	00:00.000	Passed	
DeviceEntity > fromDomain > should convert Device domain model to DeviceEntity	00:00.000	Passed	

File	ExecTime	Status	Action
DeviceEntity > fromDomain > should convert device with multiple datapoints	00:00.000	Passed	
DeviceEntity > fromDomain > should convert device with no datapoints	00:00.000	Passed	
/test/unit/device/infrastructure/persistence/entities/datapoint.entity.spec.ts	00:00.001	All Passed 11	
Merge Data			
DatapointEntity > toDomain > should convert DatapointEntity to Datapoint domain model	00:00.000	Passed	
DatapointEntity > toDomain > should handle datapoint with empty enum	00:00.001	Passed	
DatapointEntity > toDomain > should handle datapoint with null enum as empty array	00:00.000	Passed	
DatapointEntity > toDomain > should handle read-only datapoint	00:00.000	Passed	
DatapointEntity > toDomain > should handle write-only datapoint	00:00.000	Passed	
DatapointEntity > toDomain > should handle datapoint with multiple enum values	00:00.000	Passed	
DatapointEntity > fromDomain > should convert Datapoint domain model to DatapointEntity	00:00.000	Passed	
DatapointEntity > fromDomain > should convert read-only datapoint	00:00.000	Passed	
DatapointEntity > fromDomain > should convert write-only datapoint	00:00.000	Passed	
DatapointEntity > fromDomain > should handle datapoint with empty enum	00:00.000	Passed	
DatapointEntity > fromDomain > should convert datapoint with multiple enum values	00:00.000	Passed	
/test/unit/users/infrastructure/password-generator/generate-password-impl.spec.ts	00:00.001	All Passed 2	
PasswordGenerator > should be defined	00:00.001	Passed	
PasswordGenerator > should generate correct length	00:00.000	Passed	
/test/unit/notifications/application/repository/notification-repository-symbols.spec.ts	00:00.000	All Passed 2	
notification repository symbols > should export symbols for all notification ports	00:00.000	Passed	
notification repository symbols > should export distinct symbols	00:00.000	Passed	
/test/unit/notifications/domain/model/notification.model.spec.ts	00:00.000	All Passed 1	
Notification > should return message passed to constructor	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/device/domain/models/device-value.model.spec.ts	00:00.001	All Passed 4	
DeviceValue > should expose constructor values through getters	00:00.001	Passed	
DeviceValue > should return a defensive copy of values array	00:00.000	Passed	
DatapointValue > should expose datapoint id, name and value through getters	00:00.000	Passed	
DatapointValue > should support numeric values	00:00.000	Passed	
/test/unit/analytics/application/strategy/analytics.strategy.spec.ts	00:00.001	All Passed 2	
AnalyticsStrategy token > espone il token DI atteso	00:00.001	Passed	
AnalyticsStrategy token > rispetta il contratto execute(cmd)	00:00.000	Passed	
/test/unit/auth/infrastructure/sha512-password-hasher/sha512-password-hasher.spec.ts	00:00.000	All Passed 2	
Sha512PasswordHasher > should be defined	00:00.000	Passed	
Sha512PasswordHasher > should generate a hashed password	00:00.000	Passed	
/test/unit/alarms/application/commands/resolve-alarm-event-cmd.spec.ts	00:00.000	All Passed 1	
ResolveAlarmEventCmd > should be defined	00:00.000	Passed	
/test/unit/cache/infrastructure/http/dtos/in/plant-seek.dto.spec.ts	00:00.001	All Passed 4	
PlantSeekResponseDto > should create valid plant seek response	00:00.000	Passed	
PlantSeekResponseDto > should handle empty plant list	00:00.001	Passed	
PlantSeekResponseDto > should handle single plant	00:00.000	Passed	
PlantSeekResponseDto > should handle many plants	00:00.000	Passed	
/test/unit/users/infrastructure/hash-password-impl/hash-password-impl.spec.ts	00:00.001	All Passed 2	
HashPasswordImpl > should be defined	00:00.000	Passed	
HashPasswordImpl > should generate correct hash	00:00.001	Passed	
/test/unit/users/infrastructure/entities/user-entity.spec.ts	00:00.000	All Passed 2	
UserEntity > should be defined	00:00.000	Passed	
UserEntity > should have all properties defined	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/users/application/commands/update-user-cmd.spec.ts	00:00.001	All Passed 2	
UpdateUserCmd > should be defined	00:00.000	Passed	
UpdateUserCmd > should have all properties defined	00:00.001	Passed	
/test/unit/users/application/commands/create-user-with-temp-password-cmd.spec.ts	00:00.001	All Passed 1	
CreateUserTempPasswordCmd > should be defined	00:00.001	Passed	
/test/unit/wards/infrastructure/entities/user-entity.spec.ts	00:00.000	All Passed 1	
UserEntity > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/find-all-users-by-ward-id-cmd.spec.ts	00:00.000	All Passed 1	
FindAllUsersByWardIdCmd > should be defined	00:00.000	Passed	
/test/unit/plant/domain/models/plant.model.spec.ts	00:00.000	All Passed 2	
Plant > should correctly return all attributes	00:00.000	Passed	
Plant > should use defensive copy for rooms and cached date	00:00.000	Passed	
/test/unit/device/domain/models/datapoint.model.spec.ts	00:00.001	All Passed 3	
Datapoint > should correctly return all the attributes	00:00.000	Passed	
Datapoint > should construct enumValues's content correctly	00:00.000	Passed	
Datapoint > should protect internal enum array with defensive copy	00:00.001	Passed	
/test/unit/auth/application/commands/refresh-cmd.spec.ts	00:00.000	All Passed 1	
RefreshCmd > should be defined	00:00.000	Passed	
/test/unit/api-auth-vimar/application/repository/api-auth-vimar.repository.spec.ts	00:00.000	All Passed 2	
ApiAuthVimarRepositoryPort token > espone il Symbol DI atteso	00:00.000	Passed	
ApiAuthVimarRepositoryPort token > copre il contratto base della porta repository	00:00.000	Passed	
/test/unit/auth/application/commands/generate-refresh-token-cmd.spec.ts	00:00.000	All Passed 1	

File	ExecTime	Status	Action
GenerateRefreshTokenCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/generate-change-password-refresh-token-cmd.spec.ts	00:00.000	All Passed 1	
GenerateChangePasswordRefreshTokenCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/generate-change-password-access-token-cmd.spec.ts	00:00.001	All Passed 1	
GenerateChangePasswordAccessTokenCmd > should be defined	00:00.001	Passed	
/test/unit/auth/application/commands/generate-access-token-cmd.spec.ts	00:00.001	All Passed 1	
GenerateTokenCmd > should be defined	00:00.001	Passed	
/test/unit/auth/application/commands/change-credentials-cmd.spec.ts	00:00.000	All Passed 1	
ChangeCredentialsCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/check-first-access-cmd.spec.ts	00:00.000	All Passed 1	
CheckFirstAccessCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/check-credentials-cmd.spec.ts	00:00.000	All Passed 1	
CheckCredentialsCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/repository/change-credentials-repository.interface.spec.ts	00:00.001	All Passed 2	
ChangeCredentialsRepository token > espone il token DI atteso	00:00.001	Passed	
ChangeCredentialsRepository token > definisce il contratto changeCredentials	00:00.000	Passed	
/test/unit/alarms/application/commands/update-alarm-rule-cmd.spec.ts	00:00.000	All Passed 1	
CreateAlarmRuleCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/trigger-active-alarm.cmd.spec.ts	00:00.001	All Passed 1	
TriggerActiveAlarmCmd > mantiene i parametri passati al costruttore	00:00.001	Passed	

File	ExecTime	Status	Action
/test/unit/alarms/application/commands/get-ward-alarm-event-cmd.spec.ts	00:00.001	All Passed 1	
GetAllUnmanagedAlarmEventsByUserIdCmd > should be defined	00:00.001	Passed	
/test/unit/alarms/application/commands/get-all-unmanaged-alarm-events-by-user-id-cmd.spec.ts	00:00.000	All Passed 1	
GetAllUnmanagedAlarmEventsByUserIdCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/get-alarm-rule-by-id-cmd.spec.ts	00:00.000	All Passed 1	
GetAlarmRuleByIdCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/get-alarm-event-by-id-cmd.spec.ts	00:00.000	All Passed 1	
GetAlarmEventByIdCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/delete-alarm-rule-cmd.spec.ts	00:00.001	All Passed 1	
DeleteAlarmRuleCmd > should be defined	00:00.001	Passed	
/test/unit/alarms/application/commands/create-alarm-rule-cmd.spec.ts	00:00.000	All Passed 1	
CreateAlarmRuleCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/check-alarm-rule-cmd.spec.ts	00:00.000	All Passed 1	
CheckAlarmRuleCmd > should be defined	00:00.000	Passed	
/test/unit/users/domain/created-user.spec.ts	00:00.000	All Passed 1	
CreatedUser > should be defined	00:00.000	Passed	
/test/unit/wards/domain/user.spec.ts	00:00.000	All Passed 1	
User > should be defined	00:00.000	Passed	
/test/unit/analytics/domain/suggestion.model.spec.ts	00:00.000	All Passed 3	
Suggestion > getMessage > should return the message passed in the constructor	00:00.000	Passed	
Suggestion > getIsSuggestion > should return true when action is required	00:00.000	Passed	

File	ExecTime	Status	Action
Suggestion > getIsSuggestion > should return false when no action is required	00:00.000	Passed	
/test/unit/auth/infrastructure/dtos/out/logout-res-dto.spec.ts	00:00.001	All Passed 1	
LogoutResDto > should be defined	00:00.001	Passed	
/test/unit/users/infrastructure/convert-base-64-impl/convert-base-64-impl.spec.ts	00:00.001	All Passed 3	
ConvertBase64Impl > should be defined	00:00.001	Passed	
ConvertBase64Impl > should convert plain text to base64	00:00.000	Passed	
ConvertBase64Impl > should convert base64 to plain text	00:00.000	Passed	
/test/unit/users/application/commands/find-user-by-id-cmd.spec.ts	00:00.000	All Passed 1	
FindUserByIdCmd > should be defined	00:00.000	Passed	
/test/unit/users/application/commands/create-user-cmd.spec.ts	00:00.000	All Passed 2	
CreateUserCmd > should be defined	00:00.000	Passed	
CreateUserCmd > should have all properties defined	00:00.000	Passed	
/test/unit/users/application/commands/delete-user-cmd.spec.ts	00:00.001	All Passed 2	
DeleteUserCmd > should be defined	00:00.000	Passed	
DeleteUserCmd > should have all properties defined	00:00.001	Passed	
/test/unit/wards/infrastructure/entities/ward-entity.spec.ts	00:00.000	All Passed 1	
WardEntity > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/remove-plant-from-ward-cmd.spec.ts	00:00.000	All Passed 1	
RemovePlantFromWardCmd > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/update-ward-cmd.spec.ts	00:00.000	All Passed 1	
UpdateWardCmd > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/remove-user-from-ward-cmd.spec.ts	00:00.000	All Passed 1	

File	ExecTime	Status	Action
RemoveUserFromWardCmd > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/find-all-plants-by-ward-id-cmd.spec.ts	00:00.000	All Passed 1	
FindAllPlantsByWardIdCmd > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/add-user-to-ward-cmd.spec.ts	00:00.001	All Passed 1	
AddUserToWardCmd > should be defined	00:00.001	Passed	
/test/unit/wards/application/commands/delete-ward-cmd.spec.ts	00:00.000	All Passed 1	
DeleteWardCmd > should be defined	00:00.000	Passed	
/test/unit/wards/application/commands/create-ward-cmd.spec.ts	00:00.001	All Passed 1	
CreateWardCmd > should be defined	00:00.001	Passed	
/test/unit/wards/application/commands/add-plant-to-ward-cmd.spec.ts	00:00.000	All Passed 1	
AddPlantToWardCmd > should be defined	00:00.000	Passed	
/test/unit/api-auth-vimar/domain/model/token-pair.spec.ts	00:00.000	All Passed 3	
TokenPair > should return the access token	00:00.000	Passed	
TokenPair > should return the refresh token	00:00.000	Passed	
TokenPair > should return the expires at date	00:00.000	Passed	
/test/unit/auth/application/commands/login-cmd.spec.ts	00:00.000	All Passed 1	
LoginCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/hash-password-cmd.spec.ts	00:00.000	All Passed 1	
HashPasswordCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/extract-from-refresh-token-cmd.spec.ts	00:00.001	All Passed 1	
ExtractFromRefreshTokenCmd > should be defined	00:00.001	Passed	
/test/unit/auth/application/commands/first-login-cmd.spec.ts	00:00.000	All Passed 1	

File	ExecTime	Status	Action
FirstLoginCmd > should be defined	00:00.000	Passed	
/test/unit/auth/application/commands/extract-from-access-token-cmd.spec.ts	00:00.000	All Passed 1	
ExtractFromAccessTokenCmd > should be defined	00:00.000	Passed	
/test/unit/auth/infrastructure/entities/payload-entity.spec.ts	00:00.000	All Passed 1	
PayloadEntity > should be defined	00:00.000	Passed	
/test/unit/alarms/application/commands/get-all-alarm-events-cmd.spec.ts	00:00.001	All Passed 1	
GetAllAlarmEventsCmd > should be defined	00:00.001	Passed	
/test/unit/alarms/application/commands/get-all-managed-alarms-events-by-user-id-cmd.spec.ts	00:00.001	All Passed 1	
GetAllManagedAlarmEventsByUserIdCmd > should be defined	00:00.001	Passed	
/test/unit/alarms/application/commands/create-alarm-event-cmd.spec.ts	00:00.000	All Passed 1	
CreateAlarmEventCmd > should be defined	00:00.000	Passed	
/test/unit/alarms/domain/models/check-alarm.spec.ts	00:00.000	All Passed 1	
CheckAlarm > should be defined	00:00.000	Passed	
/test/unit/alarms/infrastructure/entities/check-alarm-entity.spec.ts	00:00.001	All Passed 1	
CheckAlarmEntity > should be defined	00:00.001	Passed	
/test/unit/users/domain/user.spec.ts	00:00.000	All Passed 1	
User > should be defined	00:00.000	Passed	
/test/unit/wards/domain/ward.spec.ts	00:00.001	All Passed 1	
Ward > should be defined	00:00.001	Passed	
/test/unit/auth/domain/tokens.spec.ts	00:00.000	All Passed 1	
Tokens > should be defined	00:00.000	Passed	

File	ExecTime	Status	Action
/test/unit/auth/domain/payload.spec.ts	00:00.001	All Passed 1	
Payload > should be defined	00:00.001	Passed	

About | Feedback

Versions _ 3.1.7

All files

96.92% Statements 3468/3578 **80%** Branches 388/485 **96.77%** Functions 630/651 **97.04%** Lines 3217/3315

Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.

Filter:

File	Statements		Branches		Functions		Lines	
alarms/adapters/in	100%	83/83	100%	0/0	100%	12/12	100%	79/79
alarms/adapters/out	100%	61/61	100%	11/11	100%	20/20	100%	57/57
alarms/application/commands	100%	52/52	100%	6/6	100%	13/13	100%	52/52
alarms/application/ports/out	100%	13/13	100%	0/0	100%	0/0	100%	13/13
alarms/application/repository	100%	2/2	100%	0/0	100%	0/0	100%	2/2
alarms/application/services	100%	66/66	100%	1/1	100%	13/13	100%	62/62
alarms/domain/models	100%	47/47	100%	2/2	100%	22/22	100%	47/47
alarms/infrastructure/dtos/in	100%	29/29	100%	0/0	100%	0/0	100%	29/29
alarms/infrastructure/dtos/out	100%	95/95	100%	0/0	100%	0/0	100%	95/95
alarms/infrastructure/persistence	100%	59/59	100%	13/13	100%	15/15	100%	55/55
analytics/adapters/in	100%	16/16	100%	0/0	100%	3/3	100%	13/13
analytics/adapters/out	100%	50/50	100%	5/5	100%	9/9	100%	46/46
analytics/application/commands	100%	8/8	100%	0/0	100%	2/2	100%	8/8
analytics/application/ports/in	100%	2/2	100%	0/0	100%	0/0	100%	2/2
analytics/application/ports/out	100%	2/2	100%	0/0	100%	0/0	100%	2/2
analytics/application/repository	100%	1/1	100%	0/0	100%	0/0	100%	1/1
analytics/application/services	100%	29/29	75%	3/4	100%	4/4	100%	25/25
analytics/application/strategy	100%	1/1	100%	0/0	100%	0/0	100%	1/1
analytics/domain	100%	26/26	100%	0/0	100%	15/15	100%	26/26
analytics/infrastructure/dtos	100%	26/26	100%	2/2	100%	7/7	100%	26/26
api-auth-vimar/adapters/out	100%	69/69	100%	11/11	100%	9/9	100%	65/65
api-auth-vimar/application/ports/in	100%	5/5	100%	0/0	100%	0/0	100%	5/5
api-auth-vimar/application/ports/out	100%	8/8	100%	0/0	100%	0/0	100%	8/8
api-auth-vimar/application/repository	100%	10/10	100%	0/0	100%	0/0	100%	10/10
api-auth-vimar/domain/model	100%	7/7	100%	0/0	100%	4/4	100%	7/7
api-auth-vimar/infrastructure/dto	100%	13/13	100%	0/0	100%	0/0	100%	13/13
api-auth-vimar/infrastructure/http	100%	46/46	100%	31/31	100%	4/4	100%	44/44
api-auth-vimar/infrastructure/persistence	100%	64/64	100%	10/10	100%	9/9	100%	60/60
auth/adapters/in	100%	39/39	100%	1/1	100%	5/5	100%	37/37
auth/adapters/out	100%	73/73	100%	0/0	100%	18/18	100%	55/55
auth/application/commands	100%	32/32	100%	0/0	100%	13/13	100%	32/32

File		Statements		Branches		Functions		Lines	
auth/application/repository		100%	2/2	100%	0/0	100%	0/0	100%	2/2
auth/application/services		100%	54/54	100%	2/2	100%	4/4	100%	52/52
auth/domain		100%	8/8	100%	0/0	100%	2/2	100%	8/8
auth/infrastructure/dtos/in		100%	15/15	100%	0/0	100%	0/0	100%	15/15
auth/infrastructure/dtos/out		100%	10/10	100%	0/0	100%	0/0	100%	10/10
auth/infrastructure/guards		100%	20/20	100%	11/11	100%	2/2	100%	18/18
auth/infrastructure/jwt-token-generator		100%	22/22	100%	0/0	100%	8/8	100%	22/22
auth/infrastructure/persistence		100%	19/19	100%	1/1	100%	4/4	100%	15/15
auth/infrastructure/sha512-password-hasher		100%	4/4	100%	0/0	100%	1/1	100%	4/4
cache/adapters/in/event		100%	17/17	100%	1/1	100%	2/2	100%	15/15
cache/adapters/in/http		100%	25/25	100%	4/4	100%	7/7	100%	23/23
cache/adapters/out		100%	25/25	100%	4/4	100%	4/4	100%	19/19
cache/application/ports/in		100%	2/2	100%	0/0	100%	0/0	100%	2/2
cache/application/ports/out		100%	3/3	100%	0/0	100%	0/0	100%	3/3
cache/application/repository		100%	1/1	100%	0/0	100%	0/0	100%	1/1
cache/application/services		100%	35/35	100%	4/4	100%	3/3	100%	31/31
cache/infrastructure		100%	11/11	100%	0/0	100%	4/4	100%	9/9
cache/infrastructure/http		100%	60/60	100%	7/7	100%	10/10	100%	57/57
cache/infrastructure/http/dtos/in		100%	72/72	100%	0/0	100%	13/13	100%	72/72
cache/infrastructure/persistence		100%	13/13	100%	0/0	100%	2/2	100%	11/11
device/adapters/in		100%	71/71	100%	15/15	100%	11/11	100%	67/67
device/adapters/out		100%	52/52	100%	21/21	100%	9/9	100%	49/49
device/application/ports/out		100%	6/6	100%	0/0	100%	0/0	100%	6/6
device/application/repository		100%	1/1	100%	0/0	100%	0/0	100%	1/1
device/application/services		100%	30/30	100%	2/2	100%	7/7	100%	28/28
device/domain/models		100%	40/40	100%	0/0	100%	22/22	100%	40/40
device/infrastructure/http		100%	21/21	50%	1/2	100%	3/3	100%	19/19
device/infrastructure/http/dtos/in		100%	10/10	100%	0/0	100%	6/6	100%	10/10
device/infrastructure/persistence		100%	47/47	100%	4/4	100%	8/8	100%	40/40
middlewares		100%	12/12	100%	0/0	100%	2/2	100%	8/8
notifications/adapters/in		100%	24/24	100%	6/6	100%	3/3	100%	20/20
notifications/adapters/out		100%	17/17	100%	6/6	100%	4/4	100%	15/15
notifications/application/ports/in		100%	2/2	100%	0/0	100%	0/0	100%	2/2
notifications/application/ports/out		100%	3/3	100%	0/0	100%	0/0	100%	3/3
notifications/application/repository		100%	4/4	100%	0/0	100%	0/0	100%	4/4
notifications/application/services		100%	20/20	100%	4/4	100%	3/3	100%	18/18

File		Statements		Branches		Functions		Lines	
notifications/domain/model		100%	3/3	100%	0/0	100%	2/2	100%	3/3
notifications/infrastructure/persistance		100%	20/20	100%	2/2	100%	6/6	100%	16/16
notifications/infrastructure/websocket		100%	32/32	100%	4/4	100%	5/5	100%	30/30
plant/adapters/out		100%	24/24	100%	4/4	100%	6/6	100%	16/16
plant/application/ports/in		100%	3/3	100%	0/0	100%	0/0	100%	3/3
plant/application/ports/out		100%	3/3	100%	0/0	100%	0/0	100%	3/3
plant/application/repository		100%	1/1	100%	0/0	100%	0/0	100%	1/1
plant/application/services		100%	25/25	100%	4/4	100%	4/4	100%	19/19
plant/domain/models		100%	21/21	100%	3/3	100%	9/9	100%	18/18
plant/infrastructure/persistence		100%	28/28	100%	3/3	100%	4/4	100%	23/23
subscription/adapters/in/event		100%	38/38	100%	2/2	100%	5/5	100%	35/35
subscription/adapters/out		100%	20/20	100%	4/4	100%	3/3	100%	14/14
subscription/application/ports/in		100%	3/3	100%	0/0	100%	0/0	100%	3/3
subscription/application/ports/out		100%	2/2	100%	0/0	100%	0/0	100%	2/2
subscription/application/repository		100%	1/1	100%	0/0	100%	0/0	100%	1/1
subscription/application/services		100%	51/51	100%	11/11	100%	4/4	100%	46/46
subscription/infrastructure/http/dtos		100%	7/7	100%	0/0	100%	0/0	100%	7/7
users/adapters/in		100%	43/43	100%	0/0	100%	7/7	100%	41/41
users/adapters/out		100%	22/22	100%	1/1	100%	9/9	100%	20/20
users/application/commands		100%	18/18	100%	0/0	100%	5/5	100%	18/18
users/application/ports/out		100%	6/6	100%	0/0	100%	0/0	100%	6/6
users/application/repository		100%	1/1	100%	0/0	100%	0/0	100%	1/1
users/application/services		100%	39/39	100%	0/0	100%	7/7	100%	37/37
users/domain		100%	16/16	50%	4/8	100%	8/8	100%	16/16
users/infrastructure/convert-base-64-impl		100%	4/4	100%	0/0	100%	2/2	100%	4/4
users/infrastructure/dtos/in		100%	12/12	100%	0/0	100%	0/0	100%	12/12
users/infrastructure/dtos/out		100%	36/36	100%	0/0	100%	0/0	100%	36/36
users/infrastructure/hash-password-impl		100%	6/6	100%	0/0	100%	1/1	100%	6/6
users/infrastructure/password-generator		100%	4/4	100%	0/0	100%	1/1	100%	4/4
users/infrastructure/persistence		100%	25/25	100%	5/5	100%	7/7	100%	23/23
validation/pipe		100%	15/15	100%	4/4	100%	2/2	100%	13/13
wards/adapters/in		100%	84/84	100%	0/0	100%	13/13	100%	78/78
wards/adapters/out		100%	41/41	100%	0/0	100%	16/16	100%	34/34
wards/application/commands		100%	22/22	100%	0/0	100%	9/9	100%	22/22
wards/application/ports/out		100%	10/10	100%	0/0	100%	0/0	100%	10/10
wards/application/repository		100%	3/3	100%	0/0	100%	0/0	100%	3/3

File	Statements		Branches		Functions		Lines	
wards/application/services	100%	52/52	100%	0/0	100%	13/13	100%	46/46
wards/domain	100%	6/6	100%	0/0	100%	2/2	100%	6/6
wards/infrastructure/dtos/in	100%	18/18	100%	0/0	100%	0/0	100%	18/18
wards/infrastructure/dtos/out	100%	28/28	100%	0/0	100%	0/0	100%	28/28
wards/infrastructure/persistence	100%	70/70	100%	4/4	100%	13/13	100%	64/64
api-auth-vimar/application/services	98.64%	73/74	82.6%	19/23	100%	10/10	98.48%	65/66
analytics/application/strategy/strategies	98.38%	304/309	77.77%	56/72	98.03%	50/51	100%	280/280
subscription/infrastructure/http	97.56%	40/41	82.35%	14/17	100%	6/6	97.43%	38/39
plant/adapters/in	96.96%	32/33	100%	0/0	100%	6/6	96.77%	30/31
api-auth-vimar/adapters/in	96.9%	94/97	80.64%	25/31	100%	9/9	96.77%	90/93
device/infrastructure/http/dtos/out	95.4%	83/87	100%	2/2	77.77%	14/18	95.23%	80/84
plant/infrastructure/http/dtos	95.12%	39/41	100%	5/5	80%	8/10	94.73%	36/38
alarms/application/ports/in	91.66%	11/12	100%	0/0	100%	0/0	91.66%	11/12
device/application/ports/in	83.33%	5/6	100%	0/0	100%	0/0	83.33%	5/6
analytics/infrastructure/config-suggestion	74%	37/50	46.66%	7/15	76.92%	10/13	75.55%	34/45
analytics/infrastructure/groq	64.04%	57/89	41.02%	16/39	61.11%	11/18	66.25%	53/80
analytics/infrastructure/persistence	28.57%	6/21	0%	0/10	0%	0/2	21.05%	4/19
guard/user	28.57%	6/21	0%	0/9	50%	1/2	21.05%	4/19
guard/admin	27.27%	6/22	0%	0/12	50%	1/2	23.8%	5/21

Code coverage generated by istanbul at 2026-04-13T13:16:04.615Z

Integration Test Report

Dashboard

% Coverage

11	119	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
Test Suites Total	Tests Total	Failed Suites	Failed Tests	Pending Suites	Pending Tests

Information



StartTime 2026-04-13 14:59:51

MaxWorkers 1

Time 00:05.336

RootDir /Users/pippovenzo/Documents/Università/Ingegneria del Software/Progetto/MVP/backend

Details

Show Execution Time Expand All

File	ExecTime	Status	Action
/test/integration/device.integration.spec.ts	00:00.535	All Passed 35	
Merge Data			
Device Module Integration Test > GET /device/:id - Retrieve Device by ID > should retrieve a device by ID and return correct response structure	00:00.118	Passed	
Device Module Integration Test > GET /device/:id - Retrieve Device by ID > should include all datapoint properties in response	00:00.011	Passed	
Device Module Integration Test > GET /device/:id - Retrieve Device by ID > should return 500 when port throws error	00:00.009	Passed	
Device Module Integration Test > GET /device/:id - Retrieve Device by ID > should pass correct command to port	00:00.009	Passed	
Device Module Integration Test > GET /device/plant/:plantId - Retrieve Devices by Plant > should retrieve all devices for a plant	00:00.009	Passed	
Device Module Integration Test > GET /device/plant/:plantId - Retrieve Devices by Plant > should return empty array when plant has no devices	00:00.013	Passed	
Device Module Integration Test > GET /device/plant/:plantId - Retrieve Devices by Plant > should maintain plant association for all devices	00:00.008	Passed	
Device Module Integration Test > GET /device/plant/:plantId - Retrieve Devices by Plant > should return 500 when port throws error	00:00.008	Passed	

File	ExecTime	Status	Action
Device Module Integration Test > POST /device - Write Datapoint Value > should accept write datapoint request and return 202	00:00.014	Passed	
Device Module Integration Test > POST /device - Write Datapoint Value > should reject request without datapointId	00:00.008	Passed	
Device Module Integration Test > POST /device - Write Datapoint Value > should reject request without value	00:00.007	Passed	
Device Module Integration Test > POST /device - Write Datapoint Value > should handle various value types (number, string, boolean)	00:00.011	Passed	
Device Module Integration Test > POST /device - Write Datapoint Value > should return 503 when service unavailable	00:00.007	Passed	
Device Module Integration Test > POST /device - Write Datapoint Value > should add plantId to command based on device lookup	00:00.011	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should handle Error objects in ingestion and alarm catches	00:00.070	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should handle non-Error values in ingestion and alarm catches	00:00.069	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should accept webhook payload with datapoint updates	00:00.010	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should filter non-datapoint items from webhook payload	00:00.009	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should validate required fields (value and timestamp)	00:00.008	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should trigger alarm check for each valid datapoint	00:00.008	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should handle empty webhook payload	00:00.007	Passed	
Device Module Integration Test > POST /device/update - Ingest Timeseries from Webhook > should accept webhook without UserGuard	00:00.007	Passed	
Device Module Integration Test > GET /device/:deviceId/value - Retrieve Device Values > should retrieve current values for a device	00:00.011	Passed	
Device Module Integration Test > GET /device/:deviceId/value - Retrieve Device Values > should return DatapointValue objects with correct structure	00:00.007	Passed	
Device Module Integration Test > GET /device/:deviceId/value - Retrieve Device Values > should pass plantId to getDeviceValue port	00:00.007	Passed	
Device Module Integration Test > GET /device/:deviceId/value - Retrieve Device Values > should return 500 when port fails	00:00.007	Passed	
Device Module Integration Test > Complete Device Workflows > should handle full device lifecycle: find -> write -> read values	00:00.008	Passed	

File	ExecTime	Status	Action
Device Module Integration Test > Complete Device Workflows > should handle multiple devices in same plant	00:00.009	Passed	
Device Module Integration Test > Complete Device Workflows > should process webhook and trigger alarms concurrently	00:00.008	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should execute guard clauses for missing params in controller methods	00:00.006	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should reject service calls when required identifiers are missing	00:00.009	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should handle port failures without crashing	00:00.009	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should isolate failures between requests	00:00.008	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should track method call counts across multiple requests	00:00.007	Passed	
Device Module Integration Test > Error Handling & Edge Cases > should handle null/undefined values gracefully	00:00.008	Passed	
/test/integration/cache.integration.spec.ts	00:00.693	All Passed 12	
Merge Data			
Cache Integration Test > should process webhook and write plant cache using real cache flow	00:00.091	Passed	
Cache Integration Test > should refresh all plants on fetched.tokens event	00:00.107	Passed	
Cache Integration Test > should reject updateCache use case when plantId is missing	00:00.010	Passed	
Cache Integration Test > should handle webhook update failure with Error without crashing	00:00.096	Passed	
Cache Integration Test > should handle webhook update failure with non-Error value	00:00.071	Passed	
Cache Integration Test > should mark updateAllCache flow as failed when one plant write fails	00:00.126	Passed	
Cache Integration Test > should skip duplicate cache sync events while one sync is already running	00:00.004	Passed	
Cache Integration Test > should throw when cache write operation fails in updateCache use case	00:00.005	Passed	
Cache Integration Test > should execute queue catch branch with Error in HttpCacheController	00:00.045	Passed	
Cache Integration Test > should execute queue catch branch with non-Error in HttpCacheController	00:00.046	Passed	
Cache Integration Test > should execute webhook per-plant catch with real Error instance	00:00.046	Passed	
Cache Integration Test > should execute webhook per-plant catch with non-Error value	00:00.046	Passed	
/test/integration/subscription.integration.spec.ts	00:00.378	All Passed 15	

File	ExecTime	Status	Action
Merge Data			
Subscription Integration Test > should refresh subscriptions for all plants on cache.all.updated	00:00.149	Passed	
Subscription Integration Test > should refresh subscriptions for one plant on cache.updated	00:00.133	Passed	
Subscription Integration Test > should execute node cron flow with real service	00:00.009	Passed	
Subscription Integration Test > should execute datapoint cron flow with real service	00:00.007	Passed	
Subscription Integration Test > should skip duplicate full-cache refresh event while another refresh is running	00:00.007	Passed	
Subscription Integration Test > should handle full-cache refresh errors without throwing	00:00.007	Passed	
Subscription Integration Test > should handle invalid cache.updated payload without throwing	00:00.006	Passed	
Subscription Integration Test > should handle node refresh when no plant IDs are available	00:00.006	Passed	
Subscription Integration Test > should handle node refresh when repository returns false	00:00.006	Passed	
Subscription Integration Test > should handle datapoint refresh when repository returns false	00:00.006	Passed	
Subscription Integration Test > should handle datapoint refresh when location lookup is invalid	00:00.006	Passed	
Subscription Integration Test > should throw when refreshAllSubscription is called without plantId	00:00.017	Passed	
Subscription Integration Test > should keep going when node refresh fails in refreshAllSubscription	00:00.007	Passed	
Subscription Integration Test > should return false when datapoint refresh fails in refreshAllSubscription	00:00.006	Passed	
Subscription Integration Test > should return false when adapter throws in refreshAllSubscription	00:00.006	Passed	
/test/integration/notifications.integration.spec.ts	00:00.166	All Passed 5	
Notifications Integration Test > should handle alarm.activated event and persist notification	00:00.084	Passed	
Notifications Integration Test > should handle alarm.resolved event and persist notification	00:00.045	Passed	
Notifications Integration Test > should ignore invalid alarm payload without throwing	00:00.025	Passed	
Notifications Integration Test > should reject ward notification when alarmEventId is missing	00:00.008	Passed	
Notifications Integration Test > should reject resolution notification when wardId is missing	00:00.004	Passed	

File	ExecTime	Status	Action
/test/integration/api-auth-vimar.integration.spec.ts	00:00.154	All Passed 20	
Merge Data			
ApiAuthVimar Integration Test > should return account status from real token service and cache repository	00:00.051	Passed	
ApiAuthVimar Integration Test > should prepare and authorize OAuth ticket end-to-end	00:00.009	Passed	
ApiAuthVimar Integration Test > should prepare OAuth ticket when JWT user id is a numeric string	00:00.005	Passed	
ApiAuthVimar Integration Test > should return 401 when prepare-oauth user identity is invalid	00:00.005	Passed	
ApiAuthVimar Integration Test > should return 400 when authorize redirect_url is missing	00:00.006	Passed	
ApiAuthVimar Integration Test > should return 401 when authorize ticket is invalid	00:00.005	Passed	
ApiAuthVimar Integration Test > should handle callback and persist tokens with real token flow	00:00.005	Passed	
ApiAuthVimar Integration Test > should disconnect account by clearing token cache	00:00.005	Passed	
ApiAuthVimar Integration Test > should return disconnected status when account status read fails	00:00.004	Passed	
ApiAuthVimar Integration Test > should return 500 when disconnect query fails	00:00.004	Passed	
ApiAuthVimar Integration Test > should return 400 when callback code is missing	00:00.004	Passed	
ApiAuthVimar Integration Test > should return 400 when callback state is missing	00:00.004	Passed	
ApiAuthVimar Integration Test > should return 400 when callback state is not valid JSON	00:00.010	Passed	
ApiAuthVimar Integration Test > should return 400 when callback state payload is invalid	00:00.005	Passed	
ApiAuthVimar Integration Test > should return 400 when callback state has invalid redirectUrl	00:00.004	Passed	
ApiAuthVimar Integration Test > should return 400 when callback state has invalid userId	00:00.005	Passed	
ApiAuthVimar Integration Test > should return 500 when callback token exchange fails	00:00.010	Passed	
ApiAuthVimar Integration Test > should cover ApiAuthVimarService config guard branches	00:00.005	Passed	
ApiAuthVimar Integration Test > should cover OAuthTicketService validation branches	00:00.004	Passed	
ApiAuthVimar Integration Test > should cover TokenService getValidToken refresh branches	00:00.004	Passed	
/test/integration/alarms.integration.spec.ts	00:00.117	All Passed 10	

File	ExecTime	Status	Action
Merge Data			
Alarms Integration Test > should create alarm rule through real controller/service/repository	00:00.064	Passed	
Alarms Integration Test > should list alarm rules	00:00.008	Passed	
Alarms Integration Test > should get alarm rule by id	00:00.006	Passed	
Alarms Integration Test > should list managed alarm events for a user	00:00.012	Passed	
Alarms Integration Test > should list unmanaged alarm events for a user	00:00.005	Passed	
Alarms Integration Test > should list all alarm events	00:00.005	Passed	
Alarms Integration Test > should get one alarm event by id	00:00.005	Passed	
Alarms Integration Test > should resolve alarm event and emit resolution flow	00:00.004	Passed	
Alarms Integration Test > should update and delete alarm rules through real service	00:00.004	Passed	
Alarms Integration Test > should execute checkAlarmRule flow and create alarm event	00:00.004	Passed	
/test/integration/wards.integration.spec.ts	00:00.038	All Passed 3	
Wards Integration Test > should create and list wards with real service and adapters	00:00.025	Passed	
Wards Integration Test > should add and remove user from ward	00:00.007	Passed	
Wards Integration Test > should add and list plants for a ward	00:00.006	Passed	
/test/integration/auth.integration.spec.ts	00:00.039	All Passed 4	
Auth Integration Test > should login and set refresh cookie with real auth flow	00:00.029	Passed	
Auth Integration Test > should execute first-login end to end and persist credentials change	00:00.004	Passed	
Auth Integration Test > should refresh token from cookie generated by /auth/login	00:00.004	Passed	
Auth Integration Test > should return 401 on /auth/refresh without cookie	00:00.002	Passed	
/test/integration/analytics.integration.spec.ts	00:00.034	All Passed 5	

File	ExecTime	Status	Action
Analytics Integration Test > should retrieve all analytics given the plantId	00:00.021	Passed	
Analytics Integration Test > should return one PlotDto per strategy	00:00.004	Passed	
Analytics Integration Test > should return 500 when all strategies fail	00:00.006	Passed	
Analytics Integration Test > should return 404 when plantId query param is missing	00:00.002	Passed	
Analytics Integration Test > should throw when suggestion service receives no suggestion from LLM port	00:00.001	Passed	
/test/integration/plant.integration.spec.ts	00:00.048	All Passed 7	
Plant Integration Test > should retrieve plant by id with real repository	00:00.021	Passed	
Plant Integration Test > should return only available plants	00:00.004	Passed	
Plant Integration Test > should return all plants	00:00.003	Passed	
Plant Integration Test > should return 404 when plantid query param is missing	00:00.003	Passed	
Plant Integration Test > should return 404 when plant is not found	00:00.003	Passed	
Plant Integration Test > should return fallback message when no available plants are found	00:00.010	Passed	
Plant Integration Test > should return fallback message when no plants are found	00:00.004	Passed	
/test/integration/users.integration.spec.ts	00:00.039	All Passed 3	
Users Integration Test > should list users using real controller/service/adapter/repository chain	00:00.028	Passed	
Users Integration Test > should create user and return generated tempPassword	00:00.007	Passed	
Users Integration Test > should validate payload on create user	00:00.004	Passed	

About | Feedback

Versions _ 3.1.7

All files

96.17% Statements `1005/1045` **90.43%** Branches `104/115` **89.03%** Functions `138/155` **96.04%** Lines `924/962`

Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.

Filter:

File	Statements		Branches		Functions		Lines	
alarms/adapters/in	96.38%	80/83	100%	0/0	83.33%	10/12	96.2%	76/79
alarms/application/services	96.96%	64/66	0%	0/1	100%	13/13	96.77%	60/62
analytics/adapters/in	100%	16/16	100%	0/0	100%	3/3	100%	13/13
analytics/application/services	96.55%	28/29	75%	3/4	100%	4/4	96%	24/25
api-auth-vimar/adapters/in	97.93%	95/97	87.09%	27/31	100%	9/9	97.84%	91/93
api-auth-vimar/application/services	98.64%	73/74	91.3%	21/23	100%	10/10	98.48%	65/66
auth/adapters/in	94.87%	37/39	100%	1/1	80%	4/5	94.59%	35/37
auth/application/services	96.29%	52/54	50%	1/2	100%	4/4	96.15%	50/52
cache/adapters/in/event	100%	17/17	100%	1/1	100%	2/2	100%	15/15
cache/adapters/in/http	100%	25/25	100%	4/4	100%	7/7	100%	23/23
cache/application/services	100%	35/35	100%	4/4	100%	3/3	100%	31/31
device/adapters/in	100%	71/71	100%	15/15	100%	11/11	100%	67/67
device/application/services	96.66%	29/30	100%	2/2	100%	7/7	96.42%	27/28

File		Statements		Branches		Functions		Lines	
notifications/adapters/in		91.66%	22/24	83.33%	5/6	100%	3/3	95%	19/20
notifications/application/services		100%	20/20	100%	4/4	100%	3/3	100%	18/18
plant/adapters/in		100%	33/33	100%	0/0	100%	6/6	100%	31/31
plant/application/services		100%	25/25	100%	4/4	100%	4/4	100%	19/19
subscription/adapters/in/event		97.36%	37/38	100%	2/2	100%	5/5	97.14%	34/35
subscription/application/services		90.19%	46/51	90.9%	10/11	100%	4/4	91.3%	42/46
users/adapters/in		83.72%	36/43	100%	0/0	42.85%	3/7	82.92%	34/41
users/application/services		89.74%	35/39	100%	0/0	42.85%	3/7	89.18%	33/37
wards/adapters/in		95.23%	80/84	100%	0/0	76.92%	10/13	94.87%	74/78
wards/application/services		94.23%	49/52	100%	0/0	76.92%	10/13	93.47%	43/46

Code coverage generated by istanbul at 2026-04-13T12:59:56.586Z