CHANDIGARH UNIVERSITY
Discover. Learn. Empower.

Experiment 9

Student Name: Analava Bera
UID: 23BCS13611
Branch: BE CSE
Section/Group: KRG 3A
Semester: 6th
Date of Performance: 20/04/26
Subject Name: Full Stack Development
Subject Code: 23CSH-309

Aim:

Todesignandimplementa secure, scalable full-stack application using Spring Boot by integratingSpring Security, OAuth, Role-Based Access Control (RBAC), and JPA-based databaseperformance optimization.

Objective:

1. Implement backend security using Spring Security and filter chains.
2. Enable authentication using OAuth (Google Login).
3. Apply Role-Based Access Control (RBAC) for endpoint protection.
4. Optimize database interactions using JPA and performance techniques.
5. Integrate a secure backend with a React frontend using CORS.

Implementation/Code:

AdminPollController.java

```
package com.ecotrack.livepoll.controller;

import com.ecotrack.livepoll.auth.AppUserPrincipal;
import com.ecotrack.livepoll.dto.PollDtos;
import com.ecotrack.livepoll.service.PollService;
import jakarta.validation.Valid;
import org.springframework.http.HttpStatus;
import org.springframework.http.ResponseEntity;
import org.springframework.security.access.prepost.PreAuthorize;
import org.springframework.security.core.annotation.AuthenticationPrincipal;
import org.springframework.web.bind.annotation.DeleteMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.PostMapping;
```

```
import org.springframework.web.bind.annotation.RequestBody;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RestController;

@RestController
@RequestMapping("/api/admin/polls")
@PreAuthorize("hasRole('ADMIN')")
public class AdminPollController {

    private final PollService pollService;

    public AdminPollController(PollService pollService) {
    this.pollService = pollService; }

    @PostMapping
    public ResponseEntity<PollDtos.PollResponse> createPoll(@Valid @RequestBody
PollDtos.CreatePollRequest request,
                                                @AuthenticationPrincipal AppUserPrincipal
principal)                          {                          return
        ResponseEntity.status(HttpStatus.CREATED)
                .body(pollService.createPoll(request, principal.getUsername()));
    }

    @PostMapping("/{id}/close")
    public ResponseEntity<PollDtos.PollResponse> closePoll(@PathVariable Long id) {
    return ResponseEntity.ok(pollService.closePoll(id)); }

    @DeleteMapping("/{id}")
    public ResponseEntity<Void> deletePoll(@PathVariable Long id) {
    return
    pollService.deletePoll(id);
    ResponseEntity.noContent().build(); }
}
```

Output:



Learning Outcome:

- Learned howSpring Security secures backend APIs
- Understoodauthentication vs authorization clearly
- ImplementedOAuth 2.0 login using Google
- Gained experience with role-based access control (RBAC)
- Learned howto integrate React frontend with secured backend
- Understoodcomplete request flow with security filters
- Improved debugging and analysis of secured applications