



SLATE[®]
WRITE YOUR LIVING



SLATE is known for prioritising customer delight and our company stands apart by prioritizing consumer enlightenment over mere sales. We produce goods in factories dedicated to exceeding standards, ensuring each item surpasses expectations.

Our mission? To redefine premium living essentials and empower individuals to script their lives with our products.

CONTENTS

KITCHEN ACCESSORIES.....	3
PVD PROFILES.....	27
WARDROBE ACCESSORIES.....	36
SLIDING FITTING.....	59
DOOR CLOSER	61
HINGES	71
TELESCOPIC DRAWER CHANNEL	77




Write Your
Kitchen



 SLATE®
WRITE YOUR LIVING

Luxurious
PULL OUTS

Seasoning Drawer Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SKA01	300 mm	242 x 470 x 550 mm	Iron Grey

■ FEATURE

Upper and lower layer partition is received, inside partial interval increases delimit device, reduce when pulling basket to open close, collision between appliance, maximum limit protects tableware and receive neat degree.

■ MATERIAL

The side is made of combet plate, the front baffle is made of modern style aluminum frame, and the bottom plate is made of embossed shading design. The whole basket has the same color inside and outside, strong corrosion resistance and durability.



Seasoning Square Line Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SKA02	250 mm	190 x 460 x 490 mm	Grey

■ FEATURE

The basket body is made of high quality steel, and the surface is treated with five Layers of European standard nano dry plating. After 168 hours salt spray test, the basket has the same color inside and outside, strong corrosion resistance and durability.

■ MATERIAL

Change through basket body geometry shape, will allocate the fine balance between different dimensional volume, with the most concise way, will respond people to the perceptual demand of amtry space.



Metal Strap SERIES



Metal Strap Pull Out Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SKA18	200 mm	158 x 461 x 603 mm	
SKA18	250 mm	208 x 461 x 603 mm	Iron Grey

■ FEATURE

Regardless of left and right installation, basket buckle design, adjustable up and down spacing, take care of the high and low needs of each item

■ MATERIAL

Thickened original iron frame, after surface fluorocarbon treatment and drawer damping rail combination, no rust. The basket is treated by flat iron electrolysis process, with consistent colour inside and outside and strong corrosion resistance.





■ **FEATURE**

The height can be controlled, the basket buckle design, the spacing is adjustable, up and down adjustment, take care of the high and low needs of each bottle.

■ **MATERIAL**

Adopt heavy earth and earth damping guide rail, combined with thickened carbon steel frame, super bearing.

Tall Metal Pantry

Size Parameters

Model

SKA19

Colour

Iron Grey

W x D x H

390 x 500 x 1860 mm
564 x 500 x 1860 mm

Cabinet

450 mm
600 mm





Metal Strop Universal Corner



Size Paramaters

Model	Cabinet	W x D x H	Colour
SKA20	900 - 1000 mm	608 x 455 x 584 mm	Iron Grey



■ FEATURE

All the supporting parts are die-cast with zinc alloy to strengthen the supporting force. European blood, let whole ambarly more decorous and chic.

■ MATERIAL

The frame and parts are made of high quality steel, the surface is treated with paint, and the bottom plate is designed with embossed shading, so that the articles are not easy to slip when they are pulled out and pulled in.



Wire Strap SERIES



Universal Corner



Size Paramaters

Model	Cabinet	W x D x H	Colour
SKA03	900 - 1000 mm	608 x 455 x 584 mm	Iron Grey



■ FEATURE

All the supporting parts are die-cast with zinc alloy to strengthen the supporting force. European blood, let whole ambarly more decorous and chic.

■ MATERIAL

The frame and parts are made of high quality steel, the surface is treated with paint, and the bottom plate is designed with embossed shading, so that the articles are not easy to slip when they are pulled out and pulled in.



Swing Corner



Size Parameters

Model	Cabinet	W x D x H	Colour
SKA04	900 - 1000 mm	865 x 495 x (600 - 750) mm	Iron Grey

■ FEATURE

All the supporting parts are die-cast with zinc alloy to strengthen the supporting force. European blood, let whole ambry more decorous and chic.

■ MATERIAL

The frame and parts are made of high quality steel, the surface is treated with paint, and the bottom plate is designed with embossed shading, so that the articles are not easy to slip when they are pulled out and pulled in.



Wire Elevator Basket



Size Parameters


Model	Cabinet	W x D x H	Colour
SKA05	600 mm	562 x 265 x 546 mm	Iron Grey
SKA05	900 mm	862 x 265 x 546 mm	Iron Grey

■ FEATURE

According to your actual storage situation, the tension and resilience can be adjusted.
The palm handle gives you a comfortable feel.

■ MATERIAL

Visualized wire cold-rolled iron plate material, ensure durable, show luxury.





Tall Wire Pantry

Size Parameters

Model	Colour
SKA06	Iron Grey
W x D x H	Cabinet
390 x 500 x 1860 mm	450 mm
564 x 500 x 1860 mm	600 mm



■ FEATURE

The height can be controlled, the basket buckle design, the spacing is adjustable, up and down adjustment, take care of the high and low needs of each bottle.

■ MATERIAL

Adopt heavy earth and earth damping guide rail, combined with thickened carbon steel frame, super bearing.



Universal Pull Out Basket

Size Parameters

Model	Cabinet	W x D x H	Colour
SKA07	200 mm	158 x 461 x 581 mm	
SKA07	250 mm	208 x 461 x 581 mm	Iron Grey
SKA07	300 mm	258 x 461 x 581 mm	

■ FEATURE

Regardless of left and right installation, basket buckle design,
adjustable up and down spacing, take care of the high and low needs of each item

■ MATERIAL

Thickened original iron frame, after surface fluorocarbon treatment and drawer damping rail combination, no rust. The basket is treated by flat iron electrolysis process, with consistent colour inside and outside and strong corrosion resistance.





Glass SERIES



Universal Glass Pull Out Basket

Size Parameters

Model	Cabinet	W x D x H	Colour
SKA08	200 mm	158 x 461 x 581 mm	Iron Grey
SKA08	250 mm	208 x 461 x 581 mm	
SKA08	300 mm	258 x 461 x 581 mm	

■ FEATURE

Regardless of left and right installation, basket buckle design, adjustable up and down spacing, take care of the high and low needs of each item



■ MATERIAL

Thickened original iron frame, after surface fluorocarbon treatment and three steel bead rail combination, durable and rust. High quality tempered glass edge, detachable cleaning, easy to take care of, keep new for a long time.



■ FEATURE

The height can be controlled, the basket buckle design, the spacing is adjustable, up and down adjustment, take care of the high and low needs of each bottle.

■ MATERIAL

Adopt heavy earth and earth damping guide rail, combined with thickened carbon steel frame, super bearing. High quality toughened glass around the edge, can be removed and cleaned, easy to take care of, long time to keep new as before.

Tall Glass Pantry



Size Parameters

Model

SKA09

Colour

Iron Grey

W x D x H


 390 x 500 x 1860 mm
 564 x 500 x 1860 mm

Cabinet

 450 mm
 600 mm




Universal Glass Corner



Size Paramaters

Model	Cabinet	W x D x H	Colour
SKA10	900 - 1000 mm	608 x 455 x 584 mm	Iron Grey



■ FEATURE

Frame and components are made of high-quality steel, glass edge, excellent visual effect, bottom plate with embossed shading design, so that items in the pull out, not easy to slip.


■ MATERIAL

The frame and parts are made of high quality steel, the surface is treated with paint, and the bottom plate is designed with embossed shading, so that the articles are not easy to slip when they are pulled out and pulled in.

The Beauty of The Show



Glass Elevator Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SKA11	600 mm	564 x 280 x 560 mm	
SKA11	900 mm	864 x 280 x 560 mm	Iron Grey



■ FEATURE

According to your actual storage situation, the tension and resilience can be adjusted.

The palm handle gives you a comfortable feel.

■ MATERIAL

Visualized toughened glass edge + cold-rolled iron plate material, ensure durable, show luxury.



Slim Box

Size Parameters

Model	Cabinet Width	W x D x H	Capacity	Color
STB-01	350mm	86mm * 350mm	40kg	Grey
STB-02	350mm	118mm * 350mm	40kg	Grey
STB-03	350mm	182mm * 350mm	40kg	Grey
STB-01	400mm	86mm * 400mm	40kg	Grey
STB-02	400mm	118mm * 400mm	40kg	Grey
STB-03	400mm	182mm * 400mm	40kg	Grey
STB-01	450mm	86mm * 450mm	40kg	Grey
STB-02	450mm	118mm * 450mm	40kg	Grey
STB-03	450mm	182mm * 450mm	40kg	Grey
STB-01	500mm	86mm * 500mm	40kg	Grey
STB-02	500mm	118mm * 500mm	40kg	Grey
STB-03	500mm	182mm * 500mm	40kg	Grey
STB-03	500mm	182mm * 500mm	60kg	Grey
STB-01	550mm	86mm * 550mm	40kg	Grey
STB-02	550mm	118mm * 550mm	40kg	Grey
STB-03	550mm	182mm * 550mm	40kg	Grey





Multifunctional Unit



SHELF + PLASTIC
WARP BOX



PAPER HOLDER



6 HOOK RACK



LAYER BOARD
FRAME



KNIFE HOLDER



LID HOLDER

Size Parameters


Model	Cabinet	W x D x H	Colour
SKA12	HANGING ROD	1800 x 1271 x 400 mm	
SKA12	LID HOLDER	240 x 120 x 365 mm	Iron Grey
SKA12	SHELF + PLASTIC WARB BOX	350 x 110 x 255 mm	
SKA12	6 HOOK RACK	240 x 50 x 36 mm	
SKA12	PAPER HOLDER	350 x 75 x 170 mm	
SKA12	KNIFE HOLDER	240 x 95 x 360 mm	
SKA12	LAYER BOARD FRAME	350 x 105 x 10 mm	



PVC Rolling Shutter

Size Parameters

Model	Cabinet Width	W x D x H	Colour
SKA13	450 mm	450 x 350 x (700-1320)mm	Silver
SKA13	600 mm	600 x 350 x (700-1320)mm	Silver, Black , White
SKA13	900 mm	900 x 350 x (700-1320)mm	Silver





Wicker BASKET

Size Parameters

Model	Cabinet Width	W x D x H	Colour
SKA14	450 mm	370 x 500 x 100 mm	Natural Wood
		370 x 500 x 150 mm	
		370 x 500 x 200 mm	
SKA14	600 mm	520 x 500 x 100 mm	Natural Wood
		520 x 500 x 150 mm	
		520 x 500 x 200 mm	



SLIDE SIZE : 30 x 30 x 450



SS Dish Rack

Size Parameters

Model	Cabinet	W x D x H
SKA15	600 mm	565 x 65 mm
SKA15	700 mm	665 x 65 mm
SKA15	800 mm	765 x 65 mm
SKA15	900 mm	865 x 65 mm

SS Thali / Saucer Stand

Size Parameters

Model	W x D x H
THALI	155 x 480 x 160mm
SAUCER	130 x 480 x 100mm



PVC Cutlery Tray

Size Parameters

Model	Width Max	Width Min	Depth Max	Depth Min	Height
SKA450	385 mm	315 mm	485 mm	415 mm	50 mm
SKA500	430 mm	360 mm	485 mm	415 mm	50 mm
SKA550	480 mm	410 mm	485 mm	415 mm	50 mm
SKA600	530 mm	460 mm	485 mm	415 mm	50 mm
SKA700	630 mm	560 mm	485 mm	415 mm	50 mm
SKA800	730 mm	660 mm	485 mm	415 mm	50 mm
SKA900	830 mm	760 mm	485 mm	415 mm	50 mm

Swing Dustbin

Size Paramters

Model	Cabinet	ØxH	Capacity
SKA16	400 mm	Ø230x240 mm	12 Ltrs



Pullout Dustbin

Size Paramters

Model	Cabinet	W x D x H	Capacity
SKA17	300 mm	255x 480 x 430 mm	10 + 20Ltrs



Anti-skid Matt

Size Paramters

Model	Meter	Width	Colour
SKA18	5 Meters	500 mm	Grey



decorative
SS


SPONGE
SS

self-profiles
SS




SS T PROFILES

TECHNICAL SPECIFICATIONS



5V GROOVE | 304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS



GOLD MIRROR



ROSE GOLD
MIRROR




BLACK MIRROR




SILVER MIRROR



BLACK HAIRLINE



GOLD HAIRLINE



ROSE GOLD
HAIRLINE




SILVER
HAIRLINE



SS
PROFILES


DESIGNER T PROFILES

TECHNICAL SPECIFICATIONS




5V GROOVE | 304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS

T DOTTED



T SPLASH



T WOOD




GOLD MIRROR



ROSE GOLD MIRROR

SS L PROFILES

TECHNICAL SPECIFICATIONS



GROOVED | 304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS



GOLD MIRROR



ROSE GOLD
MIRROR



BLACK MIRROR



SILVER MIRROR



GOLD HAIRLINE




ROSE GOLD
HAIRLINE



SILVER
HAIRLINE

SS U PROFILES


TECHNICAL SPECIFICATIONS



GROOVED | 304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS



ROSEGOLD MIRROR





GOLD MIRROR



BLACK MIRROR

SS INVERTED U PROFILES

TECHNICAL SPECIFICATIONS



GOLD MIRROR ROSE GOLD MIRROR

GROOVED | 304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS

SS FLAT PROFILES

TECHNICAL SPECIFICATIONS

8 mm



12 mm



20 mm



25 mm



32 mm



38 mm



50 mm



304 GRADE | 3048MM LENGTH | 0.6 MM THICKNESS




GOLD MIRROR



ROSE GOLD
MIRROR




BLACK MIRROR



SILVER MIRROR

SS LOUVER PROFILES

TECHNICAL SPECIFICATIONS




GOLD MIRROR ROSE GOLD MIRROR

GROOVED | 304 GRADE | 3048MM LENGTH | 0.8 MM THICKNESS

SS TILES PROFILES

ONE WAY PROFILE


TECHNICAL SPECIFICATIONS



GROOVED | 304 GRADE | 3048MM LENGTH | 0.8 MM THICKNESS

TWO WAY PROFILE



TECHNICAL SPECIFICATIONS



GROOVED | 304 GRADE | 3048MM LENGTH | 0.8 MM THICKNESS

SELF ADHESIVE FLAT STRIPS

TECHNICAL SPECIFICATIONS




GOLD MIRROR



ROSE GOLD
MIRROR



BLACK MIRROR




SILVER MIRROR



Wardrobe


Accessories

Trouser Rack



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA01	600 mm	564 x 460 x 71 mm	
SWA01	900 mm	864 x 460 x 71 mm	Grey




Glass Storage Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA03	600 mm	564 x 460 x 165 mm	
SWA03	900 mm	864 x 460 x 165 mm	Grey




Rattan-Like Basket




Size Parameters

Model	Cabinet	W x D x H	Colour
SWA02	600 mm	564 x 460 x 170 mm	
SWA02	900 mm	864 x 460 x 170 mm	Grey




Leather Classification Box



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA04	600 mm	564 x 460 x 71 mm	Orange + Grey
SWA04	900 mm	864 x 460 x 71 mm	




Leather Storage Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA06	600 mm	564 x 465 x 165 mm	Orange + Grey
SWA06	900 mm	864 x 465 x 165 mm	




Leather Organiser



Size Parameters


Model	Cabinet	W x D x H	Colour
SWA07	-	100 x 410 x 55 mm	Grey
SWA08	-	200 x 410 x 55 mm	Grey
SWA09	-	200 x 410 x 55 mm	Grey
SWA10	-	200 x 410 x 55 mm	Grey





Size Parameters

Model	Cabinet	W x D x H	Colour
SWA11	$\geq 500\text{mm}$	350 x 455 x 115mm	Grey





TOP MOUNTED PANT RACK



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA12	$\geq 500\text{mm}$	350 x 455 x 115mm	Grey




TOP MOUNTED V-PANTS RACK




Size Parameters

Model	Cabinet	W x D x H	Colour
SWA13	$\geq 700\text{mm}$	630 x 455 x 115mm	Grey




Leather Tray



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA05	600 mm	564 x 460 x 71 mm	Orange + Grey
SWA05	900 mm	864 x 460 x 71 mm	




CLOTHES HOLDER




Size Parameters

Model	Cabinet	W x D x H	Colour
SWA14	≥500mm	115 x 455 x 115mm	Grey





WARDROBE LIFTOR



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA15	≥580mm	540-690 x 140 x 820 mm	Grey
SWA15	≥780mm	920-1240 x 140 x 820 mm	Grey




360° Rotating Shoe Rack



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA16	≥800 mm	700 x 360 x 1070-1270 mm	Grey
SWA17	≥800 mm	700 x 360 x 1910 -2110mm	Grey




3 Layer Of Rotating Basket



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA18	$\geq 580\text{mm}$	$700 \times 700 \times 900-1100 \text{ mm}$	Grey



3 Layer Of Rotating Basket



Size Parameters

Model

SWA19

Colour


Grey

W x D x H


720 x 720 x 1900-2100 mm

Cabinet

800 mm



TOP ROTATING HANGER



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA20	≥800mm	525 x 525 x 125 mm	Grey



REVOLVING
MIRROR

Size Parameters

Model

SWA21

Colour

Grey

W x D x H


350 x 1000 mm

Cabinet

350 mm



SQUARE CLOTH HANGER



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA22	-	22 x 15 x 78 mm	Grey
SWA23	-	3000 x 12 x 30 mm	Grey



WATCH WINDER



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA24	-	860 x425 x 140 mm	Grey





wATCH wINDER




Expandable Leather Organiser



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA26	900 mm	860 x 425 x 140 mm	Grey



Leather Triple Drawer



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA25	900 mm	860 x 425 x 140 mm	Grey



Ironing Board



Size Parameters

Model	Cabinet	W x D x H	Colour
SWA27	≥400 mm	295 x 430 x 140 mm	Grey




Sliding Fitting



❖ **MODEL**
 SWSF 01

❖ **FEATURES**
2 WAY SOFT CLOSE FOR INSET WARDROBE DOORS
3 SIDES METAL DAMPER


❖ **CAPACITY**
30 KGS ONE DOOR (MAX.)



** SLIDING TRACK TO BE USED **

SIZE	2.43 MTRS (8 FT) 3.66 MTRS (12 FT)
FINISH	ALUMINIUM


Sliding Fitting



★ MODEL
SWSF 02

★ FEATURES
2 WAY SOFT CLOSE FOR INSET WARDROBE DOORS
3 SIDES METAL DAMPER

★ CAPACITY
40 KGS ONE DOOR (MAX.)



** SLIDING TRACK TO BE USED **

SIZE	2.43 MTRS (8 FT) 3.66 MTRS (12 FT)
FINISH	ALUMINIUM

Door Closer



Size Parameters

Model	Weight Capacity	Colour
SDC 01	45 kgs	Silver

FEATURES :

- ❖ Fully Hydraulically Controlled Adjustable Closing Speed In Two Independent Ranges (180° - 15° And 15° - 0°)
- ❖ Maximum Door Weight - Upto 45kg
- ❖ Maximum Door Width - 850mm
- ❖ Closing Force EN2
- ❖ CE & ISI Standard Factory Approved
- ❖ Aluminium Extrusion Body - Longevity
- ❖ Thermal Check Range -10° C & 50° C
- ❖ The Closer Is Universal For Right Hand & Left Hand Door



Door Closer



Size Parameters

Model	Weight Capacity	Colour
SDC 02	60 kgs	Silver

FEATURES :

- ❖ Fully Hydraulically Controlled Adjustable Closing Speed In Two Independent Ranges (180° - 15° And 15° - 0°)
- ❖ Maximum Door Weight - Upto 45kg
- ❖ Maximum Door Width - 950mm
- ❖ Closing Force 2/3 according to EN
- ❖ CE & ISI Standard Factory Approved
- ❖ 5 Lakhs cycle tested approved EN-1154
- ❖ Fire resistance approved according to EN-1634
- ❖ Aluminium Extrusion Body - Longevity
- ❖ Thermal Check Range -10° C & 50° C
- ❖ The Closer Is Universal For Right Hand & Left Hand Door



Door Closer



Size Parameters

Model	Weight Capacity	Colour
SDC 03	80 kgs	Silver

FEATURES :


- ❖ Any Degree Hold-open function optional
- ❖ Fully Hydraulically Controlled Adjustable Closing Speed In Two Independent Ranges (180° - 15° And 15° - 0°)
- ❖ Maximum Door Weight - Upto 80kg
- ❖ Maximum Door Width - 1100mm
- ❖ Closing Force 2/3 according to EN
- ❖ CE Standard Factory Approved
- ❖ Aluminium Extrusion Body - Longevity
- ❖ Thermal Check Range -10° C & 50° C
- ❖ The Closer Is Universal For Right Hand & Left Hand Door

Pelmet Arm Door Closer



Pelmet Arm PVD RANGE Door Closer

BLACK MIRROR



GOLD MIRROR




ROSE GOLD MIRROR



SS 304
COVERED

**HOLD
OPEN**

Concealed Door closer



Size Parameters


Model	Weight Capacity	Colour
SDC 04	80 kgs	Silver

FEATURES :

- ❖ Any Degree Hold-open Function Optional
- ❖ Fully Hydraulically Controlled Adjustable Closing Speed In Two Independent Ranges (180° - 15° And 15° - 0°)
- ❖ Maximum Door Weight - Upto 80 kg
- ❖ Maximum Door Width - 950mm
- ❖ Closing Force 2/3 according to EN
- ❖ Minimum Door Thickness For Installation - 40mm
- ❖ Aluminium Extrusion Body - Longevity
- ❖ Thermal Check Range -10° C & 50° C
- ❖ The Closer Is Universal For Right Hand & Left Hand Door



Slim Concealed Door closer



Size Parameters

Model	Weight Capacity	Colour
SDC 04	80 kgs	Silver

FEATURES :

- ❖ Any Degree Hold-open Function Optional
- ❖ Fully Hydraulically Controlled Adjustable Closing Speed In Two Independent Ranges (180° - 15° And 15° - 0°)
- ❖ Maximum Door Weight - Upto 80 kg
- ❖ Maximum Door Width - 950mm
- ❖ Closing Force 2/3 according to EN
- ❖ Minimum Door Thickness For Installation - 32 mm
- ❖ Aluminium Extrusion Body - Longevity
- ❖ Thermal Check Range -10° C & 50° C
- ❖ The Closer Is Universal For Right Hand & Left Hand Door





Adjustable Bi-Fold System

Size Parameters

Model	Cabinet Height (KH)	Weight Capacity	Colour	SLS01
SLS01 - L	700-1040 MM	4.5 to 9.5 Kgs	Grey	
SLS01 - M	700-1040 MM	6.5 to 12 Kgs	Grey	
SLS01 - H	700-1040 MM	8 to 17 Kgs	Grey	

Note :

Cabinet height KH 600-1040mm, depth should be 280mm at least.

Suitable for cabinet door width up to 600-1800mm,

Cabinet over 1000mm wide, or door over 10kg in weight,
requires 3 cabinet hinges, and 3 connected hinges.

**11 Gears
Adjustable Arm**



Door Lift-Up System

Size Parameters


Model	Cabinet Height (KH)	Weight Capacity	Colour	SLS02
SLS02 - L	330-450 MM	2.5 to 5.5 Kgs	Grey	
SLS02 - M	360-500 MM	4.5 to 6.5 Kgs	Grey	
SLS02 - H	400-500 MM	4.5 to 7.5 Kgs	Grey	

Note :

Cabinet height KH 330-500mm, depth should be 180mm at least.

Suitable for cabinet door width up to 600-1200mm.

No Concealed Hinges required



FORCE
ADJUSTMENT




QUICK RELEASE



Free Stop Lift-Up System

Size Parameters

Model	Cabinet Height	Width	Weight Capacity	SLS03
				Colour
SLS03	350 - 450 MM	400 - 900 MM	3.1 to 4.5 Kgs (1Pc)	Grey
	350 - 500 MM	700 - 1200 MM	5.5 to 8.5 Kgs (2Pcs)	



**FORCE
ADJUSTMENT**

Note :

Cabinet height KH 350-500mm, depth should be 245mm at least.

Suitable for cabinet door width up to 400-1200mm.

Concealed Hinges required





Flap Stay




Size Parameters

SLS04

Model	Weight Capacity	Colour
SLS04	4-6 kgs	Nickel



Installation Sizes :



75°

90°

110°



**FORCE
ADJUSTMENT**

Regular Hinge



Features :

- ❖ Wide Adjusting Range 14-20 mm.
- ❖ Fixed 4 holes Square Plate Firmly Mounted.
- ❖ Center Screw Hole.




2D Slide On Hinge



Features :

- ❖ Wide Adjusting Range 14-20 mm
- ❖ Fixed 4 holes Butterfly Plate Firmly Mounted
- ❖ Closed-end Design Prevent the Screw from Falling.
- ❖ Attractive Stereoscopic Hinge arm.




3D Clip-on Hinge



Features :

- ❖ 3D Adjustment.
- ❖ Detachable Butterfly Plate.
- ❖ Wide Adjusting Range 14-20 Mm.
- ❖ Closed-end Design Prevent The Screw From Falling.
- ❖ Attractive Stereoscopic Hinge Arm.




SS Clip-on Hinge



Features :

- ❖ Wide Adjusting Range 14-20 Mm.
- ❖ Detachable 4 Holes Butterfly Plate.
- ❖ Closed-end Design Prevent The Screw From Falling.
- ❖ Attractive Stereoscopic Hinge Arm.
- ❖ Stainless Steel Body.



Degree Hinge



45°




90°



135°


SOFT CLOSE))))



165°

AVAILABLE IN
REGULAR & SOFT CLOSE

Telescopic Drawer Channel



AVAILABLE SIZES

8" | 10" | 12" | 14" | 16"
18" | 20" | 22" | 24"



AVAILABLE SIZES

10" | 12" | 14" | 16"
18" | 20" | 22" | 24"

Soft Close Drawer Channel



AVAILABLE SIZES

10" | 12" | 14" | 16"
18" | 20" | 22" | 24"



THIS AIN'T THE END....