
What's new* in .NET 8



Ralph Bodmer | @ralphbodmer Manu Sidler | @manuelsidler


.NET Plattform Rückblick – Pre .NET 5





.NET Plattform


Rückblick - one .NET to rule them all





.NET Plattform Roadmap

Long Term Support = 3 Jahre Short Term Support = 18 Monate





.NET 7 Rückblick - Features

Performance
 1000 PRs mit Performance Verbesserungen

C# 11
 Raw string literals, required properties, list patterns

ASP.NET Core
 Rate-Limiting Middleware, Minimal API Verbesserungen



.NET 8 Features

- C#12
 Primary Constructors, Collection Expressions, ...
- ASP.NET Core Keyed Services, Short circuit, BackgroundServices, ...
- .NET Aspire
 Cloud-ready Stack für verteilte Applikationen



.NET 8 Upgrade



Visual Studio 2022 17.8+
 Http Files Support

GitHub Copilot



CLI Modernisierter Build Output

```
dotnet build
MSBuild version 17.8.3+195e7f5a3 for .NET
  Determining projects to restore...
  All projects are up-to-date for restore.
  02 RequiredProperties -> /Users/manuel/git/developer-day-2024/csharp/csharp11/02 RequiredPropert
 ies/bin/Debug/net7.0/02_RequiredProperties.dll
 01_RawStringLiterals -> /Users/manuel/git/developer-day-2024/csharp/csharp11/01_RawStringLiteral
s/bin/Debug/net7.0/01_RawStringLiterals.dll
/Users/manuel/git/developer-day-2024/csharp/csharp11/03_ListPatterns/Program.cs(24,19): error CS01
03: The name 'resadfsult' does not exist in the current context [/Users/manuel/git/developer-day-2
024/csharp/csharp11/03 ListPatterns/03 ListPatterns.csproj]
Build FAILED.
/Users/manuel/git/developer-day-2024/csharp/csharp11/03_ListPatterns/Program.cs(24,19): error CS01
03: The name 'resadfsult' does not exist in the current context [/Users/manuel/qit/developer-day-2
024/csharp/csharp11/03_ListPatterns/03_ListPatterns.csproj]
    0 Warning(s)
    1 Error(s)
Time Elapsed 00:00:00.78
```

```
dotnet build --tl
MSBuild version 17.8.3+195e7f5a3 for .NET
Restore complete (0.3s)
    02_RequiredProperties succeeded (0.1s) → 02_RequiredProperties/bin/Debug/net7.0/02_RequiredPrope
rties.dll
    01_RawStringLiterals succeeded (0.1s) → 01_RawStringLiterals/bin/Debug/net7.0/01_RawStringLitera
ls.dll
    03_ListPatterns failed with errors (0.6s)
    /Users/manuel/git/developer-day-2024/csharp/csharp11/03_ListPatterns/Program.cs(24,19): error
CS0103: The name 'resadfsult' does not exist in the current context
Build failed with errors in 1.0s
```



CLI
 MSBuild Daten für Build Scripts nutzen

```
dotnet publish --getProperty:OutputType
Exe <</pre>
```









Global usings

Implicit usings

Extended property patterns



11

Raw string literals

Required properties

Extended list patterns

```
const string json = $$"""
            "firstName": "{{firstName}}",
            "lastName": "{{lastName}}"
public class Person
   public required string FirstName { get; set; }
   public required string LastName { get; set; }
   public int Age { get; set; }
var numbers = new int[] { 1, 2, 4, 8, 16 };
numbers is [1, 2, 4, 8, 16]; // true
numbers is [_, _, _, 8]; // false
numbers is [1, ..]; // true
numbers is [1, var a, ..]; // true
```



12

- Primary Constructors
- Collection Expressions
- Default lambda parameters
- Alias any type
- (Erweiterte Data Annotations)







Poly#

 Neue C# Features in "alten" .NET Applikationen nutzen

Erstellt PollyFills über Source Generators

Einschränkungen: von Runtime abhängige Features










ASP.NET Core 8 Architektur Übersicht





ASP.NET Core 8 Keyed Service Registration

- Neues Dependency Injection feature
 - Erweiterung des Service Descriptors mit einem Key

```
// Regular registration
builder.Services.AddSingleton<ILoggingService, FileLogService>();
builder.Services.AddSingleton<ILoggingService, DatabaseLogService>();

// Keyed registration
builder.Services.AddKeyedSingleton<ILoggingService, FileLogService>("file");
builder.Services.AddKeyedSingleton<ILoggingService, DatabaseLogService>("db");
```




ASP.NET Core 8 Keyed Service Registration




ASP.NET Core 8 Short-circuit routing

```
app.MapGet('/health', () ⇒ Results.0k()).ShortCircuit()
app.MapShortCircuit(404, 'favicon.ico')
```

Neue Funktion zum Überspringen von Middleware







ASP.NET Core 8 Short-circuit routing



ASP.NET Core 8 Native AOT

- Aktueller Support f
 ür folgende Templates
 - gRPC Template
 - Minimal APIs

```
// Regular builder
var builder = WebApplication.CreateBuilder(args)

// AOT builder
var builder = WebApplication.CreateSlimBuilder(args)
```





ASP.NET Core 8 Improved Background Service

- Pre .NET 8
 - IHostedService (Start-, StopAsync)
 - BackgroundService BaseClass
- Ab .NET 8
 - IHostedLifecycleService

```
// Configure to start concurrently
builder.Services.Configure<HostOptions>(hostOptions ⇒
{
    hostOptions.ServicesStartConcurrently = true;
    hostOptions.ServicesStopConcurrently = true;
});
```

```
namespace Microsoft.Extensions.Hosting
{
  public interface IHostedLifecycleService : IHostedService
  {
    Task StartingAsync(CancellationToken cancellationToken);
    // Task StartAsync(CancellationToken cancellationToken);
    Task StartedAsync(CancellationToken cancellationToken);
    Task StoppingAsync(CancellationToken cancellationToken);
    // Task StopAsync(CancellationToken cancellationToken);
    Task StoppedAsync(CancellationToken cancellationToken);
}
```

```
// Hosted service registration
builder.Services.AddHostedService<PreviousHostedService>();
builder.Services.AddHostedService<PreviousBackgroundService>();
builder.Services.AddHostedService<NewHostedLifecycleService>();
```



ASP.NET Core 8 Improved Background Service




ASP.NET Core 8 Blazor

- Pre .NET 8
 - Blazor Server
 - Blazor WebAssembly (WASM)
- Ab .NET 8
 - Blazor Full Stack Web UI



ASP.NET Core 8 Blazor Server


- Server-side rendering
 - Request / Response
- SignalR Verbindungen
 - WebSockets





ASP.NET Core 8 Blazor WebAssembly

- Native (WASM) Code
 - Client-side rendered (SPA ähnlich)
- Backend via APIs






ASP.NET Core 8 Blazor Full Stack Web UI

- Neuer Typ Server und WASM "kombiniert"
 - Projekt Template: Blazor Web App
- @renderMode
 - Interactive- None / Server / WebAssembly / Auto
 - Definierbar pro Seite, Komponente oder Applikation



ASP.NET Core 8 Blazor Full Stack Web UI





ASP.NET Core 8 Blazor Full Stack Web UI



ASP.NET Core 8 ASP.Net Core Identity

- Pre .NET 8
 - Default UI Seiten (Microsoft.AspNetCore.Identity.UI)

- Ab .NET 8
 - Default UI Seiten
 - Minimal API Endpunkte (Microsoft.AspNetCore.Identity...)



ASP.NET Core 8 ASP.Net Core Identity



ASP.NET Core 8 Security Themen

- Update der "Crypto"-Libraries
- Default support: HTTP/3
- . . .
- Optional: AES256-Crypto Service Demo








.NET Aspire

- Cloud-ready Stack für verteilte Anwendungen
- Übernimmt Orchestrierung von Projekten und Services
- Einbindung via NuGet Pakete





.NET Aspire





.NET Aspire



.NET Aspire Deployment

- Aspire Manifest (JSON)
 - Beschreibt Apps, Services und Verbindungen
- Deployment nach Azure
 - Azure Container Apps
- Deployment nach Kubernetes
 - .NET Aspire JSON -> Kubernetes YAML




.NET Aspire Deployment

```
• • •
```

dotnet run --project path-to-project --publisher manifest --output-path aspire-manifest.json

```
"resources": {
   "postgres": {
      "type": "container.v0",
      "connectionString": "Host={postgres.bindings.tcp.host};Port=
{postgres.bindings.tcp.port};Username=postgres;Password={postgres-password.value}",
      "image": "docker.io/library/postgres:16.2",
        "POSTGRES_USER": "postgres",
        "POSTGRES_PASSWORD": "{postgres-password.value}"
    "db": {
     "type": "value.v0",
      "connectionString": "{postgres.connectionString};Database=db"
      "type": "project.v0",
      "path": "../AspireDemo.Api/AspireDemo.Api.csproj",
       "ConnectionStrings__db": "{db.connectionString}"
     "type": "project.v0",
      "path": "../AspireDemo.Web/AspireDemo.Web.csproj",
        "services__api__https__0": "{api.bindings.https.url}"
    "postgres-password": {
      "type": "parameter.v0",
      "value": "{postgres-password.inputs.value}",
         "type": "string",
            "generate": {
```



Vielen Dank

Ralph Bodmer | @ralphbodmer Manu Sidler | @manuelsidler

