

User Requirement Document

~Judiciary Information System

Team: IDEA ARCHITECTS

Name	Roll_No	Mail Id
B. Tejasree	R210804	r210804@rguktrkv.ac.in
G. Niharika	R210028	r210028@rguktrkv.ac.in
B. Glory	R210865	r210865@rguktrkv.ac.in
M. Sneha	R210274	r210274@rguktrkv.ac.in

JUDICIARY INFORMATION SYSTEM

Version 1.1

Requirement Document

Version History

Version no	Date	Changed by	Changes made
V1.1	2025-09-04	G. Niharika, B. Glory, B.Tejasree, M. Sneha	Initial draft of the requirements document, including system overview, user roles, core functionalities, and a proposed technology stack.
V1.2	2025-09-10	G. Niharika, B. Glory	Added details on the specific technologies, including JSP, Servlets, and a Google Cloud deployment plan.
V1.3	2025-09-11	B. Tejasree, M. Sneha	Refined the user role descriptions and clarified the system's ability to manage user accounts and track lawyer billing.

Table Of contents

1. Team: IDEA ARCHITECTS

2. Judiciary Information System

- **Version 1.1**
- **Requirement Document**
- **Version History**

3. Table of Contents

4. Introduction

5.1 Purpose

5.2 Intended Audience

5.3 Stakeholders

5. Product Vision

6.1 Vision Statement

6. Technologies

7. System in Context

- **Context Diagram**

8. User Characteristics

9. Constraints

10. System-Wide Requirements

11.1 Actors

11.2 Events

11. Functional Requirements

12.1 Use Case Overview

12.2 Use Case Diagram

12.3 Use Case Specifications

- **UC-JIS-PC: Post Case**
- **UC-JIS-VCS: View Case Status**
- **UC-JIS-VCD: View Case Details**
- **UC-JIS-ECD: Edit Case Details**
- **UC-JIS-AC: Assign Case**
- **UC-JIS-UDP: Upload Documents of Proof**
- **UC-JIS-UHDPC: Update Hearing Dates for Pending Cases**
- **UC-JIS-VAC: View Assigned Cases (Lawyer, Judge, Public Prosecutor)**

- **UC-JIS-APC: Access Previous Cases (Lawyer, Judge)**
- **UC-JIS-PFV: Post Final Verdict**

12. Non-Functional Requirements

- **Security**
- **Performance**
- **Usability**
- **Reliability**
- **Availability**
- **Accessibility**
- **Platform Compatibility**

Introduction

This document details the requirements for the Judiciary Information System (JIS). The JIS is a tool requested by the Attorney General's Office to help manage court cases and provide accessible records for legal professionals.

Purpose

The primary purpose of this document is to outline the essential requirements needed to develop and implement the Judiciary Information System. It focuses on the system's key features, vision, scope, and overall functionality to provide an effective platform for managing court cases online. The JIS is intended to provide a centralized and secure solution for court case management and information retrieval.

Intended Audience

The intended audience for this system is comprised of various stakeholders who will use the tool for their daily tasks:

- **Police:** Responsible for data entry
- **Court Registrars:** case management, and user account administration.
- **Judges:** Users who need to access and reference past court cases for guidance.
- **Lawyers:** Users who require access to historical cases for legal research, subject to a per-view charge.

Stakeholders

- **Client:** The Attorney General's Office.
- **Users:** Police, Court Registrars, Judges, and Lawyers.

Product Vision

Vision Statement: The product vision is to develop a user-friendly and easily accessible Judiciary Information System that streamlines court case

management, provides secure and efficient online solutions for all users, and maintains a comprehensive archive of legal proceedings.

Technologies

- **Front-End:** JSP (Java Server Pages)
- **Back-End:** Servlets
- **Database:** JDBC (Java Database Connectivity)
- **Styling:** Tailwind CSS
- **Deployment/Cloud:** Google Cloud Platform (GCP)

System in Context


The JIS is a multi-user system designed to manage the entire lifecycle of court cases. It provides a secure environment for different user roles with varying levels of access.

The system will:

- Accept new case requests from a court police, generating a unique Case Identification Number (CIN) for each.
- Allow the court registrar to enter all relevant case details, including defendant information, crime type, arresting officer details, and more.
- Provide a scheduling feature for the registrar to find and assign hearing dates, displaying vacant slots on any given working day.
- Enable registrars to update the status of a help request (e.g., adjourned, hearing takes place) and record a summary of proceedings or judgment.
- Provide a clear view of the status of any case to the registrar, judges, and lawyers.
- Allow the registrar to create and delete user accounts for judges and lawyers.
- Track the number of court cases a lawyer views for billing purposes.

- Facilitate browsing and searching of past court cases for both judges and lawyers, with appropriate access controls.

CONTEXT DIAGRAM



USER CHARACTERISTICS:

- Court Registrar:** The registrar is an administrative user proficient in data entry and familiar with court procedures. They require an intuitive and efficient system for daily case management.
- Judges:** Judges are legal experts who need a powerful search and reference tool. They are familiar with legal research and require a system that provides fast, accurate access to historical case data.
- Lawyers:** Lawyers are professional legal researchers who require secure, keyword-based access to historical cases for legal

preparation. They are accustomed to online research and billing systems.

CONSTRAINTS:

- **User Roles:** The system must account for three distinct user roles: Court Registrar, Judges, and Lawyers.
- **Registrar Functionality:** The registrar must be able to handle all administrative tasks, including data entry, case scheduling, status updates, query generation (pending, resolved, upcoming cases), and user account management.
- **Judges & Lawyers Access:** Both groups require read-only access to historical cases for research.
- **Lawyer Billing:** The system must track and charge lawyers for each case they view.
- **Data Integrity:** Each case must have a unique, computer-generated Case Identification Number (CIN).
- **Tone:** The language used in all documentation should be professional and meaningful.
- **Brevity:** Summaries or short versions of content should be concise and to the point.

SYSTEM-WIDE REQUIREMENTS:

Actors

- **Court Registrar:** The administrative user responsible for managing case data, scheduling, and user accounts.
- **Judges:** Users who access historical case information for legal guidance.
- **Lawyers:** Users who access historical case information for case preparation, with their views being tracked for billing.

Events

1. The Registrar enters new court case data, and the system generates a unique Case Identification Number (CIN).

2. The Registrar requests and views vacant time slots to schedule a hearing.
3. The Registrar enters a reason for a case adjournment or a summary of a court proceeding.
4. The Registrar enters a judgment summary and closes a case.
5. The Registrar queries the system for pending, resolved, or upcoming cases, or for the status of a specific case by its CIN.
6. A Judge browses and views past court cases for reference.
7. A Lawyer logs in and views a past court case, which is then recorded for billing.
8. The Registrar creates or deletes login accounts for Judges and Lawyers.

The below table provides a set of user visible events that define the functionalities that are in JIS.

ACTOR	ACTION	OBJECT	FREQUENCY	ARRIVAL PATTERN	RESPONSE
police	Login	Login page	1/day	Episodic	Police dashboard gets open
police	Selects	Post case webpage link	1/day	Episodic	Got a form which is used to fill the case details
Police	Posts	Web form	1/day	Episodic	Case details stored and got CIN (case identification number)
Police	Selects	View case status link	1/day	Episodic	Got a webpage to enter CIN
Police	Enters	CIN	1/day	Episodic	Got webpage contains case status
Registrar	Login	Login page	1/day	Episodic	Registrar dashboard gets open

Registrar	Selects	View all case details	1/day	Episodic	Got all case details in webpage
Registrar	Checks	Available lawyers, judges, public prosecutor	1/day	Episodic	Got all available lawyers, judges, public prosecutor
Registrar	Assigns	Case to judge and lawyer (or)public prosecutor	1/day	Episodic	Case details updated with assigned members
Registrar	Selects	Upload Documents of Proof link	1/day	Episodic	Upload Documents of Proof for a particular case
Registrar	Selects	Updates hearing dates link	1/day	Episodic	Upload hearing dates for pending cases
Registrar	Selects	Update case status link	1/day	Episodic	Got webpage contains case status
Registrar	Edits	Update case status	1/day	Episodic	Case status is updated
Lawyer	Login	Login page	1/day	Episodic	Lawyer dashboard gets open
Lawyer	Selects	View all assigned cases	1/day	Episodic	Got webpage with all assigned cases
Lawyer	Selects	Recently assigned case	1/day	Episodic	Got all the case details
Lawyer	Selects	Access previous case	1/day	Episodic	Request payment
Lawyer	completes	payment	1/day	Episodic	Access previous case details
Public prosecutor	Login	Login page	1/day	Episodic	Lawyer dashboard gets open
Public prosecutor	Selects	View all assigned cases	1/day	Episodic	Got webpage with all assigned cases

Public prosecutor	Selects	Recently assigned case	1/day	Episodic	Got all the case details
Public prosecutor	Selects	Access previous case	1/day	Episodic	Got all the case details
Judge	Login	Login page	1/day	Episodic	Lawyer dashboard gets open
Judge	Selects	View all assigned cases	1/day	Episodic	Got webpage with all assigned cases
Judge	Selects	Recently assigned case	1/day	Episodic	Got all the case details
Judge	Selects	Access previous case	1/day	Episodic	Got all the case details
Judge	Selects	Post final verdict link	1/day	Episodic	Got a form
judge	Posts	Final verdict	1/day	Episodic	Final verdict added to case details


Functional Requirements :

Use-case Overview :

S.NO	USE CASE ID	USE CASE NAME	PRIORITY	STABILITY	VERIFIABILITY
1	UC-JIS-PC	Post case	High	stable	verifiable
2	UC-JIS-VCS	View case status	High	stable	verifiable
3	UC-JIS-VCD	View case details	High	stable	verifiable
4	UC-JIS-ECD	Edit case details	High	stable	verifiable
5	UC-JIS-AC	Assigns case	High	stable	verifiable
6	UC-JIS-UDP	Uploads documents of proof	High	stable	verifiable
7	UC-JIS-UHDPC	Updates hearing dates for pending cases	High	stable	verifiable
8	UC-JIS-VAC	Lawyer_ view assigned cases	High	stable	verifiable

9	UC-JIS-APC	Lawyer_ access previous cases	High	stable	verifiable
10	UC-JIS-VAC	Public prosecutor_ view assigned cases	High	stable	verifiable
11	UC-JIS-APC	Judge_ access previous cases	High	stable	verifiable
12	UC-JIS-VAC	Judge_ view assigned cases	High	stable	verifiable
13	UC-JIS-APC	Judge_ access previous cases	High	stable	verifiable
14	UC-JIS-PFV	Post final verdict	High	stable	verifiable

USE CASE DIAGRAM :-



USE-CASE SPECIFICATION:-

1.UC-JIS-PC: Post Cases

Use-Case ID	UC-JIS-PC
Use-Case Name	Post Case
Description	A Police submits a new court case, and the system generates a unique Case Identification Number (CIN).
Pre-conditions	The Police is logged in. The user has a new case to submit with all required details.
Success guarantee (post-conditions)	Case details are stored, a unique CIN is generated, and the user receives a confirmation with the CIN.
Main success scenario	The Police fills and submits a web form with case details, and the system provides a new CIN.
Frequency of occurrence	Episodic (1/ day)

2.UC-JIS-VCS: View Case Status

Use-Case ID	UC-JIS-VCS
Use-Case Name	View Case Status
Description	A Police user checks the current status of a submitted case using its CIN.
Pre-conditions	The Police user is logged in. The user has the unique CIN for the case they want to check.
Success guarantee (post-conditions)	The system provides the user with the current status of the requested case.
Main success scenario	The Police user enters a CIN on a webpage and receives the case status and details.
Frequency of occurrence	Episodic (1/ day)

3.UC-JIS-VCD: View Case Details

Use-Case ID	UC-JIS-VCD
Use-Case Name	View Case Details
Description	The Court Registrar views all the details of a specific case, including its status and assigned personnel.
Pre-conditions	The Court Registrar is logged in. The Registrar has access to the case identification number.
Success guarantee (post-conditions)	The Registrar can successfully view the full details of a particular case.

Main success scenario	The Registrar navigates to the "View all case details" section and selects a case from a list or searches by CIN.
Frequency of occurrence	Episodic (1/day)

4.UC-JIS-ECD: Edit Case Details

Use-Case ID	UC-JIS-ECD
Use-Case Name	Edit Case Details
Description	The Court Registrar updates existing case information, such as a judgment summary or an adjournment reason.
Pre-conditions	The Court Registrar is logged in. The Registrar has selected an existing case to edit.
Success guarantee (post-conditions)	The case details are successfully updated in the system.
Main success scenario	The Registrar selects a case to edit, modifies the details in a form, and submits the changes.
Frequency of occurrence	Episodic (1/day)

5.UC-JIS-AC: Assigns Case

Use-Case ID	UC-JIS-AC
Use-Case Name	Assigns Case
Description	The Court Registrar assigns an unassigned case to a Judge and a Lawyer or Public Prosecutor.
Pre-conditions	The Court Registrar is logged in. There is at least one new case available that has not been assigned.
Success guarantee (post-conditions)	The case details are updated with the assigned legal professionals, who are then notified.
Main success scenario	The Registrar selects a pending case, chooses the appropriate legal professionals from a list, and assigns them.
Frequency of occurrence	Episodic (1/day)

6.UC-JIS-UDP: Upload Documents of Proof

Use-Case ID	UC-JIS-UDP
Use-Case Name	Uploads documents of proof
Description	The Court Registrar uploads supporting documents and evidence for a specific case.

Pre-conditions	The Court Registrar is logged in. There is an existing case to which documents need to be attached.
Success guarantee (post-conditions)	The documents are successfully uploaded and linked to the case record.
Main success scenario	The Registrar selects a case, uses a file upload interface, and attaches the documents to the case record.
Frequency of occurrence	Episodic (1/ day)

7.UC-JIS-UHDPC: Updates hearing dates for pending cases

Use-Case ID	UC-JIS-UHDPC
Use-Case Name	Updates hearing dates for pending cases
Description	The Court Registrar updates the hearing date for a pending case.
Pre-conditions	The Court Registrar is logged in. There is a pending case that requires an updated hearing date.
Success guarantee (post-conditions)	The hearing date for the specific case is successfully updated in the system.
Main success scenario	The Registrar selects a case, chooses a new vacant hearing date, and submits the update.
Frequency of occurrence	Episodic (1/ day)

8.UC-JIS-VAC: Lawyer_View Assigned Cases

Use-Case ID	UC-JIS-VAC
Use-Case Name	Lawyer_View Assigned Cases
Description	Lawyer view a list of all cases assigned to them.
Pre-conditions	The Lawyer is logged in.
Success guarantee (post-conditions)	The Lawyer can view a list of all cases currently assigned to them.
Main success scenario	The Lawyer logs in, selects "View all assigned cases," and the system displays their case list.
Frequency of occurrence	Episodic (1/ day)

9.UC-JIS-APC: Lawyer_Access Previous Cases

Use-Case ID	UC-JIS-APC
--------------------	------------

Use-Case Name	Lawyer_Access Previous Cases
Description	A Lawyer accesses historical court records for research. A Lawyer's access is tracked for billing.
Pre-conditions	The Lawyer is logged in.
Success guarantee (post-conditions)	The Lawyer can successfully view the details of past court cases. The system records the access for billing .
Main success scenario	The Lawyer navigates to "Access previous cases," searches for a case, and views the details.
Frequency of occurrence	Episodic (1/day)

10.UC-JIS-VAC: Public Prosecutor_View Assigned Cases

Use-Case ID	UC-JIS-VAC
Use-Case Name	Public prosecutor_ view assigned cases
Description	A Public Prosecutor views all the government cases that have been assigned to them.
Pre-conditions	The Public Prosecutor has successfully logged into the system.
Success guarantee (post-conditions)	The Public Prosecutor can view a list of all cases currently assigned to them.
Main success scenario	The Public Prosecutor logs in, selects "View all assigned cases," and the system displays their case list.
Frequency of occurrence	Episodic (1/day)

11.UC-JIS-APC: Public Prosecutor_Access Previous Cases

Use-Case ID	UC-JIS-APC
Use-Case Name	Public Prosecutor_ access previous cases
Description	A Public Prosecutor accesses historical court case records for research and reference purposes. This is a read-only action.
Pre-conditions	The Public Prosecutor has successfully logged into the system.
Success guarantee (post-conditions)	The Public Prosecutor can successfully view the details of past court cases.
Main success scenario	The Public Prosecutor navigates to "Access previous cases," searches for a case, and views the details.
Frequency of occurrence	Episodic (1/day)

12.UC-JIS-VAC: Judge_View Assigned Cases

Use-Case ID	UC-JIS-VAC
Use-Case Name	Judge_view assigned cases
Description	A Judge views a list of all court cases that have been assigned to them.
Pre-conditions	The Judge has successfully logged into the system.
Success guarantee (post-conditions)	The Judge can view a list of all cases currently assigned to them.
Main success scenario	The Judge logs in, selects "View all assigned cases," and the system displays their case list.
Frequency of occurrence	Episodic (1/day)

13.UC-JIS-APC: Assigns Previous Cases

Use-Case ID	UC-JIS-APC
Use-Case Name	Judge_ access previous cases
Description	A Judge accesses historical court case records for research and reference purposes. This is a read-only action.
Pre-conditions	The Judge has successfully logged into the system.
Success guarantee (post-conditions)	The Judge can successfully view the details of past court cases.
Main success scenario	The Judge navigates to "Access previous cases," searches for a case, and views the details.
Frequency of occurrence	Episodic (1/day)

14.UC-JIS-PFV: Post Final Verdict

Use-Case ID	UC-JIS-PFV
Use-Case Name	Post Final Verdict
Description	A Judge enters the final verdict and judgment summary, officially closing the case in the system.
Pre-conditions	The Judge is logged in. The case is ready for a verdict.
Success guarantee (post-conditions)	The final verdict and judgment summary are recorded, and the case status is updated to "Closed".
Main success scenario	The Judge selects a case, fills out a form with the verdict details, and submits to close the case.
Frequency of occurrence	Episodic (1/day)

NON-FUNCTIONAL REQUIREMENTS :

- **Security:** The system must be secure, with role-based access, data confidentiality, and an audit trail to track lawyer billing.
- **Performance:** The system must provide fast response times for all queries and be scalable to handle a growing number of case records.
- **Usability:** The interface must be user-friendly, with a powerful and efficient search function for all users.
- **Reliability:** The system must be highly available and include a robust data backup and recovery plan to prevent data loss.