

1. What is CSS and its advantages?

CSS (Cascading Style Sheets) is a stylesheet language used to describe the presentation of HTML documents.

Advantages:

- Separates content from design
- Reduces code repetition
- Faster page loading
- Easy maintenance
- Multiple device compatibility
- Better SEO

2. Components of a CSS Style

A CSS style has three components:

- **Selector:** Identifies the HTML element
- **Property:** The style attribute to change
- **Value:** The setting for the property

selector { property: value; }

3. Cascading Order in CSS

Priority from highest to lowest:

1. Inline styles
2. Internal/Embedded styles
3. External styles
4. Browser defaults

4. Box Model in CSS

The box model consists of:

- **Content:** The actual content
- **Padding:** Space around content
- **Border:** Surrounds padding
- **Margin:** Space outside border

5. Controlling Element Visibility

- visibility: visible | hidden | collapse
- display: none | block | inline | inline-block

- opacity: 0 to 1

6. CSS Selectors Examples

```
/* Type Selector */
```

```
p { color: blue; }
```

```
/* Universal Selector */
```

```
* { margin: 0; }
```

```
/* Descendant Selector */
```

```
div p { color: red; }
```

```
/* Class Selector */
```

```
.classname { font-size: 16px; }
```

```
/* ID Selector */
```

```
#idname { background: yellow; }
```

```
/* Child Selector */
```

```
ul > li { list-style: none; }
```

```
/* Attribute Selector */
```

```
input[type="text"] { border: 1px solid; }
```

7. Measurement Units

- **%** - Percentage relative to parent
- **cm** - Centimeters
- **em** - Relative to font-size of element
- **ex** - Relative to x-height of font
- **in** - Inches
- **mm** - Millimeters
- **pc** - Picas (1pc = 12pt)
- **pt** - Points (1pt = 1/72 inch)

- **px** - Pixels
- **vh** - 1% of viewport height
- **vw** - 1% of viewport width
- **vmin** - 1% of viewport's smaller dimension

8. Background Properties

- **(a)** background-color
- **(b)** background-image
- **(c)** background-repeat
- **(d)** background-position
- **(e)** background-attachment

9. Text and Font Properties

- **(a)** font-family
- **(b)** font-style
- **(c)** font-variant
- **(d)** font-weight
- **(e)** font-size
- **(f)** color
- **(g)** direction
- **(h)** letter-spacing
- **(i)** word-spacing
- **(j)** text-indent
- **(k)** text-align
- **(l)** text-decoration
- **(m)** text-transform
- **(n)** white-space
- **(o)** text-shadow
- **(p)** border-width
- **(q)** height
- **(r)** width
- **(s)** opacity

10. Hyperlink Pseudo-classes

- **(a)** :link (unvisited), :visited (visited)
- **(b)** :hover
- **(c)** :active

11. Table Properties

- **(a)** border-collapse
- **(b)** border-spacing
- **(c)** empty-cells
- **(d)** caption-side

12. Border and Margin Properties

- **(a)** border-color
- **(b)** border-style
- **(c)** border-width
- **(d)** margin
- **(e)** margin-bottom
- **(f)** margin-top
- **(g)** margin-left
- **(h)** margin-right

13. List and Padding Properties

- **(a)** list-style-position
- **(b)** list-style-image
- **(c)** list-style (no direct property; use margin/padding)
- **(d)** padding-bottom
- **(e)** padding-top
- **(f)** padding-left
- **(g)** padding-right

14. Cursor Property Values

- **(a)** auto
- **(b)** crosshair
- **(c)** default
- **(d)** pointer
- **(e)** text

- **(f)** wait
- **(g)** help

15. Outline and Box Dimension Properties

- **(a)** outline-width
- **(b)** outline-style
- **(c)** outline-color
- **(d)** outline
- **(e)** height
- **(f)** width