

OpenAI

You are a Data Analyst on the OpenAI GPT-4 team, focusing on evaluating the model's ability to retain context and handle complex inquiries across different domains....

Question 1: What is the average context retention score for GPT-4 responses in April 2024? This will help us determine a baseline measure of GPT-4's response complexity.

```
SELECT ROUND(AVG(context_retention_score), 2) AS avg_context_retention_score
FROM fct_context_retention
WHERE response_date >= '2024-04-01'
      AND response_date < '2024-05-01'
      AND model_name = 'GPT-4';
```



InterviewMaster.AI

OpenAI

You are a Data Analyst on the OpenAI GPT-4 team, focusing on evaluating the model's ability to retain context and handle complex inquiries across different domains....

Question 2: What is the highest context retention score recorded by GPT-4 for the 'legal' inquiry type in April 2024? This will highlight the peak performance in terms of contextual processing.

```
SELECT MAX(context_retention_score) AS highest_context_retention_score
FROM fct_context_retention
WHERE response_date >= '2024-04-01'
      AND response_date < '2024-05-01'
      AND model_name = 'GPT-4'
      AND inquiry_type = 'legal';
```



OpenAI

You are a Data Analyst on the OpenAI GPT-4 team, focusing on evaluating the model's ability to retain context and handle complex inquiries across different domains....

Question 3: What is the average context retention score for each inquiry type for GPT-4 responses in April 2024, rounded to two decimal places? This breakdown will directly inform which inquiry domains may need enhancements in GPT-4's contextual understanding.

```
SELECT
    inquiry_type,
    ROUND(AVG(context_retention_score), 2) AS avg_context_retention_
score
FROM fct_context_retention
WHERE response_date >= '2024-04-01'
    AND response_date < '2024-05-01'
    AND model_name = 'GPT-4'
GROUP BY inquiry_type
ORDER BY inquiry_type;
```

