

PayPal

As a Product Analyst on the PayPal One Touch team, you are investigating mobile checkout conversion rates for the One Touch login feature....

Question 1: For our analysis of the PayPal One Touch feature, what is the total number of mobile transactions that used One Touch during July 2024? You might notice that the login_method doesn't have consistent capitalization, so make sure to account for this in your query!

```
SELECT
    COUNT(*) AS one_touch_mobile_transactions
FROM fct_mobile_transactions
WHERE transaction_date >= '2024-07-01'
    AND transaction_date < '2024-08-01'
    AND LOWER(login_method) = 'one touch';
```



PayPal

As a Product Analyst on the PayPal One Touch team, you are investigating mobile checkout conversion rates for the One Touch login feature....

Question 2: To determine user adoption of the One Touch feature, how many distinct users had successful mobile transactions using One Touch during July 2024? Rename the column for user counts to 'Unique_Users'. This information will support our investigation of transaction engagement.

```
SELECT
    COUNT(DISTINCT user_id) AS Unique_Users
FROM fct_mobile_transactions
WHERE transaction_date >= '2024-07-01'
    AND transaction_date < '2024-08-01'
    AND LOWER(login_method) = 'one touch'
    AND LOWER(transaction_status) = 'successful';
```



PayPal

As a Product Analyst on the PayPal One Touch team, you are investigating mobile checkout conversion rates for the One Touch login feature....

Question 3: We want to understand the adoption of One Touch vs. Standard features. How many of successful transactions were there in July 2024 respectively for One Touch and Standard?
Recall that the data in login_method has inconsistent capitalization, so we want to handle for this!

```
SELECT
    LOWER(login_method) AS login_method,
    COUNT(*) AS successful_transactions
FROM fct_mobile_transactions
WHERE transaction_date >= '2024-07-01'
    AND transaction_date < '2024-08-01'
    AND LOWER(transaction_status) = 'successful'
    AND LOWER(login_method) IN ('one touch', 'standard')
GROUP BY LOWER(login_method)
ORDER BY login_method;
```

