

Data Insights EDA Profiling Report — insights_sales.insights_sales.customers

Engine: MySQL | Database: insights_sales | Schema: insights_sales | Table: customers | Host: localhost | Generated: 2026-09-28 18:03:52

1. Source Information

Metric	Value	Metric	Value
Source	MySQL: insights_sales.insights_sales.customers	Rows	1,000
Schema	insights_sales	Columns	6

2. Dataset Summary

Metric	Value
Columns With Missing Values	0
Total Missing Cells	0
Columns	customer_id, customer_name, email, city, country, created_at
Columns Skipped During Profiling	NONE
Columns With Date/Serialization Warnings	NONE
Columns With Confirmed Inconsistencies	0
Confirmed Inconsistency Columns	NONE
Columns With Potential Anomalies	0
Potential Anomaly Columns	NONE

3. Pre-Profiling Data Inconsistency Analysis

No confirmed inconsistencies were detected by the configured pre-profiling rules.

4. Potential Anomalies - Reference / Business Validation Required

No potential anomalies were detected by the configured reference heuristics.

5. Duplicate Record Summary

Metric	Value
Duplicate Groups	0
Extra Duplicate Rows	0
Audit / Technical Columns Excluded	created_at
Duplicate Check Logic	Exact grouping across all non-audit business columns. SHA-256 is used only as a compact fingerprint for duplicate-group reporting.

6. Imputation Recommendation Summary

Column	Semantic Category	Missing	Missing %	Recommended Method	Imputation Value	Reason
customer_id	IDENTIFIER	0	0.00%	None (Complete)	N/A	No missing values detected.
customer_name	CATEGORICAL_NOMINAL	0	0.00%	None (Complete)	N/A	No missing values detected.
email	CATEGORICAL_NOMINAL	0	0.00%	None (Complete)	N/A	No missing values detected.
city	CATEGORICAL_NOMINAL	0	0.00%	None (Complete)	N/A	No missing values detected.
country	CATEGORICAL_NOMINAL	0	0.00%	None (Complete)	N/A	No missing values detected.
created_at	TIMESTAMP	0	0.00%	None (Complete)	N/A	No missing values detected.

7. Data Distribution

Column	Category	Value / Distribution Point	Count	Percentage / Value
customer_name	CATEGORICAL_NOMINAL	Customer 3010	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3191	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3192	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3193	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3194	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3195	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3196	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3197	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3198	1	0.10%
customer_name	CATEGORICAL_NOMINAL	Customer 3199	1	0.10%
email	CATEGORICAL_NOMINAL	customer3010@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3191@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3192@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3193@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3194@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3195@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3196@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3197@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3198@example.com	1	0.10%
email	CATEGORICAL_NOMINAL	customer3199@example.com	1	0.10%
city	CATEGORICAL_NOMINAL	Bangalore	200	20.00%

Column	Category	Value / Distribution Point	Count	Percentage / Value
city	CATEGORICAL_NOMINAL	Hyderabad	200	20.00%
city	CATEGORICAL_NOMINAL	Mumbai	200	20.00%
city	CATEGORICAL_NOMINAL	Delhi	200	20.00%
city	CATEGORICAL_NOMINAL	Chennai	200	20.00%
country	CATEGORICAL_NOMINAL	India	1,000	100.00%

8. Column Profiling Details Overview

Column	Physical Type	Semantic Category	Null Count	Missing %	Distinct Count	Central / Mode / Range
customer_id	INTEGER	IDENTIFIER	0	0.00%	1,000	Mean: 500.50, Med: 500.50
customer_name	STRING	CATEGORICAL_NOMINAL	0	0.00%	1,000	-
email	STRING	CATEGORICAL_NOMINAL	0	0.00%	1,000	-
city	STRING	CATEGORICAL_NOMINAL	0	0.00%	5	-
country	STRING	CATEGORICAL_NOMINAL	0	0.00%	1	-
created_at	TIMESTAMP	TIMESTAMP	0	0.00%	1,000	-

9. Individual Column Profiles

Column: customer_id

Metric	Value
Physical Type	INTEGER
Semantic Category	IDENTIFIER
Semantic Reason	Selected as the dataset primary identifier because its populated values are unique and it is the strongest primary-key candidate.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	1,000
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mean	500.5000
Median	500.5000
Variance	83416.6667
Std Dev	288.8194
Min	1.0000
Max	1000.0000
Distribution Shape	N/A
Skewness	0.0000
Skew Direction	N/A
Skew Severity	N/A

Metric	Value
Outlier Count	0
Outlier Values	[]
Distribution Note	N/A

Column: customer_name

Metric	Value
Physical Type	STRING
Semantic Category	CATEGORICAL_NOMINAL
Semantic Reason	Categorical values have no reliably inferred order.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	1,000
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mode	N/A
Distribution	Customer 3010=1 (0.10%), Customer 3191=1 (0.10%), Customer 3192=1 (0.10%), Customer 3193=1 (0.10%), Customer 3194=1 (0.10%)

Column: email

Metric	Value
Physical Type	STRING
Semantic Category	CATEGORICAL_NOMINAL
Semantic Reason	Categorical values have no reliably inferred order.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	1,000
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mode	N/A
Distribution	customer3010@example.com=1 (0.10%), customer3191@example.com=1 (0.10%), customer3192@example.com=1 (0.10%), customer3193@example.com=1 (0.10%), customer3194@example.com=1 (0.10%)

Column: city

Metric	Value
Physical Type	STRING
Semantic Category	CATEGORICAL_NOMINAL
Semantic Reason	Categorical values have no reliably inferred order.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	5
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mode	N/A
Distribution	Bangalore=200 (20.00%), Hyderabad=200 (20.00%), Mumbai=200 (20.00%), Delhi=200 (20.00%), Chennai=200 (20.00%)

Column: country

Metric	Value
Physical Type	STRING
Semantic Category	CATEGORICAL_NOMINAL
Semantic Reason	Categorical values have no reliably inferred order.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	1
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mode	N/A
Distribution	India=1000 (100.00%)

Column: created_at

Metric	Value
Physical Type	TIMESTAMP
Semantic Category	TIMESTAMP
Semantic Reason	Standard domain column.
Non-Null	1,000
Missing	0
Missing %	0.00%
Unique	1,000
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.