

Data Insights EDA Profiling Report — test_db.public.mock_table

Engine: PostgreSQL | Database: test_db | Schema: public | Table: mock_table | Host: localhost | Generated: 2026-09-30 10:11:18

1. Source Information

Metric	Value	Metric	Value
Source	PostgreSQL: test_db.public.mock_table	Rows	6
Schema	public	Columns	3

2. Dataset Summary

Metric	Value
Columns With Missing Values	1
Total Missing Cells	1
Columns	id, age, category
Columns Skipped During Profiling	NONE
Columns With Date/Serialization Warnings	NONE
Columns With Confirmed Inconsistencies	0
Confirmed Inconsistency Columns	NONE
Columns With Potential Anomalies	0
Potential Anomaly Columns	NONE

3. Pre-Profiling Data Inconsistency Analysis

No confirmed inconsistencies were detected by the configured pre-profiling rules.

4. Potential Anomalies - Reference / Business Validation Required

No potential anomalies were detected by the configured reference heuristics.

5. Duplicate Record Summary

Metric	Value
Duplicate Groups	1
Extra Duplicate Rows	1
Audit / Technical Columns Excluded	created_at
Duplicate Check Logic	Exact grouping across all non-audit business columns. SHA-256 is used only as a compact fingerprint for duplicate-group reporting.

6. Imputation Recommendation Summary

Column	Semantic Category	Missing	Missing %	Recommended Method	Imputation Value	Reason
id	IDENTIFIER	0	0.00%	None (Complete)	N/A	No missing values detected.
age	NUMERICAL_DISCRETE	1	16.67%	Mean Imputation	N/A	Symmetric numerical distribution detected; mean imputation preserves central tendency.
category	CATEGORICAL_NOMINAL	0	0.00%	None (Complete)	N/A	No missing values detected.

7. Data Distribution

Column	Category	Value / Distribution Point	Count	Percentage / Value
category	CATEGORICAL_NOMINAL	B	3	50.00%
category	CATEGORICAL_NOMINAL	A	2	33.33%
category	CATEGORICAL_NOMINAL	C	1	16.67%

8. Column Profiling Details Overview

Column	Physical Type	Semantic Category	Null Count	Missing %	Distinct Count	Central / Mode / Range
id	INTEGER	IDENTIFIER	0	0.00%	5	Mean: 3.33, Med: 3.50
age	INTEGER	NUMERICAL_DISCRETE	1	16.67%	4	Mean: 39.00, Med: 40.00
category	STRING	CATEGORICAL_NOMINAL	0	0.00%	3	-

9. Individual Column Profiles

Column: id

Metric	Value
Physical Type	INTEGER
Semantic Category	IDENTIFIER
Semantic Reason	Selected as the dataset primary identifier because its populated values are unique and it is the strongest primary-key candidate.
Non-Null	6
Missing	0
Missing %	0.00%
Unique	5
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mean	3.3333
Median	3.5000
Variance	2.6667
Std Dev	1.6330
Min	1.0000
Max	5.0000
Distribution Shape	N/A
Skewness	-0.3827
Skew Direction	N/A
Skew Severity	N/A

Metric	Value
Outlier Count	0
Outlier Values	[]
Distribution Note	N/A

Column: age

Metric	Value
Physical Type	INTEGER
Semantic Category	NUMERICAL_DISCRETE
Semantic Reason	Standard domain column.
Non-Null	5
Missing	1
Missing %	16.67%
Unique	4
Recommended Imputation	Mean Imputation
Imputation Value	N/A
Recommendation Reason	Symmetric numerical distribution detected; mean imputation preserves central tendency.
Mean	39.0000
Median	40.0000
Variance	130.0000
Std Dev	11.4018
Min	25.0000
Max	50.0000
Distribution Shape	N/A
Skewness	-0.2277
Skew Direction	N/A
Skew Severity	N/A
Outlier Count	0

Metric	Value
Outlier Values	[]
Distribution Note	N/A

Column: category

Metric	Value
Physical Type	STRING
Semantic Category	CATEGORICAL_NOMINAL
Semantic Reason	Categorical values have no reliably inferred order.
Non-Null	6
Missing	0
Missing %	0.00%
Unique	3
Recommended Imputation	None (Complete)
Imputation Value	N/A
Recommendation Reason	No missing values detected.
Mode	N/A
Distribution	B=3 (50.00%), A=2 (33.33%), C=1 (16.67%)