

PostgreSQL Metadata Insights Report

Database: ALL DATABASES | Host: localhost | Generated: 2026-09-16 12:11:28

1. PostgreSQL version and environment

Note: PostgreSQL server, database, connection and version information.

PostgreSQL Version	Server Version	Database	Server Address	Port	Current User
PostgreSQL 18.3 on x86_64-windows, compiled by msvc-19.44.35225, 64-bit	18.3	postgres	:::1	5432	postgres

2. Database inventory

Note: Databases visible to the current PostgreSQL cluster with their sizes.

Database Name	Owner	Size (MB)	Size (GB)
ats_db_dev	postgres	10.73	0.01
metadata_demo	postgres	8.39	0.01
Retaildata	postgres	8.22	0.01
retail_db	postgres	8.11	0.01
sample	postgres	8.10	0.01
retail	postgres	7.98	0.01
pitr_test	postgres	7.92	0.01
ecommerce	postgres	7.92	0.01
postgres	postgres	7.90	0.01
pitr_demo	postgres	7.87	0.01
airflow	airflow	7.85	0.01
TOTAL	-	90.99	0.09

3. Schema/table storage analysis

Note: Table storage analysis (including indexes and TOAST).

Schema	Table Name	Size (MB)	Size (GB)
public	employees	0.02	0.00
public	suppliers	0.02	0.00
public	stores	0.02	0.00
public	customer_addresses	0.02	0.00
public	customers	0.02	0.00
public	product_suppliers	0.01	0.00
public	order_items	0.01	0.00
public	orders	0.01	0.00
public	inventory_transactions	0.01	0.00
public	products	0.01	0.00
public	applicants	0.45	0.00
public	applications	0.41	0.00
public	login_monitoring_events	0.09	0.00
public	interview_feedbacks	0.08	0.00
public	job_posting_recruiter_assignments	0.07	0.00
public	ai_company_configurations	0.06	0.00
public	refresh_tokens	0.06	0.00
public	roles	0.05	0.00
public	users	0.05	0.00
public	designations	0.03	0.00
public	colleges	0.03	0.00
public	interview_types	0.03	0.00

Schema	Table Name	Size (MB)	Size (GB)
public	employment_types	0.03	0.00
public	visa_types	0.03	0.00
public	tags	0.03	0.00
public	states	0.03	0.00
public	audit_logs	0.03	0.00
public	skills	0.03	0.00
public	interviews	0.03	0.00
public	job_posting_interview_stages	0.03	0.00
public	departments	0.03	0.00
public	password_reset_tokens	0.03	0.00
public	clients	0.03	0.00
public	job_postings	0.03	0.00
public	profile_sources	0.03	0.00
public	qualifications	0.03	0.00
public	countries	0.03	0.00
public	application_recruiter_assignments	0.02	0.00
public	applicant_skills	0.02	0.00
public	job_posting_tags	0.02	0.00
public	freshers	0.02	0.00
public	campus_colleges	0.02	0.00
public	placement_officers	0.02	0.00
staging	stg_orders	0.02	0.00
hr	employees	0.04	0.00
sales	customers	0.04	0.00
hr	departments	0.04	0.00

Schema	Table Name	Size (MB)	Size (GB)
sales	orders	0.02	0.00
inventory	products	0.02	0.00
hr	employee_notes	0.02	0.00
inventory	stock_transactions	0.01	0.00
sales	order_items	0.01	0.00
public	sales_2024	0.01	0.00
public	sales_2025	0.01	0.00
public	sales_2026	0.01	0.00
public	sales	0.00	0.00
public	customers	0.00	0.00
public	customers	0.02	0.00
public	customers	0.02	0.00
public	customers	0.02	0.00
staging	stg_orders	0.01	0.00
public	customers	0.02	0.00
public	orders	0.02	0.00
public	customers	0.02	0.00
public	orders	0.02	0.00
public	order_items	0.02	0.00
public	products	0.02	0.00
public	payments	0.02	0.00
public	customer_addresses	0.02	0.00
public	customers	0.02	0.00
public	employees	0.02	0.00
public	stores	0.02	0.00

Schema	Table Name	Size (MB)	Size (GB)
public	suppliers	0.02	0.00
public	orders	0.01	0.00
public	product_suppliers	0.01	0.00
public	products	0.01	0.00
public	inventory_transactions	0.01	0.00
public	order_items	0.01	0.00

4. Total table vs index storage

Note: Database-wide table heap, index and total relation storage.

Table Storage (MB)	Index Storage (MB)	Total Storage (MB)	Table Storage (GB)	Index Storage (GB)	Total Storage (GB)
0.56	1.13	2.72	0.00	0.00	0.00

5. Top 100 tables

Note: Top 100 largest user tables/partitioned tables by row count.

Database	Schema	Table Name	Relation Type	Row Count	Size (MB)	Size (GB)
Retaildata	public	employees	Table	60	0.02	0.00
Retaildata	public	suppliers	Table	60	0.02	0.00
Retaildata	public	stores	Table	60	0.02	0.00
Retaildata	public	customer_addresses	Table	60	0.02	0.00
sample	public	customer_addresses	Table	60	0.02	0.00
sample	public	customers	Table	60	0.02	0.00
sample	public	employees	Table	60	0.02	0.00
sample	public	stores	Table	60	0.02	0.00
sample	public	suppliers	Table	60	0.02	0.00
Retaildata	public	products	Table	60	0.01	0.00
Retaildata	public	inventory_transactions	Table	60	0.01	0.00
Retaildata	public	order_items	Table	60	0.01	0.00
Retaildata	public	orders	Table	60	0.01	0.00
Retaildata	public	product_suppliers	Table	60	0.01	0.00
sample	public	orders	Table	60	0.01	0.00
sample	public	product_suppliers	Table	60	0.01	0.00
sample	public	products	Table	60	0.01	0.00
sample	public	inventory_transactions	Table	60	0.01	0.00
sample	public	order_items	Table	60	0.01	0.00
Retaildata	public	customers	Table	30	0.02	0.00
ats_db_dev	public	applicant_skills	Table	28	0.02	0.00
ats_db_dev	public	tags	Table	26	0.03	0.00

Database	Schema	Table Name	Relation Type	Row Count	Size (MB)	Size (GB)
ats_db_dev	public	audit_logs	Table	24	0.03	0.00
ats_db_dev	public	login_monitoring_events	Table	19	0.09	0.00
ats_db_dev	public	skills	Table	18	0.03	0.00
ats_db_dev	public	job_posting_tags	Table	16	0.02	0.00
ats_db_dev	public	job_posting_interview_stages	Table	15	0.03	0.00
ats_db_dev	public	states	Table	14	0.03	0.00
ats_db_dev	public	designations	Table	13	0.03	0.00
ats_db_dev	public	refresh_tokens	Table	12	0.06	0.00
ats_db_dev	public	colleges	Table	10	0.03	0.00
ats_db_dev	public	interviews	Table	10	0.03	0.00
ats_db_dev	public	visa_types	Table	8	0.03	0.00
ats_db_dev	public	departments	Table	8	0.03	0.00
ats_db_dev	public	countries	Table	8	0.03	0.00
ats_db_dev	public	profile_sources	Table	8	0.03	0.00
ats_db_dev	public	applicants	Table	7	0.45	0.00
ats_db_dev	public	applications	Table	7	0.41	0.00
ats_db_dev	public	application_recruiter_assignments	Table	7	0.02	0.00
ats_db_dev	public	interview_feedbacks	Table	6	0.08	0.00
ats_db_dev	public	users	Table	6	0.05	0.00
ats_db_dev	public	clients	Table	6	0.03	0.00
ats_db_dev	public	employment_types	Table	6	0.03	0.00
ats_db_dev	public	job_postings	Table	6	0.03	0.00
ats_db_dev	public	job_posting_recruiter_assignments	Table	5	0.07	0.00
ats_db_dev	public	qualifications	Table	5	0.03	0.00
ats_db_dev	public	interview_types	Table	5	0.03	0.00

Database	Schema	Table Name	Relation Type	Row Count	Size (MB)	Size (GB)
ats_db_dev	public	roles	Table	4	0.05	0.00
ats_db_dev	public	ai_company_configurations	Table	1	0.06	0.00
metadata_demo	hr	employees	Table	0	0.04	0.00
metadata_demo	sales	customers	Table	0	0.04	0.00
metadata_demo	hr	departments	Table	0	0.04	0.00
ats_db_dev	public	password_reset_tokens	Table	0	0.03	0.00
ats_db_dev	public	placement_officers	Table	0	0.02	0.00
ats_db_dev	public	freshers	Table	0	0.02	0.00
ats_db_dev	public	campus_colleges	Table	0	0.02	0.00
ecommerce	staging	stg_orders	Table	0	0.02	0.00
metadata_demo	sales	orders	Table	0	0.02	0.00
metadata_demo	inventory	products	Table	0	0.02	0.00
metadata_demo	hr	employee_notes	Table	0	0.02	0.00
pittr_demo	public	customers	Table	0	0.02	0.00
pittr_test	public	customers	Table	0	0.02	0.00
postgres	public	customers	Table	0	0.02	0.00
retail	public	customers	Table	0	0.02	0.00
retail	public	orders	Table	0	0.02	0.00
retail_db	public	customers	Table	0	0.02	0.00
retail_db	public	orders	Table	0	0.02	0.00
retail_db	public	order_items	Table	0	0.02	0.00
retail_db	public	products	Table	0	0.02	0.00
retail_db	public	payments	Table	0	0.02	0.00
metadata_demo	inventory	stock_transactions	Table	0	0.01	0.00
metadata_demo	sales	order_items	Table	0	0.01	0.00

Database	Schema	Table Name	Relation Type	Row Count	Size (MB)	Size (GB)
metadata_demo	public	sales_2024	Table	0	0.01	0.00
metadata_demo	public	sales_2025	Table	0	0.01	0.00
metadata_demo	public	sales_2026	Table	0	0.01	0.00
postgres	staging	stg_orders	Table	0	0.01	0.00
metadata_demo	public	sales	Partitioned Table	0	0.00	0.00
metadata_demo	public	customers	Table	0	0.00	0.00

6. Tablespace usage

Note: PostgreSQL tablespaces and the size of objects stored in each.

Tablespace Name	Owner	Location	Size (GB)
pg_global	postgres	C:/Program Files/PostgreSQL/18/data	0.00
pg_default	postgres	C:/Program Files/PostgreSQL/18/data	0.00

7. Tablespace object storage

Note: Object storage assigned to each PostgreSQL tablespace, including objects that inherit the current database's default tablespace.

Tablespace Name	Object Count	Total Object Size (GB)
pg_default	4	0.00
pg_global	0	0.00

8. Database files / physical layout

Note: PostgreSQL exposes data directories and tablespace locations rather than Oracle-style DBA_DATA_FILES.

Database File / Tablespace	Location
pg_default	C:/Program Files/PostgreSQL/18/data
pg_global	C:/Program Files/PostgreSQL/18/data

9. Master (Parent) tables

Note: Tables referenced by foreign-key constraints.

Schema	Parent Table	Child FK Count	Referencing Child Tables
public	users	11	public.applicants, public.application_recruiter_assignments, public.applications, public.audit_logs, public.interview_feedbacks, public.interviews, public.job_posting_recruiter_assignments, public.login_monitoring_events, public.password_reset_tokens, public.refresh_tokens
public	job_postings	4	public.applications, public.job_posting_interview_stages, public.job_posting_recruiter_assignments, public.job_posting_tags
public	countries	3	public.applicants, public.states
public	applicants	2	public.applicant_skills, public.applications
public	applications	2	public.application_recruiter_assignments, public.interviews
public	campus_colleges	2	public.freshers, public.placement_officers
public	interview_types	2	public.interviews, public.job_posting_interview_stages
public	states	2	public.applicants
public	clients	1	public.job_postings
public	departments	1	public.job_postings
public	designations	1	public.applicants
public	employment_types	1	public.job_postings
public	interviews	1	public.interview_feedbacks
public	job_posting_interview_stages	1	public.interviews
public	profile_sources	1	public.applicants
public	qualifications	1	public.applicants
public	roles	1	public.users
public	skills	1	public.applicant_skills
public	tags	1	public.job_posting_tags
public	visa_types	1	public.applicants

Schema	Parent Table	Child FK Count	Referencing Child Tables
inventory	products	1	inventory.stock_transactions
sales	customers	1	sales.orders
sales	orders	1	sales.order_items
public	customers	1	public.orders
public	customers	1	public.orders
public	orders	1	public.order_items
public	products	1	public.order_items

10. Child tables

Note: Tables containing foreign keys referencing parent tables.

Schema	Child Table	Parent FK Count	Referenced Parent Tables
public	applicants	9	public.countries, public.designations, public.profile_sources, public.qualifications, public.states, public.users, public.visa_types
public	interviews	5	public.applications, public.interview_types, public.job_posting_interview_stages, public.users
public	applications	3	public.applicants, public.job_postings, public.users
public	job_postings	3	public.clients, public.departments, public.employment_types
public	applicant_skills	2	public.applicants, public.skills
public	application_recruiter_assignments	2	public.applications, public.users
public	interview_feedbacks	2	public.interviews, public.users
public	job_posting_interview_stages	2	public.interview_types, public.job_postings
public	job_posting_recruiter_assignments	2	public.job_postings, public.users
public	job_posting_tags	2	public.job_postings, public.tags
public	audit_logs	1	public.users
public	freshers	1	public.campus_colleges
public	login_monitoring_events	1	public.users
public	password_reset_tokens	1	public.users
public	placement_officers	1	public.campus_colleges
public	refresh_tokens	1	public.users
public	states	1	public.countries
public	users	1	public.roles
inventory	stock_transactions	1	inventory.products
sales	order_items	1	sales.orders
sales	orders	1	sales.customers

Schema	Child Table	Parent FK Count	Referenced Parent Tables
public	orders	1	public.customers
public	order_items	2	public.orders, public.products
public	orders	1	public.customers

11. Independent tables

Note: Tables with no incoming or outgoing foreign-key relationships.

Schema	Table Name
public	customer_addresses
public	customers
public	employees
public	inventory_transactions
public	order_items
public	orders
public	product_suppliers
public	products
public	stores
public	suppliers
public	ai_company_configurations
public	colleges
staging	stg_orders
hr	departments
hr	employee_notes
hr	employees
public	customers
public	sales
public	sales_2024
public	sales_2025
public	sales_2026
public	customers

Schema	Table Name
public	customers
public	customers
staging	stg_orders
public	payments
public	customer_addresses
public	customers
public	employees
public	inventory_transactions
public	order_items
public	orders
public	product_suppliers
public	products
public	stores
public	suppliers

12. Large unpartitioned tables

Note: Large tables that are not partitioned, for partitioning review.

Schema	Table Name	Size (MB)	Size (GB)
public	employees	0.02	0.00
public	suppliers	0.02	0.00
public	stores	0.02	0.00
public	customer_addresses	0.02	0.00
public	customers	0.02	0.00
public	product_suppliers	0.01	0.00
public	order_items	0.01	0.00
public	orders	0.01	0.00
public	inventory_transactions	0.01	0.00
public	products	0.01	0.00
public	applicants	0.45	0.00
public	applications	0.41	0.00
public	login_monitoring_events	0.09	0.00
public	interview_feedbacks	0.08	0.00
public	job_posting_recruiter_assignments	0.07	0.00
public	ai_company_configurations	0.06	0.00
public	refresh_tokens	0.06	0.00
public	roles	0.05	0.00
public	users	0.05	0.00
public	designations	0.03	0.00
public	colleges	0.03	0.00
public	interview_types	0.03	0.00

Schema	Table Name	Size (MB)	Size (GB)
public	employment_types	0.03	0.00
public	visa_types	0.03	0.00
public	tags	0.03	0.00
public	states	0.03	0.00
public	audit_logs	0.03	0.00
public	skills	0.03	0.00
public	interviews	0.03	0.00
public	job_posting_interview_stages	0.03	0.00
public	departments	0.03	0.00
public	password_reset_tokens	0.03	0.00
public	clients	0.03	0.00
public	job_postings	0.03	0.00
public	profile_sources	0.03	0.00
public	qualifications	0.03	0.00
public	countries	0.03	0.00
public	application_recruiter_assignments	0.02	0.00
public	applicant_skills	0.02	0.00
public	job_posting_tags	0.02	0.00
public	freshers	0.02	0.00
public	campus_colleges	0.02	0.00
public	placement_officers	0.02	0.00
staging	stg_orders	0.02	0.00
hr	employees	0.04	0.00
sales	customers	0.04	0.00
hr	departments	0.04	0.00

Schema	Table Name	Size (MB)	Size (GB)
inventory	products	0.02	0.00
sales	orders	0.02	0.00
hr	employee_notes	0.02	0.00
inventory	stock_transactions	0.01	0.00
sales	order_items	0.01	0.00
public	customers	0.00	0.00
public	customers	0.02	0.00
public	customers	0.02	0.00
public	customers	0.02	0.00
staging	stg_orders	0.01	0.00
public	customers	0.02	0.00
public	orders	0.02	0.00
public	customers	0.02	0.00
public	orders	0.02	0.00
public	order_items	0.02	0.00
public	products	0.02	0.00
public	payments	0.02	0.00
public	customer_addresses	0.02	0.00
public	customers	0.02	0.00
public	employees	0.02	0.00
public	stores	0.02	0.00
public	suppliers	0.02	0.00
public	orders	0.01	0.00
public	product_suppliers	0.01	0.00
public	products	0.01	0.00

Schema	Table Name	Size (MB)	Size (GB)
public	inventory_transactions	0.01	0.00
public	order_items	0.01	0.00

13. Partition inventory

Note: Partitioned tables and their child partition counts.

Schema	Parent Table	Partition Count
public	sales	3

14. Detailed partition information

Note: Partition hierarchy and partition bounds.

Schema	Parent Table	Partition Name	Partition Bound
public	sales	sales_2024	FOR VALUES FROM ('2024-01-01') TO ('2025-01-01')
public	sales	sales_2025	FOR VALUES FROM ('2025-01-01') TO ('2026-01-01')
public	sales	sales_2026	FOR VALUES FROM ('2026-01-01') TO ('2027-01-01')

15. Large object columns

Note: Columns using PostgreSQL large-value types such as bytea, text and XML.

Schema	Table Name	Column Name	Data Type
public	applicants	resume_blob	bytea
public	applicants	summary_text	text
public	applications	notes	text
public	applications	resume_blob	bytea
public	interview_feedbacks	comments	text
public	interviews	schedule_notes	text
public	interviews	meeting_link	text
public	interviews	reschedule_reason	text
public	interviews	comments	text
public	job_postings	description	text
public	login_monitoring_events	failure_reason	text
public	login_monitoring_events	user_agent	text
public	roles	description	text
hr	employee_notes	note	text
public	pg_stat_statements	query	text

16. JSON / JSONB columns

Note: Columns explicitly defined with PostgreSQL json or jsonb data types.

Schema	Table Name	Column Name	Data Type
public	applicants	parsed_resume_json	json
public	audit_logs	details	json
public	interviews	secondary_interviewer_user_ids	json
public	interviews	interviewer_response_statuses	json
public	job_posting_interview_stages	feedback_required_fields	json

17. Primary keys

Note: Primary-key constraints and their definitions.

Schema	Table Name	Constraint Name	Definition
public	ai_company_configurations	ai_company_configurations_pkey	PRIMARY KEY (id)
public	applicant_skills	applicant_skills_pkey	PRIMARY KEY (applicant_id, skill_id)
public	applicants	applicants_pkey	PRIMARY KEY (id)
public	application_recruiter_assignments	application_recruiter_assignments_pkey	PRIMARY KEY (application_id, recruiter_user_id)
public	applications	applications_pkey	PRIMARY KEY (id)
public	audit_logs	audit_logs_pkey	PRIMARY KEY (id)
public	campus_colleges	campus_colleges_pkey	PRIMARY KEY (id)
public	clients	clients_pkey	PRIMARY KEY (id)
public	colleges	colleges_pkey	PRIMARY KEY (id)
public	countries	countries_pkey	PRIMARY KEY (id)
public	departments	departments_pkey	PRIMARY KEY (id)
public	designations	designations_pkey	PRIMARY KEY (id)
public	employment_types	employment_types_pkey	PRIMARY KEY (id)
public	freshers	freshers_pkey	PRIMARY KEY (id)
public	interview_feedbacks	interview_feedbacks_pkey	PRIMARY KEY (id)
public	interview_types	interview_types_pkey	PRIMARY KEY (id)
public	interviews	interviews_pkey	PRIMARY KEY (id)
public	job_posting_interview_stages	job_posting_interview_stages_pkey	PRIMARY KEY (id)
public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_pkey	PRIMARY KEY (id)
public	job_posting_tags	job_posting_tags_pkey	PRIMARY KEY (job_posting_id, tag_id)
public	job_postings	job_postings_pkey	PRIMARY KEY (id)
public	login_monitoring_events	login_monitoring_events_pkey	PRIMARY KEY (id)

Schema	Table Name	Constraint Name	Definition
public	password_reset_tokens	password_reset_tokens_pkey	PRIMARY KEY (id)
public	placement_officers	placement_officers_pkey	PRIMARY KEY (id)
public	profile_sources	profile_sources_pkey	PRIMARY KEY (id)
public	qualifications	qualifications_pkey	PRIMARY KEY (id)
public	refresh_tokens	refresh_tokens_pkey	PRIMARY KEY (id)
public	roles	roles_pkey	PRIMARY KEY (id)
public	skills	skills_pkey	PRIMARY KEY (id)
public	states	states_pkey	PRIMARY KEY (id)
public	tags	tags_pkey	PRIMARY KEY (id)
public	users	users_pkey	PRIMARY KEY (id)
public	visa_types	visa_types_pkey	PRIMARY KEY (id)
staging	stg_orders	pk_stg_orders	PRIMARY KEY (event_id)
hr	departments	departments_pkey	PRIMARY KEY (department_id)
hr	employees	employees_pkey	PRIMARY KEY (employee_id)
inventory	products	products_pkey	PRIMARY KEY (product_id)
inventory	stock_transactions	stock_transactions_pkey	PRIMARY KEY (transaction_id)
sales	customers	customers_pkey	PRIMARY KEY (customer_id)
sales	order_items	order_items_pkey	PRIMARY KEY (order_item_id)
sales	orders	orders_pkey	PRIMARY KEY (order_id)
public	customers	customers_pkey	PRIMARY KEY (customer_id)
public	customers	customers_pkey	PRIMARY KEY (customer_id)
public	customers	customers_pkey	PRIMARY KEY (customer_id)
staging	stg_orders	pk_stg_orders	PRIMARY KEY (event_id)
public	customers	customers_pkey	PRIMARY KEY (customer_id)
public	orders	orders_pkey	PRIMARY KEY (order_id)

Schema	Table Name	Constraint Name	Definition
public	customers	customers_pkey	PRIMARY KEY (customer_id)
public	order_items	order_items_pkey	PRIMARY KEY (order_item_id)
public	orders	orders_pkey	PRIMARY KEY (order_id)
public	payments	payments_pkey	PRIMARY KEY (payment_id)
public	products	products_pkey	PRIMARY KEY (product_id)

18. Tables without primary keys

Note: User tables without an explicit primary-key constraint.

Schema	Table Name
public	customer_addresses
public	customers
public	employees
public	inventory_transactions
public	order_items
public	orders
public	product_suppliers
public	products
public	stores
public	suppliers
hr	employee_notes
public	customers
public	sales
public	sales_2024
public	sales_2025
public	sales_2026
public	customer_addresses
public	customers
public	employees
public	inventory_transactions
public	order_items
public	orders

Schema	Table Name
public	product_suppliers
public	products
public	stores
public	suppliers

19. All indexes

Note: PostgreSQL index inventory and status.

Schema	Table Name	Index Name	Index Scans	Size (MB)	Size (GB)
public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_recruiter_user_id	0	0.02	0.00
public	applicant_skills	applicant_skills_pkey	0	0.02	0.00
public	applicants	applicants_pkey	0	0.02	0.00
public	application_recruiter_assignments	application_recruiter_assignments_pkey	0	0.02	0.00
public	applications	applications_pkey	0	0.02	0.00
public	audit_logs	audit_logs_pkey	0	0.02	0.00
public	refresh_tokens	ix_refresh_tokens_jti	0	0.02	0.00
public	refresh_tokens	ix_refresh_tokens_user_id	0	0.02	0.00
public	roles	ix_roles_code	0	0.02	0.00
public	users	ix_users_email	0	0.02	0.00
public	applicants	uq_applicants_email_lower_nonblank	0	0.02	0.00
public	applicants	uq_applicants_phone_nonblank	0	0.02	0.00
public	clients	clients_pkey	0	0.02	0.00
public	colleges	colleges_pkey	0	0.02	0.00
public	countries	countries_pkey	0	0.02	0.00
public	departments	departments_pkey	0	0.02	0.00
public	designations	designations_pkey	0	0.02	0.00
public	employment_types	employment_types_pkey	0	0.02	0.00
public	interview_feedbacks	interview_feedbacks_pkey	0	0.02	0.00
public	interview_types	interview_types_pkey	0	0.02	0.00
public	interviews	interviews_pkey	0	0.02	0.00
public	job_posting_interview_stages	job_posting_interview_stages_pkey	0	0.02	0.00

Schema	Table Name	Index Name	Index Scans	Size (MB)	Size (GB)
public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_pkey	0	0.02	0.00
public	job_posting_tags	job_posting_tags_pkey	0	0.02	0.00
public	job_postings	job_postings_pkey	0	0.02	0.00
public	login_monitoring_events	login_monitoring_events_pkey	0	0.02	0.00
public	profile_sources	profile_sources_pkey	0	0.02	0.00
public	qualifications	qualifications_pkey	0	0.02	0.00
public	refresh_tokens	refresh_tokens_pkey	0	0.02	0.00
public	roles	roles_pkey	0	0.02	0.00
public	skills	skills_pkey	0	0.02	0.00
public	states	states_pkey	0	0.02	0.00
public	tags	tags_pkey	0	0.02	0.00
public	ai_company_configurations	uq_ai_company_configuration_company_name	0	0.02	0.00
public	applications	uq_applicant_job	0	0.02	0.00
public	interview_feedbacks	uq_interview_feedback_interviewer	0	0.02	0.00
public	job_posting_recruiter_assignments	uq_job_posting_recruiter_user	0	0.02	0.00
public	users	users_pkey	0	0.02	0.00
public	visa_types	visa_types_pkey	0	0.02	0.00
public	ai_company_configurations	ix_ai_company_configurations_company_name	0	0.02	0.00
public	interview_feedbacks	ix_interview_feedbacks_interview_id	0	0.02	0.00
public	interview_feedbacks	ix_interview_feedbacks_interviewer_user_id	0	0.02	0.00
public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_job_posting_id	0	0.02	0.00
public	ai_company_configurations	ai_company_configurations_pkey	0	0.02	0.00
public	login_monitoring_events	ix_login_monitoring_events_created_at	0	0.02	0.00
public	login_monitoring_events	ix_login_monitoring_events_email	0	0.02	0.00
public	login_monitoring_events	ix_login_monitoring_events_login_status	0	0.02	0.00

Schema	Table Name	Index Name	Index Scans	Size (MB)	Size (GB)
public	login_monitoring_events	ix_login_monitoring_events_user_id	0	0.02	0.00
public	campus_colleges	campus_colleges_pkey	0	0.01	0.00
public	password_reset_tokens	ix_password_reset_tokens_user_id	0	0.01	0.00
public	freshers	freshers_pkey	0	0.01	0.00
public	password_reset_tokens	password_reset_tokens_pkey	0	0.01	0.00
public	placement_officers	placement_officers_pkey	0	0.01	0.00
public	password_reset_tokens	ix_password_reset_tokens_token_hash	0	0.01	0.00
staging	stg_orders	pk_stg_orders	0	0.02	0.00
hr	employees	employees_pkey	0	0.02	0.00
hr	employees	employees_email_key	0	0.02	0.00
hr	departments	departments_pkey	0	0.02	0.00
hr	departments	departments_department_name_key	0	0.02	0.00
sales	customers	customers_pkey	0	0.02	0.00
sales	customers	customers_email_key	0	0.02	0.00
sales	orders	orders_pkey	0	0.02	0.00
inventory	products	products_pkey	0	0.02	0.00
inventory	stock_transactions	stock_transactions_pkey	0	0.01	0.00
sales	order_items	order_items_pkey	0	0.01	0.00
public	customers	customers_pkey	0	0.02	0.00
public	customers	customers_pkey	0	0.02	0.00
public	customers	customers_pkey	0	0.02	0.00
staging	stg_orders	pk_stg_orders	0	0.01	0.00
public	customers	customers_pkey	0	0.02	0.00
public	orders	orders_pkey	0	0.02	0.00
public	customers	customers_pkey	0	0.02	0.00

Schema	Table Name	Index Name	Index Scans	Size (MB)	Size (GB)
public	products	products_pkey	0	0.02	0.00
public	orders	orders_pkey	0	0.02	0.00
public	order_items	order_items_pkey	0	0.02	0.00
public	payments	payments_pkey	0	0.02	0.00

20. Index columns

Note: Columns and positions used by each index.

Schema	Table Name	Index Name	Column Position	Column Name
public	ai_company_configurations	ai_company_configurations_pkey	0	id
public	ai_company_configurations	ix_ai_company_configurations_company_name	0	company_name
public	ai_company_configurations	uq_ai_company_configuration_company_name	0	company_name
public	applicant_skills	applicant_skills_pkey	0	applicant_id
public	applicant_skills	applicant_skills_pkey	1	skill_id
public	applicants	applicants_pkey	0	id
public	applicants	uq_applicants_phone_nonblank	0	phone
public	application_recruiter_assignments	application_recruiter_assignments_pkey	0	application_id
public	application_recruiter_assignments	application_recruiter_assignments_pkey	1	recruiter_user_id
public	applications	applications_pkey	0	id
public	applications	uq_applicant_job	0	applicant_id
public	applications	uq_applicant_job	1	job_posting_id
public	audit_logs	audit_logs_pkey	0	id
public	campus_colleges	campus_colleges_pkey	0	id
public	clients	clients_pkey	0	id
public	colleges	colleges_pkey	0	id
public	countries	countries_pkey	0	id
public	departments	departments_pkey	0	id
public	designations	designations_pkey	0	id
public	employment_types	employment_types_pkey	0	id
public	freshers	freshers_pkey	0	id
public	interview_feedbacks	interview_feedbacks_pkey	0	id

Schema	Table Name	Index Name	Column Position	Column Name
public	interview_feedbacks	ix_interview_feedbacks_interview_id	0	interview_id
public	interview_feedbacks	ix_interview_feedbacks_interviewer_user_id	0	interviewer_user_id
public	interview_feedbacks	uq_interview_feedback_interviewer	0	interview_id
public	interview_feedbacks	uq_interview_feedback_interviewer	1	interviewer_user_id
public	interview_types	interview_types_pkey	0	id
public	interviews	interviews_pkey	0	id
public	job_posting_interview_stages	job_posting_interview_stages_pkey	0	id
public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_job_posting_id	0	job_posting_id
public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_recruiter_user_id	0	recruiter_user_id
public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_pkey	0	id
public	job_posting_recruiter_assignments	uq_job_posting_recruiter_user	0	job_posting_id
public	job_posting_recruiter_assignments	uq_job_posting_recruiter_user	1	recruiter_user_id
public	job_posting_tags	job_posting_tags_pkey	0	job_posting_id
public	job_posting_tags	job_posting_tags_pkey	1	tag_id
public	job_postings	job_postings_pkey	0	id
public	login_monitoring_events	ix_login_monitoring_events_created_at	0	created_at
public	login_monitoring_events	ix_login_monitoring_events_email	0	email
public	login_monitoring_events	ix_login_monitoring_events_login_status	0	login_status
public	login_monitoring_events	ix_login_monitoring_events_user_id	0	user_id
public	login_monitoring_events	login_monitoring_events_pkey	0	id
public	password_reset_tokens	ix_password_reset_tokens_token_hash	0	token_hash
public	password_reset_tokens	ix_password_reset_tokens_user_id	0	user_id
public	password_reset_tokens	password_reset_tokens_pkey	0	id
public	placement_officers	placement_officers_pkey	0	id
public	profile_sources	profile_sources_pkey	0	id

Schema	Table Name	Index Name	Column Position	Column Name
public	qualifications	qualifications_pkey	0	id
public	refresh_tokens	ix_refresh_tokens_jti	0	jti
public	refresh_tokens	ix_refresh_tokens_user_id	0	user_id
public	refresh_tokens	refresh_tokens_pkey	0	id
public	roles	ix_roles_code	0	code
public	roles	roles_pkey	0	id
public	skills	skills_pkey	0	id
public	states	states_pkey	0	id
public	tags	tags_pkey	0	id
public	users	ix_users_email	0	email
public	users	users_pkey	0	id
public	visa_types	visa_types_pkey	0	id
staging	stg_orders	pk_stg_orders	0	event_id
hr	departments	departments_department_name_key	0	department_name
hr	departments	departments_pkey	0	department_id
hr	employees	employees_email_key	0	email
hr	employees	employees_pkey	0	employee_id
inventory	products	products_pkey	0	product_id
inventory	stock_transactions	stock_transactions_pkey	0	transaction_id
sales	customers	customers_email_key	0	email
sales	customers	customers_pkey	0	customer_id
sales	order_items	order_items_pkey	0	order_item_id
sales	orders	orders_pkey	0	order_id
public	customers	customers_pkey	0	customer_id
public	customers	customers_pkey	0	customer_id

Schema	Table Name	Index Name	Column Position	Column Name
public	customers	customers_pkey	0	customer_id
staging	stg_orders	pk_stg_orders	0	event_id
public	customers	customers_pkey	0	customer_id
public	orders	orders_pkey	0	order_id
public	customers	customers_pkey	0	customer_id
public	order_items	order_items_pkey	0	order_item_id
public	orders	orders_pkey	0	order_id
public	payments	payments_pkey	0	payment_id
public	products	products_pkey	0	product_id

21. Index count by table

Note: Number of indexes defined on each user table.

Database	Schema	Table Name	Index Count
ats_db_dev	public	login_monitoring_events	5
ats_db_dev	public	interview_feedbacks	4
ats_db_dev	public	job_posting_recruiter_assignments	4
ats_db_dev	public	ai_company_configurations	3
ats_db_dev	public	applicants	3
ats_db_dev	public	password_reset_tokens	3
ats_db_dev	public	refresh_tokens	3
ats_db_dev	public	applications	2
ats_db_dev	public	roles	2
ats_db_dev	public	users	2
metadata_demo	hr	departments	2
metadata_demo	hr	employees	2
metadata_demo	sales	customers	2
ats_db_dev	public	applicant_skills	1
ats_db_dev	public	application_recruiter_assignments	1
ats_db_dev	public	audit_logs	1
ats_db_dev	public	campus_colleges	1
ats_db_dev	public	clients	1
ats_db_dev	public	colleges	1
ats_db_dev	public	countries	1
ats_db_dev	public	departments	1
ats_db_dev	public	designations	1

Database	Schema	Table Name	Index Count
ats_db_dev	public	employment_types	1
ats_db_dev	public	freshers	1
ats_db_dev	public	interview_types	1
ats_db_dev	public	interviews	1
ats_db_dev	public	job_posting_interview_stages	1
ats_db_dev	public	job_posting_tags	1
ats_db_dev	public	job_postings	1
ats_db_dev	public	placement_officers	1
ats_db_dev	public	profile_sources	1
ats_db_dev	public	qualifications	1
ats_db_dev	public	skills	1
ats_db_dev	public	states	1
ats_db_dev	public	tags	1
ats_db_dev	public	visa_types	1
ecommerce	staging	stg_orders	1
metadata_demo	inventory	products	1
metadata_demo	inventory	stock_transactions	1
metadata_demo	sales	order_items	1
metadata_demo	sales	orders	1
pittr_demo	public	customers	1
pittr_test	public	customers	1
postgres	public	customers	1
postgres	staging	stg_orders	1
retail	public	customers	1
retail	public	orders	1

Database	Schema	Table Name	Index Count
retail_db	public	customers	1
retail_db	public	order_items	1
retail_db	public	orders	1
retail_db	public	payments	1
retail_db	public	products	1

22. Largest indexes

Note: Largest user indexes by physical size.

Database	Schema	Table Name	Index Name	Size (MB)	Size (GB)
ats_db_dev	public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_recruiter_user_id	0.02	0.00
ats_db_dev	public	applicant_skills	applicant_skills_pkey	0.02	0.00
ats_db_dev	public	applicants	applicants_pkey	0.02	0.00
ats_db_dev	public	application_recruiter_assignments	application_recruiter_assignments_pkey	0.02	0.00
ats_db_dev	public	applications	applications_pkey	0.02	0.00
ats_db_dev	public	audit_logs	audit_logs_pkey	0.02	0.00
ats_db_dev	public	refresh_tokens	ix_refresh_tokens_jti	0.02	0.00
ats_db_dev	public	refresh_tokens	ix_refresh_tokens_user_id	0.02	0.00
ats_db_dev	public	roles	ix_roles_code	0.02	0.00
ats_db_dev	public	users	ix_users_email	0.02	0.00
ats_db_dev	public	applicants	uq_applicants_email_lower_nonblank	0.02	0.00
ats_db_dev	public	applicants	uq_applicants_phone_nonblank	0.02	0.00
ats_db_dev	public	clients	clients_pkey	0.02	0.00
ats_db_dev	public	colleges	colleges_pkey	0.02	0.00
ats_db_dev	public	countries	countries_pkey	0.02	0.00
ats_db_dev	public	departments	departments_pkey	0.02	0.00
ats_db_dev	public	designations	designations_pkey	0.02	0.00
ats_db_dev	public	employment_types	employment_types_pkey	0.02	0.00
ats_db_dev	public	interview_feedbacks	interview_feedbacks_pkey	0.02	0.00
ats_db_dev	public	interview_types	interview_types_pkey	0.02	0.00
ats_db_dev	public	interviews	interviews_pkey	0.02	0.00
ats_db_dev	public	job_posting_interview_stages	job_posting_interview_stages_pkey	0.02	0.00

Database	Schema	Table Name	Index Name	Size (MB)	Size (GB)
ats_db_dev	public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_pkey	0.02	0.00
ats_db_dev	public	job_posting_tags	job_posting_tags_pkey	0.02	0.00
ats_db_dev	public	job_postings	job_postings_pkey	0.02	0.00
ats_db_dev	public	login_monitoring_events	login_monitoring_events_pkey	0.02	0.00
ats_db_dev	public	profile_sources	profile_sources_pkey	0.02	0.00
ats_db_dev	public	qualifications	qualifications_pkey	0.02	0.00
ats_db_dev	public	refresh_tokens	refresh_tokens_pkey	0.02	0.00
ats_db_dev	public	roles	roles_pkey	0.02	0.00
ats_db_dev	public	skills	skills_pkey	0.02	0.00
ats_db_dev	public	states	states_pkey	0.02	0.00
ats_db_dev	public	tags	tags_pkey	0.02	0.00
ats_db_dev	public	ai_company_configurations	uq_ai_company_configuration_company_name	0.02	0.00
ats_db_dev	public	applications	uq_applicant_job	0.02	0.00
ats_db_dev	public	interview_feedbacks	uq_interview_feedback_interviewer	0.02	0.00
ats_db_dev	public	job_posting_recruiter_assignments	uq_job_posting_recruiter_user	0.02	0.00
ats_db_dev	public	users	users_pkey	0.02	0.00
ats_db_dev	public	visa_types	visa_types_pkey	0.02	0.00
ats_db_dev	public	ai_company_configurations	ix_ai_company_configurations_company_name	0.02	0.00
ats_db_dev	public	interview_feedbacks	ix_interview_feedbacks_interview_id	0.02	0.00
ats_db_dev	public	interview_feedbacks	ix_interview_feedbacks_interviewer_user_id	0.02	0.00
ats_db_dev	public	job_posting_recruiter_assignments	ix_job_posting_recruiter_assignments_job_posting_id	0.02	0.00
ats_db_dev	public	ai_company_configurations	ai_company_configurations_pkey	0.02	0.00
ats_db_dev	public	login_monitoring_events	ix_login_monitoring_events_created_at	0.02	0.00
ats_db_dev	public	login_monitoring_events	ix_login_monitoring_events_email	0.02	0.00
ats_db_dev	public	login_monitoring_events	ix_login_monitoring_events_login_status	0.02	0.00

Database	Schema	Table Name	Index Name	Size (MB)	Size (GB)
ats_db_dev	public	login_monitoring_events	ix_login_monitoring_events_user_id	0.02	0.00
ecommerce	staging	stg_orders	pk_stg_orders	0.02	0.00
metadata_demo	hr	employees	employees_pkey	0.02	0.00
metadata_demo	hr	employees	employees_email_key	0.02	0.00
metadata_demo	hr	departments	departments_pkey	0.02	0.00
metadata_demo	hr	departments	departments_department_name_key	0.02	0.00
metadata_demo	sales	customers	customers_pkey	0.02	0.00
metadata_demo	sales	customers	customers_email_key	0.02	0.00
metadata_demo	sales	orders	orders_pkey	0.02	0.00
metadata_demo	inventory	products	products_pkey	0.02	0.00
pitr_demo	public	customers	customers_pkey	0.02	0.00
pitr_test	public	customers	customers_pkey	0.02	0.00
postgres	public	customers	customers_pkey	0.02	0.00
retail	public	customers	customers_pkey	0.02	0.00
retail	public	orders	orders_pkey	0.02	0.00
retail_db	public	customers	customers_pkey	0.02	0.00
retail_db	public	products	products_pkey	0.02	0.00
retail_db	public	orders	orders_pkey	0.02	0.00
retail_db	public	order_items	order_items_pkey	0.02	0.00

Database	Schema	Table Name	Index Name	Size (MB)	Size (GB)
retail_db	public	payments	payments_pkey	0.02	0.00
ats_db_dev	public	campus_colleges	campus_colleges_pkey	0.01	0.00
ats_db_dev	public	password_reset_tokens	ix_password_reset_tokens_user_id	0.01	0.00
ats_db_dev	public	freshers	freshers_pkey	0.01	0.00
ats_db_dev	public	password_reset_tokens	password_reset_tokens_pkey	0.01	0.00
ats_db_dev	public	placement_officers	placement_officers_pkey	0.01	0.00
ats_db_dev	public	password_reset_tokens	ix_password_reset_tokens_token_hash	0.01	0.00
metadata_demo	inventory	stock_transactions	stock_transactions_pkey	0.01	0.00
metadata_demo	sales	order_items	order_items_pkey	0.01	0.00
postgres	staging	stg_orders	pk_stg_orders	0.01	0.00

23. Foreign keys / relationships

Note: Foreign-key relationship inventory.

Database	Schema	Table Name	Constraint Name	Definition
ats_db_dev	public	applicant_skills	applicant_skills_applicant_id_fkey	FOREIGN KEY (applicant_id) REFERENCES applicants(id)
ats_db_dev	public	applicant_skills	applicant_skills_skill_id_fkey	FOREIGN KEY (skill_id) REFERENCES skills(id)
ats_db_dev	public	applicants	applicants_current_country_id_fkey	FOREIGN KEY (current_country_id) REFERENCES countries(id)
ats_db_dev	public	applicants	applicants_current_state_id_fkey	FOREIGN KEY (current_state_id) REFERENCES states(id)
ats_db_dev	public	applicants	applicants_designation_id_fkey	FOREIGN KEY (designation_id) REFERENCES designations(id)
ats_db_dev	public	applicants	applicants_highest_qualification_id_fkey	FOREIGN KEY (highest_qualification_id) REFERENCES qualifications(id)
ats_db_dev	public	applicants	applicants_permanent_country_id_fkey	FOREIGN KEY (permanent_country_id) REFERENCES countries(id)
ats_db_dev	public	applicants	applicants_permanent_state_id_fkey	FOREIGN KEY (permanent_state_id) REFERENCES states(id)
ats_db_dev	public	applicants	applicants_profile_source_id_fkey	FOREIGN KEY (profile_source_id) REFERENCES profile_sources(id)
ats_db_dev	public	applicants	applicants_recruiter_user_id_fkey	FOREIGN KEY (recruiter_user_id) REFERENCES users(id)
ats_db_dev	public	applicants	applicants_visa_type_id_fkey	FOREIGN KEY (visa_type_id) REFERENCES visa_types(id)
ats_db_dev	public	application_recruiter_assignments	application_recruiter_assignments_application_id_fkey	FOREIGN KEY (application_id) REFERENCES applications(id)
ats_db_dev	public	application_recruiter_assignments	application_recruiter_assignments_recruiter_user_id_fkey	FOREIGN KEY (recruiter_user_id) REFERENCES users(id)
ats_db_dev	public	applications	applications_applicant_id_fkey	FOREIGN KEY (applicant_id) REFERENCES applicants(id)
ats_db_dev	public	applications	applications_assigned_recruiter_user_id_fkey	FOREIGN KEY (assigned_recruiter_user_id) REFERENCES users(id)
ats_db_dev	public	applications	applications_job_posting_id_fkey	FOREIGN KEY (job_posting_id) REFERENCES job_postings(id)

Database	Schema	Table Name	Constraint Name	Definition
ats_db_dev	public	audit_logs	audit_logs_actor_user_id_fkey	FOREIGN KEY (actor_user_id) REFERENCES users(id)
ats_db_dev	public	freshers	freshers_campus_college_id_fkey	FOREIGN KEY (campus_college_id) REFERENCES campus_colleges(id)
ats_db_dev	public	interview_feedbacks	interview_feedbacks_interview_id_fkey	FOREIGN KEY (interview_id) REFERENCES interviews(id)
ats_db_dev	public	interview_feedbacks	interview_feedbacks_interviewer_user_id_fkey	FOREIGN KEY (interviewer_user_id) REFERENCES users(id)
ats_db_dev	public	interviews	interviews_application_id_fkey	FOREIGN KEY (application_id) REFERENCES applications(id)
ats_db_dev	public	interviews	interviews_interview_type_id_fkey	FOREIGN KEY (interview_type_id) REFERENCES interview_types(id)
ats_db_dev	public	interviews	interviews_job_posting_stage_id_fkey	FOREIGN KEY (job_posting_stage_id) REFERENCES job_posting_interview_stages(id)
ats_db_dev	public	interviews	interviews_primary_interviewer_user_id_fkey	FOREIGN KEY (primary_interviewer_user_id) REFERENCES users(id)
ats_db_dev	public	interviews	interviews_scheduled_by_user_id_fkey	FOREIGN KEY (scheduled_by_user_id) REFERENCES users(id)
ats_db_dev	public	job_posting_interview_stages	job_posting_interview_stages_interview_type_default_id_fkey	FOREIGN KEY (interview_type_default_id) REFERENCES interview_types(id)
ats_db_dev	public	job_posting_interview_stages	job_posting_interview_stages_job_posting_id_fkey	FOREIGN KEY (job_posting_id) REFERENCES job_postings(id)
ats_db_dev	public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_job_posting_id_fkey	FOREIGN KEY (job_posting_id) REFERENCES job_postings(id)
ats_db_dev	public	job_posting_recruiter_assignments	job_posting_recruiter_assignments_recruiter_user_id_fkey	FOREIGN KEY (recruiter_user_id) REFERENCES users(id)
ats_db_dev	public	job_posting_tags	job_posting_tags_job_posting_id_fkey	FOREIGN KEY (job_posting_id) REFERENCES job_postings(id)
ats_db_dev	public	job_posting_tags	job_posting_tags_tag_id_fkey	FOREIGN KEY (tag_id) REFERENCES tags(id)
ats_db_dev	public	job_postings	job_postings_client_id_fkey	FOREIGN KEY (client_id) REFERENCES clients(id)
ats_db_dev	public	job_postings	job_postings_department_id_fkey	FOREIGN KEY (department_id) REFERENCES departments(id)

Database	Schema	Table Name	Constraint Name	Definition
ats_db_dev	public	job_postings	job_postings_employment_type_id_fkey	FOREIGN KEY (employment_type_id) REFERENCES employment_types(id)
ats_db_dev	public	login_monitoring_events	login_monitoring_events_user_id_fkey	FOREIGN KEY (user_id) REFERENCES users(id)
ats_db_dev	public	password_reset_tokens	password_reset_tokens_user_id_fkey	FOREIGN KEY (user_id) REFERENCES users(id)
ats_db_dev	public	placement_officers	placement_officers_campus_college_id_fkey	FOREIGN KEY (campus_college_id) REFERENCES campus_colleges(id)
ats_db_dev	public	refresh_tokens	refresh_tokens_user_id_fkey	FOREIGN KEY (user_id) REFERENCES users(id)
ats_db_dev	public	states	states_country_id_fkey	FOREIGN KEY (country_id) REFERENCES countries(id)
ats_db_dev	public	users	users_role_id_fkey	FOREIGN KEY (role_id) REFERENCES roles(id)
metadata_demo	inventory	stock_transactions	fk_stock_product	FOREIGN KEY (product_id) REFERENCES inventory.products(product_id)
metadata_demo	sales	order_items	fk_order_items_order	FOREIGN KEY (order_id) REFERENCES sales.orders(order_id)
metadata_demo	sales	orders	fk_orders_customer	FOREIGN KEY (customer_id) REFERENCES sales.customers(customer_id)
retail	public	orders	fk_customer	FOREIGN KEY (customer_id) REFERENCES customers(customer_id)
retail_db	public	order_items	order_items_order_id_fkey	FOREIGN KEY (order_id) REFERENCES orders(order_id)
retail_db	public	order_items	order_items_product_id_fkey	FOREIGN KEY (product_id) REFERENCES products(product_id)
retail_db	public	orders	orders_customer_id_fkey	FOREIGN KEY (customer_id) REFERENCES customers(customer_id)

24. Tables with many foreign-key relationships

Note: Tables with many foreign-key constraints.

Database	Schema	Table Name	Foreign Key Count
ats_db_dev	public	applicants	9
ats_db_dev	public	interviews	5
ats_db_dev	public	job_postings	3
ats_db_dev	public	applications	3
ats_db_dev	public	job_posting_recruiter_assignments	2
ats_db_dev	public	application_recruiter_assignments	2
ats_db_dev	public	interview_feedbacks	2
ats_db_dev	public	job_posting_interview_stages	2
ats_db_dev	public	applicant_skills	2
ats_db_dev	public	job_posting_tags	2
retail_db	public	order_items	2
ats_db_dev	public	placement_officers	1
ats_db_dev	public	login_monitoring_events	1
ats_db_dev	public	users	1
ats_db_dev	public	refresh_tokens	1
ats_db_dev	public	states	1
ats_db_dev	public	audit_logs	1
ats_db_dev	public	password_reset_tokens	1
ats_db_dev	public	freshers	1
metadata_demo	inventory	stock_transactions	1
metadata_demo	sales	order_items	1
metadata_demo	sales	orders	1

Database	Schema	Table Name	Foreign Key Count
retail	public	orders	1
retail_db	public	orders	1

25. Unique constraints

Note: Unique constraints inventory.

Schema	Table Name	Constraint Name	Definition
public	ai_company_configurations	uq_ai_company_configuration_company_name	UNIQUE (company_name)
public	applications	uq_applicant_job	UNIQUE (applicant_id, job_posting_id)
public	interview_feedbacks	uq_interview_feedback_interviewer	UNIQUE (interview_id, interviewer_user_id)
public	job_posting_recruiter_assignments	uq_job_posting_recruiter_user	UNIQUE (job_posting_id, recruiter_user_id)
hr	departments	departments_department_name_key	UNIQUE (department_name)
hr	employees	employees_email_key	UNIQUE (email)
sales	customers	customers_email_key	UNIQUE (email)

26. Duplicate/redundant index candidates

Note: Candidate duplicate indexes with the same normalized CREATE INDEX definition.

Schema	Table Name	Index A	Index B	Definition
public	ai_company_configurations	ix_ai_company_configurations_company_name	uq_ai_company_configuration_company_name	CREATE INDEX ON public.ai_company_configurations USING btree (company_name)

27. Character sets and collations

Note: Current database encoding and locale configuration.

Database Name	Database Encoding	Server Encoding	LC_COLLATE	LC_CTYPE
postgres	UTF8	UTF8	English_India.1252	English_India.1252

28. Tables with comments / documentation

Note: Table comments stored in PostgreSQL catalog.

Schema	Table Name	Comments
public	customers	Stores customer master information

29. Stored procedures

Note: Procedures created with CREATE PROCEDURE.

Schema	Procedure Name	Language	Owner	Definition
public	test_procedure	plpgsql	postgres	CREATE OR REPLACE PROCEDURE public.test_procedure() LANGUAGE plpgsql AS \$procedure\$ BEGIN RAISE NOTICE 'Test procedure executed'; END; \$procedure\$

30. Functions

Note: PostgreSQL functions inventory.

Schema	Function Name	Return Type	Language	Volatility
public	set_updated_at	trigger	plpgsql	v
public	set_updated_at	trigger	plpgsql	v

31. Views

Note: Regular and materialized view inventory.

Schema	View Name	Definition	Object Type
public	customer_view	SELECT customer_id, customer_name, email FROM customers;	VIEW

32. Triggers

Note: Table trigger inventory.

Schema	Table Name	Trigger Name	Definition
public	customer_addresses	trg_customer_addresses_updated_at	CREATE TRIGGER trg_customer_addresses_updated_at BEFORE UPDATE ON customer_addresses FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	customers	trg_customers_updated_at	CREATE TRIGGER trg_customers_updated_at BEFORE UPDATE ON customers FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	employees	trg_employees_updated_at	CREATE TRIGGER trg_employees_updated_at BEFORE UPDATE ON employees FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	inventory_transactions	trg_inventory_transactions_updated_at	CREATE TRIGGER trg_inventory_transactions_updated_at BEFORE UPDATE ON inventory_transactions FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	order_items	trg_order_items_updated_at	CREATE TRIGGER trg_order_items_updated_at BEFORE UPDATE ON order_items FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	orders	trg_orders_updated_at	CREATE TRIGGER trg_orders_updated_at BEFORE UPDATE ON orders FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	product_suppliers	trg_product_suppliers_updated_at	CREATE TRIGGER trg_product_suppliers_updated_at BEFORE UPDATE ON product_suppliers FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	products	trg_products_updated_at	CREATE TRIGGER trg_products_updated_at BEFORE UPDATE ON products FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	stores	trg_stores_updated_at	CREATE TRIGGER trg_stores_updated_at BEFORE UPDATE ON stores FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	suppliers	trg_suppliers_updated_at	CREATE TRIGGER trg_suppliers_updated_at BEFORE UPDATE ON suppliers FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	customer_addresses	trg_customer_addresses_updated_at	CREATE TRIGGER trg_customer_addresses_updated_at BEFORE UPDATE ON customer_addresses FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	customers	trg_customers_updated_at	CREATE TRIGGER trg_customers_updated_at BEFORE UPDATE ON customers FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	employees	trg_employees_updated_at	CREATE TRIGGER trg_employees_updated_at BEFORE UPDATE ON employees FOR EACH ROW EXECUTE FUNCTION set_updated_at()

Schema	Table Name	Trigger Name	Definition
public	inventory_transactions	trg_inventory_transactions_updated_at	CREATE TRIGGER trg_inventory_transactions_updated_at BEFORE UPDATE ON inventory_transactions FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	order_items	trg_order_items_updated_at	CREATE TRIGGER trg_order_items_updated_at BEFORE UPDATE ON order_items FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	orders	trg_orders_updated_at	CREATE TRIGGER trg_orders_updated_at BEFORE UPDATE ON orders FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	product_suppliers	trg_product_suppliers_updated_at	CREATE TRIGGER trg_product_suppliers_updated_at BEFORE UPDATE ON product_suppliers FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	products	trg_products_updated_at	CREATE TRIGGER trg_products_updated_at BEFORE UPDATE ON products FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	stores	trg_stores_updated_at	CREATE TRIGGER trg_stores_updated_at BEFORE UPDATE ON stores FOR EACH ROW EXECUTE FUNCTION set_updated_at()
public	suppliers	trg_suppliers_updated_at	CREATE TRIGGER trg_suppliers_updated_at BEFORE UPDATE ON suppliers FOR EACH ROW EXECUTE FUNCTION set_updated_at()

33. Scheduled jobs

Note: PostgreSQL pg_cron scheduled jobs inventory.

No records found.

34. Users and roles

Note: PostgreSQL role/account configuration.

Role Name	Superuser	Create DB	Create Role	Login	Replication	Connection Limit	Valid Until
airbyte_user	false	false	false	true	false	-1	Infinity
airflow	false	false	false	true	false	-1	Infinity
debezium	false	false	false	true	true	-1	Infinity
postgres	true	true	true	true	true	-1	Infinity
retail_extract_user	false	false	false	true	false	-1	Infinity
snowflake_connector	false	false	false	true	true	-1	Infinity

35. Tablespace status and configuration

Note: PostgreSQL tablespace definitions and physical locations.

Tablespace Name	Owner	Location
pg_default	postgres	C:/Program Files/PostgreSQL/18/data
pg_global	postgres	C:/Program Files/PostgreSQL/18/data

36. Shared memory / memory configuration

Note: PostgreSQL memory-related configuration such as shared_buffers and work_mem.

Parameter	Setting	Unit
effective_cache_size	524288	8kB
huge_pages	try	-
maintenance_work_mem	65536	kB
shared_buffers	16384	8kB
temp_buffers	1024	8kB
wal_buffers	512	8kB
work_mem	4096	kB

37. Memory and cache statistics

Note: PostgreSQL cache-hit and backend activity statistics.

Metric	Value
blks_hit	7026654
blks_read	6012
temp_bytes	0

38. Temporary file usage

Note: Temporary-file generation by database (only databases with active temp file usage are displayed).

No records found.

39. Sessions and connections

Note: Current PostgreSQL backend sessions grouped by state.

State	Session Count
idle	12
unknown	9
active	1

40. Long-running sessions / queries

Note: Active sessions running for at least five minutes.

No records found.

41. Locks

Note: Current locks held or awaited by PostgreSQL sessions, including default VirtualXID and catalog locks.

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
19708	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
19708	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata
19708	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	Retaildata
19708	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	Retaildata
10944	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	airflow

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
10944	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	airflow
10944	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	relation	AccessShare Lock	true	pg_authid_rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	airflow
10944	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	airflow
8908	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev
8908	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_dev

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
8908	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_de v
8908	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	ats_db_de v
8908	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	ats_db_de v
10956	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	ecommerc e
10956	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	ecommerc e
10956	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	ecommerc e
10956	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	ecommerc e
10956	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	ecommerc e

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
10956	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_authidrolname_index	N/A	System Relation (Catalog Lock)	false	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	ecommerce
10956	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	ecommerce
10956	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	ecommerce
13800	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
13800	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	metadata_demo
13800	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	metadata_demo
5316	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
5316	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo
5316	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	pitr_demo

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
5316	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	pitr_demo
17704	relation	AccessShareLock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test
17704	relation	AccessShareLock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
17704	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test
17704	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	pitr_test
17704	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	pitr_test
20184	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	postgres
20184	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	postgres
20184	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	postgres

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
20184	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	postgres
20184	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	postgres
20184	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	postgres
20184	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	postgres
20184	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	postgres
7476	relation	AccessShare Lock	true	pg_authid rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	retail

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
7476	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	retail
7476	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	retail
7476	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	retail
904	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	retail_db

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
904	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	retail_db
904	relation	AccessShare Lock	true	pg_authid_rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	retail_db
904	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	retail_db
19464	relation	AccessShare Lock	true	pg_authid_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	relation	AccessShare Lock	true	pg_namespace_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_locks	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_class_oid_index	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_stat_activity	N/A	System Relation (Catalog Lock)	true	postgres	sample

PID	Lock Type	Mode	Granted	Relation	Transaction ID	Lock Category	Fast Path	User	Database
19464	relation	AccessShare Lock	true	pg_class_tblspc_relfilenode_index	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_class_relname_nsp_index	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_namespace	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_class	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_namespace_nspname_index	N/A	System Relation (Catalog Lock)	true	postgres	sample
19464	relation	AccessShare Lock	true	pg_authid_rolname_index	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	relation	AccessShare Lock	true	pg_database	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	relation	AccessShare Lock	true	pg_authid	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	relation	AccessShare Lock	true	pg_database_datname_index	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	relation	AccessShare Lock	true	pg_database_oid_index	N/A	System Relation (Catalog Lock)	false	postgres	sample
19464	virtualxid	ExclusiveLock	true	N/A	N/A	VirtualXID (Default Session Lock)	true	postgres	sample

42. Blocking sessions

Note: Sessions waiting for locks held by other sessions.
No records found.

43. Slow / resource-intensive SQL

Note: Top SQL statements by cumulative execution time.

Query ID	Calls	Total Sec	Mean (ms)	Rows	Query Sample
-2850472947730859379	11	41.79	3799.35	121	SELECT d.datname AS database_name, pg_get_userbyid(d.datdba) AS owner, ROUND((sz.raw_bytes / \$1 / \$2)::numeric, \$3) AS size_mb, ROUND((s
6323253248343397763	5	24.40	4879.32	60	SELECT d.datname AS database_name, pg_get_userbyid(d.datdba) AS owner, pg_size_pretty(pg_database_size(d.datname)) AS size, ROUND((pg_da
2565365558258687768	1	22.47	22472.79	12	SELECT d.datname AS database_name, pg_get_userbyid(d.datdba) AS owner, pg_size_pretty(sz.raw_bytes) AS size, ROUND((sz.raw_bytes / \$1 /
-7283080766117907374	1	21.85	21848.23	12	SELECT d.datname AS database_name, pg_get_userbyid(d.datdba) AS owner, pg_size_pretty(sz.raw_bytes) AS size, ROUND((sz.raw_bytes / \$1 /
4474536963504889140	10	4.95	494.66	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
4823306963789102470	14	3.34	238.32	14	SELECT COUNT(*) AS relation_count, ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$
-8212461657968901142	16	2.66	166.40	528	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-2638172499895891399	10	1.64	163.79	330	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-6588130997290474590	6	1.62	269.81	6	SELECT ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$5 / \$6 / \$7)::numeric, \$8) AS index_gb,
-5478088650639965220	9	1.58	176.05	297	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4

Query ID	Calls	Total Sec	Mean (ms)	Rows	Query Sample
4474536963504889140	10	1.16	116.37	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
-1786681089903240371	6	1.11	185.16	198	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
2025112636987032086	6	0.93	154.69	198	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4
76668407077499944	16	0.93	57.95	864	SELECT schemaname AS schema_name, relname AS table_name, indexrelname AS index_name, ROUND((pg_relation_size(indexrelid) / \$1 / \$2)::num
4474536963504889140	10	0.60	60.24	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
4474536963504889140	10	0.57	56.89	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
4823306963789102470	14	0.56	40.36	14	SELECT COUNT(*) AS relation_count, ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$
-3564591350955122547	9	0.45	50.08	486	SELECT schemaname AS schema_name, relname AS table_name, indexrelname AS index_name, idx_scan, ROUND((pg_relation_size(i
4795345771189325191	1	0.42	421.42	1	SELECT current_database() AS database_name, COUNT(*) AS relation_count, ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS ta
4474536963504889140	10	0.42	41.64	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
-7305438602578219388	7	0.41	58.84	378	SELECT schemaname AS schema_name, relname AS table_name, indexrelname AS index_name, indexrelid::regclass::text AS index_relation,
4823306963789102470	14	0.41	29.38	14	SELECT COUNT(*) AS relation_count, ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$

Query ID	Calls	Total Sec	Mean (ms)	Rows	Query Sample
-8212461657968901142	16	0.40	24.94	136	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-1118924422343236163	1	0.39	394.46	0	CREATE EXTENSION IF NOT EXISTS pg_stat_statements
4823306963789102470	14	0.39	27.92	14	SELECT COUNT(*) AS relation_count, ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$
-8212461657968901142	16	0.34	21.44	160	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-8212461657968901142	16	0.33	20.83	160	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
4823306963789102470	14	0.30	21.62	14	SELECT COUNT(*) AS relation_count, ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$
-2638172499895891399	10	0.28	27.73	124	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-6588130997290474590	6	0.25	41.04	6	SELECT ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$5 / \$6 / \$7)::numeric, \$8) AS index_gb,
-2638172499895891399	10	0.24	23.80	100	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-1786681089903240371	7	0.22	31.77	56	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
4343172346146650485	18	0.22	12.36	180	SELECT name AS parameter_name, setting, unit, short_desc AS description FROM pg_settings WHERE name IN (\$1 / *, .
-8212461657968901142	16	0.22	13.71	80	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-2638172499895891399	10	0.22	21.73	100	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-5478088650639965220	9	0.21	22.88	86	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4

Query ID	Calls	Total Sec	Mean (ms)	Rows	Query Sample
1149635622184147727	19	0.21	10.82	133	SELECT name AS parameter, setting, unit FROM pg_settings WHERE name IN (\$1 /*, ... */) ORDER BY name
-1786681089903240371	6	0.20	33.46	60	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-6588130997290474590	6	0.20	33.19	6	SELECT ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$5 / \$6 / \$7)::numeric, \$8) AS index_gb,
-1786681089903240371	6	0.20	32.79	60	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
3901891050966994008	18	0.19	10.60	108	SELECT name AS parameter, setting FROM pg_settings WHERE name IN (\$1 /*, ... */) ORDER BY name
-8488032385444823453	1	0.19	188.27	33	SELECT n.nspname AS schema_name, c.relname AS relation_name, c.relkind AS relation_type, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)
-5478088650639965220	9	0.19	20.82	90	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4
76668407077499944	16	0.18	11.30	160	SELECT schemaname AS schema_name, relname AS table_name, indexrelname AS index_name, ROUND((pg_relation_size(indexrelid) / \$1 / \$2)::num
-6588130997290474590	6	0.18	29.81	6	SELECT ROUND((SUM(pg_relation_size(c.oid)) / \$1 / \$2 / \$3)::numeric, \$4) AS table_gb, ROUND((SUM(pg_indexes_size(c.oid)) / \$5 / \$6 / \$7)::numeric, \$8) AS index_gb,
-5478088650639965220	9	0.18	19.58	90	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4
2511266537482216615	1	0.17	169.24	1	SELECT COUNT(*) AS relation_count, ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::nume
4474536963504889140	10	0.17	16.86	10	SELECT ROUND((COALESCE(SUM(pg_relation_size(c.oid)), \$1) / \$2 / \$3)::numeric, \$4) AS table_mb, ROUND((COALESCE(SUM(pg_indexes_size(c.oid)), \$5) / \$6 / \$7)::numeric, \$8)
3669550795352196484	19	0.16	8.34	38	WITH relation_sizes AS (SELECT c.oid, CASE WHEN c.reltablespace = \$1 THEN d.dattablespace ELSE

Query ID	Calls	Total Sec	Mean (ms)	Rows	Query Sample
2025112636987032086	6	0.16	25.90	78	SELECT n.nspname AS schema_name, c.relname AS relation_name, CASE c.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4

44. SQL examining / reading large amounts of data

Note: SQL statements responsible for high block-read activity.

Query ID	Calls	Shared Blks Read	Temp Blks Read	Rows	Query Sample
-1118924422343236163	1	100	0	0	CREATE EXTENSION IF NOT EXISTS pg_stat_statements
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	63	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	61	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	8	59	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
8341921510081909441	11	59	0	0	SELECT n.nspname AS schema_name, p.proname AS procedure_name, l.lanname AS language, pg_get_userbyid(p.proowner) AS owner,
-1786681089903240371	6	45	0	198	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN

Query ID	Calls	Shared Blks Read	Temp Blks Read	Rows	Query Sample
5710855945434482138	19	18	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	17	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	17	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	17	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	17	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
6047230959486084470	16	16	0	944	SELECT n.nspname AS schema_name, t.relname AS table_name, i.relname AS index_name, k.n AS column_position, a.attname AS
1839280753298947379	32	15	0	288	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
6047230959486084470	16	15	0	16	SELECT n.nspname AS schema_name, t.relname AS table_name, i.relname AS index_name, k.n AS column_position, a.attname AS
5710855945434482138	16	12	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	12	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
5710855945434482138	16	12	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa

Query ID	Calls	Shared Blks Read	Temp Blks Read	Rows	Query Sample
5710855945434482138	16	12	0	8	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
4767555648939405550	8	11	0	7	SELECT n.nspname AS schema_name, c.relname AS view_name, pg_get_viewdef(c.oid) AS definition, CASE c.relkind WHEN \$1
1839280753298947379	38	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-1786681089903240371	6	10	0	60	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	32	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-1786681089903240371	6	10	0	60	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	10	0	0	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab

Query ID	Calls	Shared Blks Read	Temp Blks Read	Rows	Query Sample
-1786681089903240371	6	9	0	30	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-1786681089903240371	7	9	0	56	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-1786681089903240371	6	9	0	12	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
989485440042716103	15	7	0	0	WITH source_objects AS (SELECT c.oid, c.relnamespace, c.relname AS obj_name, CASE c.relkind
-2254770633732531025	1	7	0	0	CREATE TABLE sales (sale_id BIGINT, sale_date DATE NOT NULL, customer_id BIGINT, amount NUMERIC(12,2)) PARTITION BY RANGE (sale_date)
-1786681089903240371	6	7	0	6	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-1786681089903240371	6	6	0	6	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-3257679404474435650	16	6	0	16	WITH idx AS (SELECT n.nspname AS schema_name, t.relname AS table_name, i.relname AS index_name, regexp_
989485440042716103	15	6	0	0	WITH source_objects AS (SELECT c.oid, c.relnamespace, c.relname AS obj_name, CASE c.relkind
-1786681089903240371	9	6	0	18	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS table_size_mb, ROUN
-25183392105527447	1	6	0	1	SELECT DISTINCT v_ns.nspname AS schema_name, v.relname AS object_name, CASE v.relkind WHEN \$1 THEN \$2 WHEN \$3 THEN \$4 END AS object_type, ref_ns.nspname \$5 re

Query ID	Calls	Shared Blks Read	Temp Blks Read	Rows	Query Sample
5710855945434482138	16	6	0	0	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
4518445849704432595	1	4	0	1	SELECT nsp.oid, nsp.nspname as name, pg_catalog.has_schema_privilege(nsp.oid, \$1) as can_create, pg_catalog.has_schema_privilege(nsp.oid, \$2) as has_usage, des.description FROM

45. Most frequently executed SQL

Note: SQL statements ranked by execution count.

Query ID	Calls	Total Sec	Query Sample
7642974541888908890	634	0.04	SELECT datname FROM pg_database WHERE datallowconn = \$1 AND datistemplate = \$2 AND datname NOT LIKE \$3
9047662556852068209	84	0.00	SELECT \$1 FROM pg_class c WHERE c.relname = \$2
-2824151123137175017	38	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	38	0.05	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
7950655044199189518	37	0.00	SELECT spcname AS tablespace_name, COALESCE(NULLIF(pg_tablespace_location(oid), \$1), current_setting(\$2)) AS l
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.04	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-2824151123137175017	32	0.05	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.01	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.05	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.04	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab

Query ID	Calls	Total Sec	Query Sample
1839280753298947379	32	0.06	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
-2824151123137175017	32	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.04	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	0.08	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-2824151123137175017	32	0.02	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
-2824151123137175017	32	0.02	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
-2824151123137175017	32	0.00	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid) AS definition
1839280753298947379	32	0.04	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	0.06	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
1839280753298947379	32	0.04	SELECT table_schema AS schema_name, table_name, column_name, data_type FROM information_schema.columns WHERE tab
-6696900946442280239	30	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.02	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio

Query ID	Calls	Total Sec	Query Sample
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
3318008918616571018	24	0.00	SELECT oid, pg_catalog.format_type(oid, \$2) AS typname FROM pg_catalog.pg_type WHERE oid = ANY(\$1) ORDER BY oid
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.00	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-6696900946442280239	24	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name, con.conname AS constraint_name, pg_get_constraintdef(con.oid, \$1) AS definitio
-2267818223051086665	19	0.00	SELECT parent_ns.nspname AS schema_name, parent.relname AS table_name, COUNT(*) AS child_fk_count, STRING_AGG(DISTINCT child_ns.nspname
6047230959486084470	19	0.04	SELECT n.nspname AS schema_name, t.relname AS table_name, i.relname AS index_name, k.n AS column_position, a.attname AS
7523334241386614820	19	0.00	SELECT n.nspname AS schema_name, c.relname AS table_name, COUNT(*) AS foreign_key_count FROM pg_constraint con JOIN pg_class c O
3033970849543925792	19	0.01	SELECT blocked.pid AS blocked_pid, blocking.pid AS blocking_pid, blocked.username AS blocked_user, blocking.username AS blocking_user,
-7879629328068393770	19	0.00	SELECT \$1 FROM pg_class c JOIN pg_namespace n ON n.oid = c.relnamespace WHERE n.nspname = \$2 AND c.relname = \$3

Query ID	Calls	Total Sec	Query Sample
-6848156273847025320	19	0.01	SELECT version() AS postgres_version, current_setting(\$1) AS server_version, current_database() AS database_name, inet_server_addr() AS
3915798785060678889	19	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name FROM pg_class c JOIN pg_namespace n ON n.oid = c.relnamespace WHERE c.relki
-8212461657968901142	19	0.10	SELECT n.nspname AS schema_name, c.relname AS table_name, ROUND((pg_total_relation_size(c.oid) / \$1 / \$2)::numeric, \$3) AS size_mb, ROUN
-2318787307708479275	19	0.00	SELECT child_ns.nspname AS schema_name, child.relname AS table_name, COUNT(*) AS parent_fk_count, STRING_AGG(DISTINCT parent_ns.nspname
-6439661009574560401	19	0.00	SELECT parent_ns.nspname AS schema_name, parent.relname AS table_name, COUNT(*) AS partition_count FROM pg_inherits i JOIN pg_cl
-8432203557597576156	19	0.00	SELECT spcname AS tablespace_name, pg_get_userbyid(spcowner) AS owner, COALESCE(NULLIF(pg_tablespace_location(oid), \$1),
5710855945434482138	19	0.15	SELECT n.nspname AS schema_name, c.relname AS table_name, obj_description(c.oid, \$1) AS comments FROM pg_class c JOIN pg_namespa
-2347574176196026072	19	0.01	SELECT n.nspname AS schema_name, c.relname AS table_name FROM pg_class c JOIN pg_namespace n ON n.oid = c.relnamespace WHERE c.relki

46. Top wait events

Note: Current sessions waiting on PostgreSQL wait events.

Wait Event Type	Wait Event	Active Sessions
Client	ClientRead	12
Activity	IoWorkerMain	3
Activity	ArchiverMain	1
Activity	AutovacuumMain	1
Activity	BgwriterHibernate	1
Activity	CheckpointerMain	1
Activity	LogicalLauncherMain	1
Activity	WalWriterMain	1

47. Database workload / activity profile

Note: High-level workload and I/O activity by database.

Database	Commits	Rollbacks	Blks Read	Blks Hit	Tup Returned	Tup Fetched	Inserts	Updates	Deletes	Temp Bytes
postgres	4623	8	883	641886	1871035	378469	0	0	0	0
metadata_demo	3544	12	1000	653023	1930953	388737	489	59	275	0
ecommerce	3163	0	449	573725	1613535	337056	0	0	0	0
Retaildata	3158	0	453	571639	1618058	349206	0	0	0	0
airflow	3154	0	435	558808	1489815	327448	0	0	0	0
pitr_test	3141	0	456	568705	1612277	332045	0	0	0	0
ats_db_dev	3139	0	494	803978	2358793	543406	0	0	0	0
pitr_demo	3139	0	444	563059	1607348	329183	0	0	0	0
retail_db	3117	0	449	591178	1639201	352206	0	0	0	0
sample	3117	0	459	585812	1618813	348136	0	0	0	0
retail	3115	0	449	573448	1610705	337669	0	0	0	0
-	0	0	41	355291	136156	83449	0	0	0	0
template0	0	0	0	0	0	0	0	0	0	0
template1	0	0	0	0	0	0	0	0	0	0

48. Replication / database role

Note: PostgreSQL recovery and replication state.

In Recovery	Database Role	WAL LSN	Replication Sessions
false	PRIMARY	0/13181090	0

49. WAL / archive configuration

Note: WAL and archive-related configuration.

Parameter	Setting
archive_command	copy "%p" "C:\postgres_backup\wal_archive\%f"
archive_mode	on
archive_timeout	0
max_wal_size	1024
min_wal_size	80
wal_level	replica

50. WAL generation

Note: Cumulative WAL generation statistics.

Wal Records	Wal Fpi	Wal Bytes	Wal Buffers Full	Stats Reset
1886	249	1626507	0	2026-09-09 09:49:02.680700+05:30

51. WAL / checkpoint activity

Note: Checkpoint activity.

Timed Checkpoints	Req Checkpoints	Write Time	Sync Time	Buffers Checkpoint
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281
530	2	31229.0	254.0	281

52. Transaction ID / vacuum health

Note: Transaction-ID age and vacuum-related risk indicators.

Database	Frozen XID Age
postgres	1212
template1	1212
template0	1212
ats_db_dev	1212
Retaildata	1212
sample	1212
retail_db	1212
retail	1212
pitr_demo	1212
pitr_test	1212
airflow	1212
ecommerce	1212
metadata_demo	1212

53. PostgreSQL data directory / physical layout

Note: Important PostgreSQL physical and configuration file locations.

Data Directory	Config File	HBA File	Ident File
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf
C:/Program Files/PostgreSQL/18/data	C:/Program Files/PostgreSQL/18/data/postgresql.conf	C:/Program Files/PostgreSQL/18/data/pg_hba.conf	C:/Program Files/PostgreSQL/18/data/pg_ident.conf

54. Tablespace locations

Note: PostgreSQL tablespace locations.

Tablespace Name	Location
pg_default	C:/Program Files/PostgreSQL/18/data
pg_global	C:/Program Files/PostgreSQL/18/data

55. Database object storage summary

Note: Current database storage summary for user tables and indexes.

Database	Relation Count	Table Size (MB)	Index Size (MB)	Total Size (MB)	Table Size (GB)	Index Size (GB)	Total Size (GB)
Retaildata	10	0.08	0.00	0.12	0.00	0.00	0.00
airflow	0	0.00	0.00	0.00	0.00	0.00	0.00
ats_db_dev	33	0.23	0.80	2.00	0.00	0.00	0.00
ecommerce	1	0.01	0.02	0.02	0.00	0.00	0.00
metadata_demo	13	0.07	0.14	0.22	0.00	0.00	0.00
pittr_demo	1	0.01	0.02	0.02	0.00	0.00	0.00
pittr_test	1	0.01	0.02	0.02	0.00	0.00	0.00
postgres	2	0.01	0.02	0.03	0.00	0.00	0.00
retail	2	0.02	0.03	0.05	0.00	0.00	0.00
retail_db	5	0.04	0.08	0.12	0.00	0.00	0.00
sample	10	0.08	0.00	0.12	0.00	0.00	0.00

56. Identify archival candidates

Note: Candidate tables for archival review based on estimated row count and physical size.

No records found.

57. Identify tables with limited usage

Note: Tables with low observed access activity.

Schema	Table Name	Seq Scans	Index Scans	Total Scans	Seq Tup Read	Index Tup Fetch
public	customer_addresses	0	-	0	0	-
public	customers	0	-	0	0	-
public	employees	0	-	0	0	-
public	inventory_transactions	0	-	0	0	-
public	order_items	0	-	0	0	-
public	orders	0	-	0	0	-
public	product_suppliers	0	-	0	0	-
public	products	0	-	0	0	-
public	stores	0	-	0	0	-
public	suppliers	0	-	0	0	-
public	ai_company_configurations	0	0	0	0	0
public	applicant_skills	0	0	0	0	0
public	applicants	0	0	0	0	0
public	application_recruiter_assignments	0	0	0	0	0
public	applications	0	0	0	0	0
public	audit_logs	0	0	0	0	0
public	campus_colleges	0	0	0	0	0
public	clients	0	0	0	0	0
public	colleges	0	0	0	0	0

Schema	Table Name	Seq Scans	Index Scans	Total Scans	Seq Tup Read	Index Tup Fetch
public	countries	0	0	0	0	0
public	departments	0	0	0	0	0
public	designations	0	0	0	0	0
public	employment_types	0	0	0	0	0
public	freshers	0	0	0	0	0
public	interview_feedbacks	0	0	0	0	0
public	interview_types	0	0	0	0	0
public	interviews	0	0	0	0	0
public	job_posting_interview_stages	0	0	0	0	0
public	job_posting_recruiter_assignments	0	0	0	0	0
public	job_posting_tags	0	0	0	0	0
public	job_postings	0	0	0	0	0
public	login_monitoring_events	0	0	0	0	0
public	password_reset_tokens	0	0	0	0	0
public	placement_officers	0	0	0	0	0
public	profile_sources	0	0	0	0	0
public	qualifications	0	0	0	0	0
public	refresh_tokens	0	0	0	0	0
public	roles	0	0	0	0	0
public	skills	0	0	0	0	0
public	states	0	0	0	0	0
public	tags	0	0	0	0	0
public	users	0	0	0	0	0
public	visa_types	0	0	0	0	0
staging	stg_orders	0	0	0	0	0

Schema	Table Name	Seq Scans	Index Scans	Total Scans	Seq Tup Read	Index Tup Fetch
hr	departments	0	0	0	0	0
hr	employee_notes	0	-	0	0	-
hr	employees	0	0	0	0	0
inventory	products	0	0	0	0	0
inventory	stock_transactions	0	0	0	0	0
public	customers	0	-	0	0	-
public	sales	0	-	0	0	-
public	sales_2024	0	-	0	0	-
public	sales_2025	0	-	0	0	-
public	sales_2026	0	-	0	0	-
sales	customers	0	0	0	0	0
sales	order_items	0	0	0	0	0
sales	orders	0	0	0	0	0
public	customers	0	0	0	0	0
public	customers	0	0	0	0	0
public	customers	0	0	0	0	0
staging	stg_orders	0	0	0	0	0
public	customers	0	0	0	0	0
public	orders	0	0	0	0	0
public	customers	0	0	0	0	0
public	order_items	0	0	0	0	0
public	orders	0	0	0	0	0
public	payments	0	0	0	0	0
public	products	0	0	0	0	0
public	customer_addresses	0	-	0	0	-

Schema	Table Name	Seq Scans	Index Scans	Total Scans	Seq Tup Read	Index Tup Fetch
public	customers	0	-	0	0	-
public	employees	0	-	0	0	-
public	inventory_transactions	0	-	0	0	-
public	order_items	0	-	0	0	-
public	orders	0	-	0	0	-
public	product_suppliers	0	-	0	0	-
public	products	0	-	0	0	-
public	stores	0	-	0	0	-
public	suppliers	0	-	0	0	-

58. Identify hot tables / objects

Note: Tables with high observed read/write activity.

Schema	Table Name	Seq Scans	Index Scans	Inserts	Updates	Deletes	Total Scans
public	sales_2024	0	-	2	0	0	0
public	sales_2026	0	-	2	0	0	0
public	sales_2025	0	-	2	0	0	0

59. Table bloat / vacuum candidates

Note: Tables with dead tuples and potentially overdue vacuum activity.

No records found.

60. Stored code / object dependencies

Note: Dependency relationships for views, materialized views, functions and procedures.

Schema	Object Name	Object Type	Referenced Object
public	customer_view	VIEW	public.customers

61. Configuration assessment

Note: Key PostgreSQL server configuration parameters.

Parameter Name	Setting	Unit	Description
max_connections	100	-	Sets the maximum number of concurrent connections.
shared_buffers	16384	8kB	Sets the number of shared memory buffers used by the server.
effective_cache_size	524288	8kB	Sets the planner's assumption about the total size of the data caches.
work_mem	4096	kB	Sets the maximum memory to be used for query workspaces.
maintenance_work_mem	65536	kB	Sets the maximum memory to be used for maintenance operations.
wal_buffers	512	8kB	Sets the number of disk-page buffers in shared memory for WAL.
checkpoint_timeout	300	s	Sets the maximum time between automatic WAL checkpoints.
max_wal_size	1024	MB	Sets the WAL size that triggers a checkpoint.
random_page_cost	4	-	Sets the planner's estimate of the cost of a nonsequentially fetched disk page.
effective_io_concurrency	16	-	Number of simultaneous requests that can be handled efficiently by the disk subsystem.