- 1. SELECT shippedDate SUM(orderNumber) FROM orders GROUP BY shippedDate
- 2. SELECT orderDate SUM(orderNumber) FROM orders GROUP BY orderDate
- SELECT productName FROM products WHERE productName = (SELECT MIN(MSRP) FROM products)
- 4. SELECT MAX(quantityinStock) FROM products
- 5. SELECT TOP(1) productName, SUM(quantityOrdered) AS TotalQuantity FROM orderdetails GROUP BY productName ORDER BY SUM(quantityOrdered) DESC;
- 6. SELECT customerName FROM customers WHERE customerName = (SELECT MAX(quantityOrdered) from orderdetails)
- 7. SELECT customerNumber, customerName FROM customers WHERE city = 'Melbourne'
- 8. SELECT customerName FROM customers where customerName LIKE 'N%'
- 9. SELECT customerName FROM customers WHERE phone LIKE 'N%' AND city = 'LasVegas'
- 10. SELECT customerName FROM customers WHERE creditLimit<10000 AND city = 'LasVegas' OR 'Nantes' OR 'Stavern'
- 11. SELECT orderNumber FROM orderdetails WHERE quantityOrdered < 10
- 12. SELECT orderNumber FROM orders LEFT JOIN customers ON customerNumber = customerNumber WHERE customerName LIKE 'N%'
- 13. SELECT customerName FROM customers RIGHT JOIN orders ON status WHERE status = 'Disputed'

14.

15. SELECT checkNumber FROM payments WHERE amount>1000