

Set: A

BACHELOR OF COMPUTER APPLICATION_SEM_V
2211000105040002 WEB FRAMEWORK AND SERVICES

Time: One Hour

Max. Marks: 50

Instructions:

- All questions are Compulsory
- Each question for **One Mark**

1 What is the right way to write PHP code?

- (A) <?php ?> (B) <? ?> (C) <% %> (D) All of the Above

2 AJAX stands for _____

- (A) Asynchronous JavaScript (B) Abstract JSON and XML (C) Another Java and XML (D) Abstract Java And XAMPP And XML

3 AJAX must need server to execute.

- (A) True (B) False (C) May be (D) None

4 Which of the following function is used to create session?

- (A) session_create() (B) session_start() (C) sessioncreate() (D) sessionstart()

5 AJAX comes in _____

- (A) 2003 (B) 2006 (C) 2004 (D) 2005

6 What is the default session time in PHP?

- (A) 24 Seconds (B) 24 Minutes (C) 14 Minutes (D) 14 Seconds

7 _____ is used to replace all the current representation of the target resource with the uploaded content.

- (A) GET (B) POST (C) HEAD (D) PUT

8 Who is the founder of PHP?

- (A) Steve Jobs (B) Denis Ritchie (C) Rasmus Lerdorf (D) James Gosling

9 WSGI stands for the _____

- (A) Write Server Gateway (B) Web Static Gateway (C) Web Server Gateway (D) Web Server Gateway Interface Interface Interface Interact

10 Which of the following gives the Temporary path of the Uploaded file?

- (A) \$_FILES[['temp_name']] (B) \$_FILES[['tmp_name']] (C) \$_FILES[['temp_path']] (D) \$_FILES[['temp_location']]

11 _____ is similar to the GET but used without the response body.

- (A) GET (B) POST (C) HEAD (D) PUT

12 _____ is used to check whether the specified path is an existing directory or not.

- (A) walk() (B) listdir() (C) isdir() (D) chdir()

13 _____ method returns the specified number of bytes from the file.

- (A) read() (B) write() (C) count() (D) total()

14 JINJA is _____

- (A) Template Engine (B) URL Engine (C) PHP Engine (D) Python Engine

15 Variable names in PHP are _____

- (A) Case Insensitive (B) Case Sensitive (C) Both A and B (D) None of the above

16 _____ opens a pipe to or from command.

- (A) p_open() (B) pipeopen() (C) popen() (D) open()

17 What is the full form of PHP?

- (A) Personal House Page (B) PHP : Hypertext Pre-Processor (C) PHP : Hypertext Processor (D) Passive Home Page

- 18 _____ used to execute the commands via shell and return the complete output as a string.
 (A) shell_exec() (B) mysql_exec() (C) python_exec() (D) php_exec()
- 19 _____ is used to create dynamic building url.
 (A) urlfor() (B) for_url() (C) url_create() (D) url_for()
- 20 What is the default file upload size in PHP?
 (A) 2 MB (B) 4 MB (C) 1 MB (D) 6MB
- 21 Flask is a web development framework created in _____ language.
 (A) JAVA (B) C (C) PHP (D) PYTHON
- 22 What will be the output of following code? echo abs(-2)
 (A) 2 (B) -2 (C) Two (D) (-2)
- 23 _____ is used to change the current working directory to specified path.
 (A) walk() (B) listdir() (C) isdir() (D) chdir()
- 24 Which function returns the difference of two dates?
 (A) diff_date() (B) date_diff() (C) datediff() (D) None of the above
- 25 Which of the following is concatenate and assignment operator?
 (A) = (B) == (C) === (D) .=
- 26 exists() is used to _____
 (A) whether the php is exist or not (B) whether mysql is exists or not (C) whether Python is working or not (D) check whether the specified path exists or not.
- 27 AJAX is Programming Language
 (A) True (B) False (C) May be (D) None
- 28 Is PHP Open Source?
 (A) Yes (B) No (C) May be (D) Partially
- 29 What will be the output of the following PHP code?

```
<?php
$chk = array ("Silk Oreo", "Kitkat", "Munch");
echo (count($chk, 1));
?>
```

 (A) 0 (B) 1 (C) 2 (D) 3
- 30 Which of the following makes AJAX Unique?
 (A) It works with all browser (B) It works as stand-alone application (C) It makes data requests asynchronously. (D) None
- 31 Cookies stores at _____
 (A) Server (B) Cloud (C) Client's Machine (D) Database
- 32 Flask default port is _____?
 (A) 2000 (B) 3000 (C) 4000 (D) 5000
- 33 _____ method is used to create a directory recursively.
 (A) mkdir() (B) makedirs() (C) makedir() (D) mkdirs()
- 34 What is the latest version of PHP?
 (A) 7.4 (B) 8.4 (C) 8.2 (D) 7
- 35 _____ is the most common method which can be used to send data in the unencrypted form to the server.
 (A) GET (B) POST (C) HEAD (D) PUT
- 36 _____ method in python is used to get the list of all files and directories in the specified directory.
 (A) walk() (B) listdir() (C) isdir() (D) chdir()
- 37 Which server supports AJAX?
 (A) HTTP (B) SMTP (C) WWW (D) None
- 38 _____ is used to send the form data to the server.

- (A)GET (B)POST (C)HEAD (D)PUT
- 39 What does the AUTO_INCREMENT sequences begin at by default?
 (A)0 (B)1 (C)-1 (D)2
- 40 Which function returns true if the date is valid, otherwise false?
 (A)check_date() (B)nmkdate() (C)date() (D)checkdate()
- 41 Which of the following is not a form method?
 (A)Get (B)Post (C)Request (D)None of the above
- 42 Is "GROUP BY" clause is similar to "ORDER BY" clause?
 (A)Yes (B)No (C)Depends on criteria (D)None
- 43 _____ escapes any characters in a string that might be used to trick a shell command into executing arbitrary commands.
 (A)escapeshellcmd() (B)escape_shell() (C)escape_shell_cmd() (D)None of the above
- 44 _____ is use for mapping the URLs to a specific function that will handle the logic for that URL
 (A)route() (B)app() (C)run() (D)None of the above
- 45 AJAX is _____
 (A)Code (B)Website (C)Database (D)Program
- 46 Which of the following is not a Data Type in PHP?
 (A)Integer (B)Float (C)Array (D)Signed integer
- 47 _____ generates the file names in a directory tree by walking the tree either top-down or bottom-up
 (A)walk() (B)listdir() (C)isdir() (D)chdir()
- 48 Which function is used to send email?
 (A)email() (B)mail() (C)send_email() (D)mali_send()
- 49 What is the right way to declare constant?
 (A)using const keyword (B)using constant() function (C)using define() function (D)None of the above
- 50 AJAX is based on _____
 (A)XML and JAVASCRIPT (B)XML and PHP (C)JAVASCRIPT and Database (D)None

Set: B

BACHELOR OF COMPUTER APPLICATION_SEM_V
2211000105040002 WEB FRAMEWORK AND SERVICES

Time: One Hour

Max. Marks: 50

Instructions:

- All questions are Compulsory
- Each question for **One Mark**

- What is the default file upload size in PHP?
 (A) 2 MB (B) 4 MB (C) 1 MB (D) 6MB
- What will be the output of following code? `echo abs(-2)`
 (A) 2 (B) -2 (C) Two (D) (-2)
- WSGI stands for the _____
 (A) Write Server Gateway Interface (B) Web Static Gateway Interface (C) Web Server Gateway Interface (D) Web Server Gateway Interact
- What is the right way to declare constant?
 (A) using const keyword (B) using constant() function (C) using define() function (D) None of the above
- Variable names in PHP are _____
 (A) Case Insensitive (B) Case Sensitive (C) Both A and B (D) None of the above
- AJAX is Programming Language
 (A) True (B) False (C) May be (D) None
- _____ is used to replace all the current representation of the target resource with the uploaded content.
 (A) GET (B) POST (C) HEAD (D) PUT
- Which of the following function is used to create session?
 (A) session_create() (B) session_start() (C) sessioncreate() (D) sessionstart()
- Cookies stores at _____
 (A) Server (B) Cloud (C) Client's Machine (D) Database
- AJAX is _____
 (A) Code (B) Website (C) Database (D) Program
- _____ is similar to the GET but used without the response body.
 (A) GET (B) POST (C) HEAD (D) PUT
- Which of the following is concatenate and assignment operator?
 (A) = (B) == (C) === (D) .=
- _____ method returns the specified number of bytes from the file.
 (A) read() (B) write() (C) count() (D) total()
- _____ is used to change the current working directory to specified path.
 (A) walk() (B) listdir() (C) isdir() (D) chdir()
- Flask default port is _____?
 (A) 2000 (B) 3000 (C) 4000 (D) 5000
- Which of the following makes AJAX Unique?
 (A) It works with all browser (B) It works as stand-alone application (C) It makes data requests asynchronously. (D) None
- Is PHP Open Source?
 (A) Yes (B) No (C) May be (D) Partially
- AJAX stands for _____

(A) Asynchronous JavaScript And XML (B) Abstract JSON and XML (C) Another Java and XML (D) Abstract Java And XAMPP

19 Which of the following is not a form method?

(A) Get (B) Post (C) Request (D) None of the above

20 Is "GROUP BY" clause is similar to "ORDER BY" clause?

(A) Yes (B) No (C) Depends on criteria (D) None

21 Which of the following gives the Temporary path of the Uploaded file?

(A) \$_FILES['temp_name'] (B) \$_FILES['tmp_name'] (C) \$_FILES['temp_path'] (D) \$_FILES['temp_location']

22 _____ is use for mapping the URLs to a specific function that will handle the logic for that URL

(A) route() (B) app() (C) run() (D) None of the above

23 What is the full form of PHP?

(A) Personal House Page (B) PHP : Hypertext Pre-Processor (C) PHP : Hypertext Processor (D) Passive Home Page

24 Which function returns the difference of two dates?

(A) diff_date() (B) date_diff() (C) datediff() (D) None of the above

25 JINJA is _____

(A) Template Engine (B) URL Engine (C) PHP Engine (D) Python Engine

26 _____ is the most common method which can be used to send data in the unencrypted form to the server.

(A) GET (B) POST (C) HEAD (D) PUT

27 Who is the founder of PHP?

(A) Steve Jobs (B) Denis Ritchie (C) Rasmus Lerdorf (D) James Gosling

28 _____ is used to check whether the specified path is an existing directory or not.

(A) walk() (B) listdir() (C) isdir() (D) chdir()

29 AJAX comes in _____

(A) 2003 (B) 2006 (C) 2004 (D) 2005

30 What is the right way to write PHP code?

(A) <?php ?> (B) <? ?> (C) <% %> (D) All of the Above

31 _____ opens a pipe to or from command.

(A) p_open() (B) pipeopen() (C) popen() (D) open()

32 What is the default session time in PHP?

(A) 24 Seconds (B) 24 Minutes (C) 14 Minutes (D) 14 Seconds

33 exists() is used to _____

(A) whether the php is exist or not (B) whether mysql is exists or not (C) whether Python is working or not. (D) check whether the specified path exists or not.

34 _____ is used to send the form data to the server.

(A) GET (B) POST (C) HEAD (D) PUT

35 AJAX is based on _____

(A) XML and JAVASCRIPT (B) XML and PHP (C) JAVASCRIPT and Database (D) None

36 What will be the output of the following PHP code?

```
<?php
$chk = array ("Silk Oreo", "Kitkat", "Munch");
echo (count($chk, 1));
?>
```

(A) 0 (B) 1 (C) 2 (D) 3

37 Which function returns true if the date is valid, otherwise false?

(A) check_date() (B) nmkdate() (C) date() (D) checkdate()

38 AJAX must need server to execute.

- (A) True (B) False (C) May be (D) None

39 _____ generates the file names in a directory tree by walking the tree either top-down or bottom-up

- (A) walk() (B) listdir() (C) isdir() (D) chdir()

40 _____ escapes any characters in a string that might be used to trick a shell command into executing arbitrary commands.

- (A) escapeshellcmd() (B) escape_shell() (C) escape_shell_cmd() (D) None of the above

41 _____ method is used to create a directory recursively.

- (A) mkdir() (B) makedirs() (C) makedir() (D) mkdirs()

42 Which function is used to send email?

- (A) email() (B) mail() (C) send_email() (D) mali_send()

43 _____ used to execute the commands via shell and return the complete output as a string.

- (A) shell_exec() (B) mysql_exec() (C) python_exec() (D) php_exec()

44 Which of the following is not a Data Type in PHP?

- (A) Integer (B) Float (C) Array (D) Signed integer

45 Flask is a web development framework created in _____ language.

- (A) JAVA (B) C (C) PHP (D) PYTHON

46 _____ method in python is used to get the list of all files and directories in the specified directory.

- (A) walk() (B) listdir() (C) isdir() (D) chdir()

47 What does the AUTO_INCREMENT sequences begin at by default?

- (A) 0 (B) 1 (C) -1 (D) 2

48 Which server supports AJAX?

- (A) HTTP (B) SMTP (C) WWW (D) None

49 What is the latest version of PHP?

- (A) 7.4 (B) 8.4 (C) 8.2 (D) 7

50 _____ is used to create dynamic building url.

- (A) urlfor() (B) for_url() (C) url_create() (D) url_for()

Set: C

BACHELOR OF COMPUTER APPLICATION_SEM_V
2211000105040002 WEB FRAMEWORK AND SERVICES

Time: One Hour

Max. Marks: 50

Instructions:

- All questions are Compulsory
- Each question for **One Mark**

- _____ is use for mapping the URLs to a specific function that will handle the logic for that URL
 (A)route() (B)app() (C)run() (D)None of the above
- What will be the output of the following PHP code?

```
<?php
$chk = array ("Silk Oreo", "Kitkat", "Munch");
echo (count($chk, 1));
?>
```

 (A)0 (B)1 (C)2 (D)3
- What is the right way to write PHP code?
 (A)<?php ?> (B)<? ?> (C)<% %> (D)All of the Above
- AJAX is based on _____
 (A)XML and JAVASCRIPT (B)XML and PHP (C)JAVASCRIPT and Database (D)None
- Which of the following is concatenate and assignment operator?
 (A)= (B)== (C)=== (D).=
- Is PHP Open Source?
 (A)Yes (B)No (C)May be (D)Partially
- Flask is a web development framework created in _____ language.
 (A)JAVA (B)C (C)PHP (D)PYTHON
- _____ is used to change the current working directory to specified path.
 (A)walk() (B)listdir() (C)isdir() (D)chdir()
- What will be the output of following code? echo abs(-2)
 (A)2 (B)-2 (C)Two (D)(-2)
- JINJA is _____
 (A)Template Engine (B)URL Engine (C)PHP Engine (D)Python Engine
- Which function is used to send email?
 (A)email() (B)mail() (C)send_email() (D)mali_send()
- Which function returns true if the date is valid, otherwise false?
 (A)check_date() (B)nmkdate() (C)date() (D)checkdate()
- AJAX is _____
 (A)Code (B)Website (C)Database (D)Program
- Cookies stores at _____
 (A)Server (B)Cloud (C)Client's Machine (D)Database
- AJAX comes in _____
 (A)2003 (B)2006 (C)2004 (D)2005
- _____ is similar to the GET but used without the response body.
 (A)GET (B)POST (C)HEAD (D)PUT
- Which of the following gives the Temporary path of the Uploaded file?

- (A)\$_FILES[['temp_name']] (B)\$_FILES[['tmp_name']] (C)\$_FILES[['temp_path']] (D)\$_FILES[['temp_location']]
- 18 _____ generates the file names in a directory tree by walking the tree either top-down or bottom-up
- (A)walk() (B)listdir() (C)isdir() (D)chdir()
- 19 Which server supports AJAX?
- (A)HTTP (B)SMTP (C)WWW (D)None
- 20 Flask default port is _____?
- (A)2000 (B)3000 (C)4000 (D)5000
- 21 Which of the following is not a Data Type in PHP?
- (A)Integer (B)Float (C)Array (D)Signed integer
- 22 _____ is used to create dynamic building url.
- (A)urifor() (B)for_url() (C)url_create() (D)url_for()
- 23 _____ is used to send the form data to the server.
- (A)GET (B)POST (C)HEAD (D)PUT
- 24 What is the right way to declare constant?
- (A)using const keyword (B)using constant() function (C)using define() function (D)None of the above
- 25 What is the default session time in PHP?
- (A)24 Seconds (B)24 Minutes (C)14 Minutes (D)14 Seconds
- 26 _____ method is used to create a directory recursively.
- (A)mkdir() (B)makedirs() (C)makedir() (D)mkdirs()
- 27 Variable names in PHP are _____
- (A)Case Insensitive (B)Case Sensitive (C)Both A and B (D)None of the above
- 28 _____ is used to replace all the current representation of the target resource with the uploaded content.
- (A)GET (B)POST (C)HEAD (D)PUT
- 29 Which function returns the difference of two dates?
- (A)diff_date() (B)date_diff() (C)datediff() (D)None of the above
- 30 _____ method returns the specified number of bytes from the file.
- (A)read() (B)write() (C)count() (D)total()
- 31 What does the AUTO_INCREMENT sequences begin at by default?
- (A)0 (B)1 (C)-1 (D)2
- 32 What is the full form of PHP?
- (A)Personal House Page (B)PHP : Hypertext Pre-Processor (C)PHP : Hypertext Processor (D)Passive Home Page
- 33 Who is the founder of PHP?
- (A)Steve Jobs (B)Denis Ritchie (C)Rasmus Lerdorf (D)James Gosling
- 34 _____ escapes any characters in a string that might be used to trick a shell command into executing arbitrary commands.
- (A)escapeshellcmd() (B)escape_shell() (C)escape_shell_cmd() (D)None of the above
- 35 Which of the following is not a form method?
- (A)Get (B)Post (C)Request (D)None of the above
- 36 AJAX stands for _____
- (A)Asynchronous JavaScript And XML (B)Abstract JSON and XML (C)Another Java and XML (D)Abstract Java And XAMPP
- 37 _____ opens a pipe to or from command.
- (A)p_open() (B)pipeopen() (C)popen() (D)open()
- 38 Which of the following function is used to create session?
- (A)session_create() (B)session_start() (C)sessioncreate() (D)sessionstart()

- 39 _____ used to execute the commands via shell and return the complete output as a string.
 (A)shell_exec() (B)mysql_exec() (C)python_exec() (D)php_exec()
- 40 _____ is used to check whether the specified path is an existing directory or not.
 (A)walk() (B)listdir() (C)isdir() (D)chdir()
- 41 What is the latest version of PHP?
 (A)7.4 (B)8.4 (C)8.2 (D)7
- 42 What is the default file upload size in PHP?
 (A)2 MB (B)4 MB (C)1 MB (D)6MB
- 43 AJAX is Programming Language
 (A)True (B)False (C)May be (D)None
- 44 WSGI stands for the _____
 (A)Write Server Gateway interface (B)Web Static Gateway Interface (C)Web Server Gateway Interface (D)Web Server Gateway Interact
- 45 _____ is the most common method which can be used to send data in the unencrypted form to the server.
 (A)GET (B)POST (C)HEAD (D)PUT
- 46 AJAX must need server to execute.
 (A)True (B)False (C)May be (D)None
- 47 _____ method in python is used to get the list of all files and directories in the specified directory.
 (A)walk() (B)listdir() (C)isdir() (D)chdir()
- 48 Which of the following makes AJAX Unique?
 (A)It works with all browser (B)It works as stand-alone application (C)It makes data requests asynchronously. (D)None
- 49 Is "GROUP BY" clause is similar to "ORDER BY" clause?
 (A)Yes (B)No (C)Depends on criteria (D)None
- 50 exists() is used to _____
 (A)whether the php is exist or not (B)whether mysql is exists or not (C)whether Python is working or not. (D)check whether the specified path exists or not.

Set: D

BACHELOR OF COMPUTER APPLICATION_SEM_V
2211000105040002 WEB FRAMEWORK AND SERVICES

Time: One Hour

Max. Marks: 50

Instructions:

- All questions are Compulsory
- Each question for **One Mark**

1 JINJA is _____

- (A)Template Engine (B)URL Engine (C)PHP Engine (D)Python Engine

2 _____ is used to send the form data to the server.

- (A)GET (B)POST (C)HEAD (D)PUT

3 What will be the output of the following PHP code?

<?php

\$chk = array ("Silk Oreo", "Kitkat", "Munch");

echo (count(\$chk, 1));

?>

- (A)0 (B)1 (C)2 (D)3

4 _____ is used to create dynamic building url.

- (A)urlfor() (B)for_url() (C)url_create() (D)url_for()

5 _____ method in python is used to get the list of all files and directories in the specified directory.

- (A)walk() (B)listdir() (C)isdir() (D)chdir()

6 _____ is the most common method which can be used to send data in the unencrypted form to the server.

- (A)GET (B)POST (C)HEAD (D)PUT

7 _____ opens a pipe to or from command.

- (A)p_open() (B)pipeopen() (C)popen() (D)open()

8 What is the right way to declare constant?

- (A)using const keyword (B)using constant() function (C)using define() function (D)None of the above

9 AJAX comes in _____

- (A)2003 (B)2006 (C)2004 (D)2005

10 Which of the following makes AJAX Unique?

- (A)It works with all browser (B)It works as stand-alone application (C)It makes data requests asynchronously. (D)None

11 What does the AUTO_INCREMENT sequences begin at by default?

- (A)0 (B)1 (C)-1 (D)2

12 Which function returns true if the date is valid, otherwise false?

- (A)check_date() (B)nmkdate() (C)date() (D)checkdate()

13 What is the full form of PHP?

- (A)Personal House Page (B)PHP : Hypertext Pre-Processor (C)PHP : Hypertext Processor (D)Passive Home Page

14 AJAX stands for _____

- (A)Asynchronous JavaScript And XML (B)Abstract JSON and XML (C)Another Java and XML (D)Abstract Java And XAMPP

15 _____ is use for mapping the URLs to a specific function that will handle the logic for that URL

- (A)route() (B)app() (C)run() (D)None of the above

16 Is "GROUP BY" clause is similar to "ORDER BY" clause?

- (A) Yes (B) No (C) Depends on criteria (D) None
- 17 _____ is used to replace all the current representation of the target resource with the uploaded content.
- (A) GET (B) POST (C) HEAD (D) PUT
- 18 Is PHP Open Source?
- (A) Yes (B) No (C) May be (D) Partially
- 19 What is the right way to write PHP code?
- (A) <?php ?> (B) <? ?> (C) <% %> (D) All of the Above
- 20 Flask is a web development framework created in _____ language.
- (A) JAVA (B) C (C) PHP (D) PYTHON
- 21 Which of the following is not a Data Type in PHP?
- (A) Integer (B) Float (C) Array (D) Signed integer
- 22 Which function returns the difference of two dates?
- (A) diff_date() (B) date_diff() (C) datediff() (D) None of the above
- 23 _____ is similar to the GET but used without the response body.
- (A) GET (B) POST (C) HEAD (D) PUT
- 24 Who is the founder of PHP?
- (A) Steve Jobs (B) Denis Ritchie (C) Rasmus Lerdorf (D) James Gosling
- 25 AJAX is Programming Language
- (A) True (B) False (C) May be (D) None
- 26 Which of the following gives the Temporary path of the Uploaded file?
- (A) \$_FILES[["temp_name"] (B) \$_FILES[["tmp_name"] (C) \$_FILES[["temp_path"] (D) \$_FILES[["temp_location"]
- 27 WSGI stands for the _____
- (A) Write Server Gateway Interface (B) Web Static Gateway Interface (C) Web Server Gateway Interface (D) Web Server Gateway Interact
- 28 exists() is used to _____
- (A) whether the php is exist or not (B) whether mysql is exists or not (C) whether Python is working or not. (D) check whether the specified path exists or not.
- 29 _____ is used to change the current working directory to specified path.
- (A) walk() (B) listdir() (C) isdir() (D) chdir()
- 30 Variable names in PHP are _____
- (A) Case Insensitive (B) Case Sensitive (C) Both A and B (D) None of the above
- 31 AJAX must need server to execute.
- (A) True (B) False (C) May be (D) None
- 32 Which function is used to send email?
- (A) email() (B) mail() (C) send_email() (D) mali_send()
- 33 _____ used to execute the commands via shell and return the complete output as a string.
- (A) shell_exec() (B) mysql_exec() (C) python_exec() (D) php_exec()
- 34 _____ escapes any characters in a string that might be used to trick a shell command into executing arbitrary commands.
- (A) escapeshellcmd() (B) escape_shell() (C) escape_shell_cmd() (D) None of the above
- 35 AJAX is _____
- (A) Code (B) Website (C) Database (D) Program
- 36 Flask default port is _____?
- (A) 2000 (B) 3000 (C) 4000 (D) 5000
- 37 AJAX is based on _____
- (A) XML and JAVASCRIPT (B) XML and PHP (C) JAVASCRIPT and Database (D) None

38 Which of the following function is used to create session?

- (A)session_create() (B)session_start() (C)sessioncreate() (D)sessionstart()

39 _____ is used to check whether the specified path is an existing directory or not.

- (A)walk() (B)listdir() (C)isdir() (D)chdir()

40 _____ generates the file names in a directory tree by walking the tree either top-down or bottom-up

- (A)walk() (B)listdir() (C)isdir() (D)chdir()

41 Which of the following is not a form method?

- (A)Get (B)Post (C)Request (D)None of the above

42 What is the default session time in PHP?

- (A)24 Seconds (B)24 Minutes (C)14 Minutes (D)14 Seconds

43 _____ method returns the specified number of bytes from the file.

- (A)read() (B)write() (C)count() (D)total()

44 Which server supports AJAX?

- (A)HTTP (B)SMTP (C)WWW (D)None

45 Cookies stores at _____

- (A)Server (B)Cloud (C)Client's Machine (D)Database

46 _____ method is used to create a directory recursively.

- (A)mkdir() (B)makedirs() (C)makedir() (D)mkdirs()

47 Which of the following is concatenate and assignment operator?

- (A)= (B)== (C)=== (D).=

48 What is the default file upload size in PHP?

- (A)2 MB (B)4 MB (C)1 MB (D)6MB

49 What will be the output of following code? echo abs(-2)

- (A)2 (B)-2 (C)Two (D)(-2)

50 What is the latest version of PHP?

- (A)7.4 (B)8.4 (C)8.2 (D)7