

EXPERIMENT-4

AIM: To add links, list and menu to the webpage.

LINKS:

HTML links are hyperlinks.

You can click on a link and jump to another document.

When you move the mouse over a link, the mouse arrow will turn into a little hand.

Links are found in nearly all web pages. Links allow users to click their way from page to page.

A link does not have to be text. It can be an image or any other HTML element.

Code:

```
<div>
<a href="subjects.html"><b> View all Subjects----></b> </a>
</div>
```

Output:



Computer Science



Arts and Humanities



Business and Management




Engineering



Personal Development



[View all Subjects---->](#)




Code:

```
<div class=c>
<p style="float: left; font-size: 12pt; text-align: center; width: 22%; margin-right: 3%; margin-bottom: 0.5em;">
<a href="https://www.coursera.org/"></a></p>
<p style="float: left; font-size: 12pt; text-align: center; width: 22%; margin-right: 3%; margin-bottom: 0.5em;">
<a href="https://www.edx.org/"></a></p>
<p style="float: left; font-size: 12pt; text-align: center; width: 22%; margin-right: 3%; margin-bottom: 0.5em;">
<a href="https://www.udacity.com/"></a></p>
<p style="float: left; font-size: 12pt; text-align: center; width: 22%; margin-right: 3%; margin-bottom: 0.5em;">
<a href="https://in.udacity.com/"></a></p>
<p style="clear: both;">
</div>
```

Output:



Course Providers





MENU:

The <menu> tag defines a list/menu of commands.

The <menu> tag is used for context menus, toolbars and for listing form controls and commands.

This tag has been deprecated in HTML and redefined in HTML5.





Code:

```
<div class="dropdown">
  <button class="dropbtn">Menu</button>
  <div class="dropdown-content">
    <a href="index.html">Home</a>
    <a href="#">About Us</a>
    <a href="#">Contact us</a>
    <a href="#">FAQ</a>
  </div>
</div>
```

```
.dropbtn {
background-color:#f1f1f1;
color: black;
padding: 16px;
font-size: 16px;
border: none;
border-radius: 12px;
width:100px;
}
```

```
/* The container <div> - needed to position the dropdown content */
.dropdown {
position: relative;
display: inline-block;
width:100px;
height: 200px;
overflow-y: auto;
float:right;
margin-right:1%;
margin-top:10.5%;
cursor: pointer;
}
```

```
/* Dropdown Content (Hidden by Default) */
.dropdown-content {
display: none;
position: absolute;
background-color: #f1f1f1;
min-width: 100px;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
z-index: 1;
}
```

```

/* Links inside the dropdown */
.dropdown-content a {
color: black;
padding: 12px 16px;
text-decoration: none;
display: block;
}

/* Change color of dropdown links on hover */
.dropdown-content a:hover {
background-color: #3155C6;
color:white;
}

/* Show the dropdown menu on hover */
.dropdown:hover .dropdown-content {
display: block;
}

```

LIST-

➔ ORDERED LIST

An unordered list starts with the tag. Each list item starts with the tag.

The list items will be marked with bullets (small black circles) by default.

The CSS list-style-type property is used to define the style of the list item marker

Value Description

disc Sets the list item marker to a bullet (default)

circle Sets the list item marker to a circle

square Sets the list item marker to a square


none The list items will not be marked

Benefits:

```

<ul>
<li>Single portal for multiple sites</li>
<li>Online and open to everyone</li>
<li>Learn a new skill in 4-6 weeks</li>
<li>Earn a Course Certificate</li>
<li>Loads of free Courses available</li>
<li>Learn from top universities while sitting at home</li></b>
</div>

```

➔ UNORDERD LIST

If you are required to put your items in a numbered list instead of bulleted, then HTML ordered list will be used. This list is created by using `` tag. The numbering starts at one and is incremented by one for each successive ordered list element tagged with ``.


```
<div class=h1>
<br>
<ol>
<li>Sneha Bahl<br>+919560836788<br>96snehabahl@gmail.com</li>
<li>Surbhi Kapur<br>+919657965777<br>surbhikapur@gmail.com</li>
<li>Sahil Bahl<br>+919560400088<br>sahilbahl@gmail.com<br></li>
</ol>
<br><br>
</div>
```

Css:

```
.h1{
background:#CED9FA;
font-size:20px;|
}
```

Contact Us

file:///home/snehabahl/Desktop/Web-Engineering/week%204/contact.html



Course Portal

Home

Contact Information

1. Sneha Bahl

+919560836788

96snehabahl@gmail.com

2. Surbhi Kapur

+919657965777

surbhikapur@gmail.com

3. Sahil Bahl

+919560400088

sahilbahl@gmail.com