



Tests you can trust

Name : Madhumita(62Y/F)

Date : 21 Apr, 2026

Test Asked : Hba, Lipid Profile + 1 Other

Report Status : Complete Report



First National Diagnostic Chain
to have 100% of its Labs with
NABL Accreditation[#]

Accredited by



NABL From 2005[#]



ISO 9001: 2015 - From 2015



CAP From 2011^{*}



Your reports are digitally verifiable

Scan the QR code inside the report
to check authenticity of reported values

QR code will remain active for 30 days from report release date



98% Reports
released within
06 Hours
of sample reaching the lab^{*}

9 out of 10 Doctors Trust
that Thyrocare
reports are
Accurate & Reliable^{*}

1200+
Tests & Profiles



Temperature-
Controlled
Sample Logistics



Unique Barcode
Tracking



Fully Automated
Machines Inspected
Daily



Abnormal Values
Re-Checked Twice



Reports Verified By Expert
MD Pathologists Stationed
at Every Lab

Processed At :
5CA-711, 3rd Floor, HRBR 2nd
Block, Hennur, Bengaluru-560043

 **Thyrocare Technologies Limited**, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703.  9870666333  wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

Patient Name

: MADHUMITA (62Y/F)

Referred By

: SELF

Address

: SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA
DODDABANAHALLI FLAT NO A411 - 560066

Tests Done

: HBA,LIPID PROFILE,URINE
MICROALBUMIN

Report Availability Summary

Note: Please refer to the table below for status of your tests.

 **3** Ready

 **0** Ready with Cancellation

 **0** Processing

 **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
LIPID PROFILE	Ready 
URINE MICROALBUMIN	Ready 
HbA1c	Ready 

Patient Name : MADHUMITA (62Y/F)
Referred By : SELF
Address : SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA
DODDABANAHALLI FLAT NO A411 - 560066

Sample Collected on (SCT) : 21 Apr 2026 09:01
Sample Received on (SRT) : 21 Apr 2026 14:52
Report Released on (RRT) : 21 Apr 2026 16:49
Sample Type | Barcode : SERUM | FA549800

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
TOTAL CHOLESTEROL	PHOTOMETRY	154	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	42	mg/dL	40-60
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	99	mg/dL	< 100
TRIGLYCERIDES	PHOTOMETRY	166	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	3.7	Ratio	3 - 5
TRIG / HDL RATIO	CALCULATED	3.98	Ratio	< 3.12
LDL / HDL RATIO	CALCULATED	2.4	Ratio	1.5-3.5
HDL / LDL RATIO	CALCULATED	0.42	Ratio	> 0.40
NON-HDL CHOLESTEROL	CALCULATED	112.3	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	33.26	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
LDL - Direct Measure
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
TRI/H - Derived from TRIG and HDL Values
LDL/ - Derived from serum HDL and LDL Values
HD/LD - Derived from HDL and LDL values.
NHDH - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Tests Done : LIPID PROFILE

Report Remarks : Labcode:2104091419/BAN62

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : MADHUMITA (62Y/F)
Referred By : SELF
Address : SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA
DODDABANAHALLI FLAT NO A411 - 560066

Sample Collected on (SCT) : 21 Apr 2026 09:01
Sample Received on (SRT) : 21 Apr 2026 14:56
Report Released on (RRT) : 21 Apr 2026 15:57
Sample Type | Barcode : EDTA Whole Blood | FA218500

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	H.P.L.C	9	%

Bio. Ref. Interval. :

As per ADA Guidelines

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
>=6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	212	mg/dL
------------------------------------	-------------------	------------	--------------

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HbA1c values

Please correlate with clinical conditions.

Tests Done : HbA1c

Report Remarks : Labcode:2104091700/BAN62

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Patient Name : MADHUMITA (62Y/F)
Referred By : SELF
Address : SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA
DODDABANAHALLI FLAT NO A411 - 560066

Sample Collected on (SCT) : 21 Apr 2026 09:01
Sample Received on (SRT) : 21 Apr 2026 15:22
Report Released on (RRT) : 21 Apr 2026 20:16
Sample Type | Barcode : URINE | EG020601

TEST NAME	TECHNOLOGY	VALUE	UNITS
DIABETES SCREEN (URINE) URINARY MICROALBUMIN Bio. Ref. Interval. : Adults: Less than 25 µg/ml Method : Fully Automated Immuno Turbidometry	PHOTOMETRY	491	µg/mL
CREATININE - URINE Bio. Ref. Interval. : Male: 39 - 259 mg/dl Female: 28 - 217 mg/dl Method : Creatinine Jaffe Method, Rate-Blanked and Compensated	PHOTOMETRY	82.8	mg/dL
URI. ALBUMIN/CREATININE RATIO (UA/C) Bio. Ref. Interval. : Adults : Less than 30 µg/mg of Creatinine Method : Derived from Albumin and Creatinine values	CALCULATED	593	µg/mg of Creatinine
Please correlate with clinical conditions.			

~~ End of report ~~

Tests Done : HBA,LIPID PROFILE,URINE MICROALBUMIN

Report Remarks : Labcode:2104093679/BAN62

M. Anuswaru

Dr. Anuswaru MBBS,MD
(Biochem)



Scan QR to verify(valid for
30 days from release time)

CUSTOMER DETAILS

As declared in our data base

Name: MADHUMITAAge: 62YSex: F

Barcodes/Sample_Type : FA549800(SERUM), FA218500(EDTA), EG020601(URINE)

Labcode : 2104091419, 2104091700, 2104093679

Ref By : SELF

Sample_Type/Tests : SERUM:LIPID PROFILE
EDTA:HBA
URINE:URINE MICROALBUMIN

Address : SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA
DODDABANAHALLI FLAT NO A411 - 560066

Sample Collected on (SCT) : 21 Apr 2026 09:01

Report Released on (RRT) : 21 Apr 2026 16:49

Amount Collected : Rs.1500/- (one thousand five hundred only)

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

Name: MADHUMITA **Age:** 62Y **Sex:** F

Barcodes/Sample_Type	: FA549800(SERUM), FA218500(EDTA), EG020601(URINE)
Labcode	: 2104091419, 2104091700, 2104093679
Ref By	: SELF
Sample_Type/Tests	: SERUM:LIPID PROFILE EDTA:HBA URINE:URINE MICROALBUMIN
Address	: SUMADHUR ASPIRE AMBER ASHRAM ROAD OFF SAI BABA DODDABANAHALLI FLAT NO A411 - 560066
Sample Collected on (SCT)	: 21 Apr 2026 09:01
Report Released on (RRT)	: 21 Apr 2026 16:49
Amount Collected	: Rs.1500/- (one thousand five hundred only)

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints, clinical support or feedback, write to us at customersupport@thyrocare.com or call us on **022-3090 0000**

Preventive Healthcare is now at your fingertips!



Download Thyroapp Now



— Launching —

Jaanh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

 Heart	 Fever	 Cancer	 Women's - Reproductive Health
 Thyroid	 Diabetes	 STDs	 Skin Care
			 Hair Fall



Tests you can trust

* T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),

* As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited