

Name : Madhumita (60Y/F)



Date : 22 Oct 2025

Test Asked : Hba, Lipid Profile + 1 Others

Report Status: Complete Report



First National Diagnostic Chain to have
100% of its Labs with NABL Accreditation[#]



Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity
of reported values

QR code will remain active for 30 days from report release date

Accredited by



NABL From 2005[#]



ISO 9001: 2015 - From 2015



CAP From 2007[~]

Processed At :
5CA-711, 3rd Floor, HRBR 2nd
Block, Hennur, Bengaluru-560043

 **Thyrocare Technologies Limited**, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703.  9870666333  wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

Patient Name : MADHUMITA (60Y/F)

Tests Done : HBA,LIPID PROFILE,UALB

Referred By : SELF

Home Collection : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049

Report Availability Summary

Note: Please refer to the table below for status of your tests.

 **3** Ready

 **0** Ready with Cancellation

 **0** Processing

 **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
LIPID PROFILE	Ready 
URINARY MICROALBUMIN	Ready 
HbA1c	Ready 

Processed At :
5CA-711, 3rd Floor, HRBR 2nd
Block, Hennur, Bengaluru-560043

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation*

Patient Name : MADHUMITA (60Y/F)
Referred By : SELF
Home Collection : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049

Tests Done : HBA,LIPID PROFILE,UALB

Tests Outside Reference Range

Note: Please refer to the table below for tests outside reference range.

Test Name	Observed Value	Units	Bio. Ref. Interval.
DIABETES			
AVERAGE BLOOD GLUCOSE (ABG)	169	mg/dL	90-120
HbA1c	7.5	%	< 5.7
URINARY MICROALBUMIN	122.1	µg/mL	< 25
LIPID			
HDL / LDL RATIO	0.37	Ratio	> 0.40
HDL CHOLESTEROL - DIRECT	37	mg/dL	40-60
LDL CHOLESTEROL - DIRECT	101	mg/dL	< 100
TRIG / HDL RATIO	4.5	Ratio	< 3.12
TRIGLYCERIDES	167	mg/dL	< 150
RENAL			
URI. ALBUMIN/CREATININE RATIO (UA/C)	342.9	µg/mg of Creatinine	< 30

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

Patient Name : MADHUMITA (60Y/F)
Referred By : SELF
Home Collection : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049

Sample Collected on (SCT) : 22 Oct 2025 07:04
Sample Received on (SRT) : 22 Oct 2025 15:05
Report Released on (RRT) : 22 Oct 2025 16:14
Sample Type | Barcode : SERUM | ER460473

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL CHOLESTEROL	PHOTOMETRY	154	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	37	mg/dL	40-60
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	101	mg/dL	< 100
TRIGLYCERIDES	PHOTOMETRY	167	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	4.1	Ratio	3 - 5
TRIG / HDL RATIO	CALCULATED	4.5	Ratio	< 3.12
LDL / HDL RATIO	CALCULATED	2.7	Ratio	1.5-3.5
HDL / LDL RATIO	CALCULATED	0.37	Ratio	> 0.40
NON-HDL CHOLESTEROL	CALCULATED	116.6	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	33.46	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :


CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
LDL - Direct Measure
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
TRI/H - Derived from TRIG and HDL Values
LDL/ - Derived from serum HDL and LDL Values
HD/LD - Derived from HDL and LDL values.
NHDL - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**


TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Tests Done : LIPID PROFILE



Dr Syeda Sumaiya
MD(Path)



Dr. Anuswara
MBBS, MD (Biochem)



Scan QR to verify(valid for
30 days from release time)

Patient Name : MADHUMITA (60Y/F)
Referred By : SELF
Home Collection : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049

Sample Collected on (SCT) : 22 Oct 2025 07:04
Sample Received on (SRT) : 22 Oct 2025 15:06
Report Released on (RRT) : 22 Oct 2025 16:02
Sample Type | Barcode : EDTA Whole Blood | ET798924

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	H.P.L.C	7.5	%

Bio. Ref. Interval. :

As per ADA Guidelines

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
≥6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
≥8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	169	mg/dL
-----------------------------	------------	-----	-------


Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control


Method : Derived from HbA1c values

Please correlate with clinical conditions.

Tests Done : HbA1c



Dr Syeda Sumaiya
MD(Path)



Dr. Anuswara
MBBS, MD (Biochem)


Patient Name : MADHUMITA (60Y/F)
Referred By : SELF
Home Collection : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049

Sample Collected on (SCT) : 22 Oct 2025 07:04
Sample Received on (SRT) : 22 Oct 2025 16:09
Report Released on (RRT) : 22 Oct 2025 18:07
Sample Type | Barcode : URINE | EK11639


TEST NAME	TECHNOLOGY	VALUE	UNITS
DIABETES SCREEN (URINE)			
URINARY MICROALBUMIN	PHOTOMETRY	122.1	µg/mL
Bio. Ref. Interval. : Adults: Less than 25 µg/ml Method : Fully Automated Immuno Turbidometry			
CREATININE - URINE	PHOTOMETRY	35.61	mg/dL
Bio. Ref. Interval. : Male: 39 - 259 mg/dl Female: 28 - 217 mg/dl Method : Creatinine Jaffe Method, Rate-Blanked and Compensated			
URI. ALBUMIN/CREATININE RATIO (UA/C)	CALCULATED	342.9	µg/mg of Creatinine
Bio. Ref. Interval. : Adults : Less than 30 µg/mg of Creatinine Method : Derived from Albumin and Creatinine values			
Please correlate with clinical conditions.			

~~ End of report ~~

Tests Done : HBA,LIPID PROFILE,UALB



Dr Syeda Sumaiya
MD(Path)



Dr. Anuswara
MBBS, MD (Biochem)



Scan QR to verify(valid for
30 days from release time)

CUSTOMER DETAILS

As declared in our data base

Name: MADHUMITA **Age:** 60Y **Sex:** F

Barcodes/Sample_Type : EK111639 (URINE),ET798924 (EDTA),ER460473 (SERUM)
Labcode : 2210085980,2210081713,2210081674
Ref By : SELF
Sample_Type/Tests : URINE:UALB
EDTA:HBA
SERUM:LIPID PROFILE
Sample Collected At : FLAT.A411,SUMADHURA ASPIRE AMBER ASHRAMROAD OFF SAI BABA
DODDABANAHALLI BANGALORE - 560049
Sample Collected on (SCT) : 22 Oct 2025 07:04
Report Released on (RRT) : 22 Oct 2025 18:07
Amount Collected : Rs.1500/-(one thousand five hundred only)

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints, clinical support or feedback, write to us at customersupport@thyrocare.com or call us on **022-3090 0000**

Preventive Healthcare is now at your fingertips!



Download Thyroapp Now



Launching

Jaanh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

 Heart	 Fever	 Cancer	 Women's - Reproductive Health
 Thyroid	 Diabetes	 STDs	 Skin Care
			 Hair Fall



Thyrocare
Tests you can trust

* T&C Apply, #As on 5th December 2024 (Applicable for all company owned labs except Bhagalpur & Vijayawada),

* As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited