

ADVANCE DEVOPS EXP: 4

Aim: To install Kubectl and execute Kubectl commands to manage the Kubernetes cluster and deploy Your First Kubernetes Application.

1.1 Install prerequisites:

sudo apt-get update

sudo apt-get install -y apt-transport-https ca-certificates curl

```
root@ip-172-31-87-198:/home/ubuntu# sudo apt-get update -y
sudo apt-get install -y software-properties-common curl apt-transport-https ca-
certificates gpg

sudo curl -fsSL https://pkgs.k8s.io/addons:/cri-o:/prerelease:/main/deb/Release.
key | sudo gpg --dearmor -o /etc/apt/keyrings/cri-o-apt-keyring.gpg
echo "deb [signed-by=/etc/apt/keyrings/cri-o-apt-keyring.gpg] https://pkgs.k8s.i
o/addons:/cri-o:/prerelease:/main/deb/ /" | sudo tee /etc/apt/sources.list.d/cri
-o.list

sudo apt-get update -y
sudo apt-get install -y cri-o
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:6 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:4 https://prod-cdn.packages.k8s.io/repositories/isv:/kubernetes:/addons:/cri
-o:/prerelease:/main/deb InRelease
Ign:5 https://packages.cloud.google.com/apt kubernetes-focal InRelease
Err:7 https://packages.cloud.google.com/apt kubernetes-focal Release
  404 Not Found [IP: 172.253.122.100 443]
Reading package lists... Done
E: The repository 'https://apt.kubernetes.io kubernetes-focal Release' does not
have a Release file.
N: Updating from such a repository can't be done securely, and is therefore disa
bled by default.
N: See apt-secure(8) manpage for repository creation and user configuration deta
ils.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
software-properties-common is already the newest version (0.99.48).
curl is already the newest version (8.5.0-2ubuntu10.4).
apt-transport-https is already the newest version (2.7.14build2).
ca-certificates is already the newest version (20240203).
gpg is already the newest version (2.4.4-2ubuntu17).
0 upgraded, 0 newly installed, 0 to remove and 130 not upgraded.
File '/etc/apt/keyrings/cri-o-apt-keyring.gpg' exists. Overwrite? (y/N) y
deb [signed-by=/etc/apt/keyrings/cri-o-apt-keyring.gpg] https://pkgs.k8s.io/addo
ns:/cri-o:/prerelease:/main/deb/ /
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
```

1. Add the GPG key for Kubernetes:

sudo curl -fsSL https://packages.cloud.google.com/apt/doc/apt-key.gpg

<https://packages.cloud.google.com/apt/doc/apt-key.gpg>

```
root@ip-172-31-87-198:/home/ubuntu# sudo curl -fsSLo /usr/share/keyrings/kubernetes-archive-keyring.gpg
https://packages.cloud.google.com/apt/doc/apt-key.gpg
curl: (2) no URL specified
curl: try 'curl --help' or 'curl --manual' for more information
bash: https://packages.cloud.google.com/apt/doc/apt-key.gpg: No such file or directory
```

2. Add the Kubernetes repository:

```
echo "deb [signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg]
https://apt.kubernetes.io/ kubernetes-focal main" | sudo tee
/etc/apt/sources.list.d/kubernetes.list
```

```
root@ip-172-31-87-198:/home/ubuntu# echo "deb [signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg]
https://apt.kubernetes.io/ kubernetes-focal main" | sudo tee
/etc/apt/sources.list.d/kubernetes.list
deb [signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg]
https://apt.kubernetes.io/ kubernetes-focal main
```

1.2 Install kubectl:

Now install kubectl

Sudo apt-get update

Sudo apt-get install -y kubectl

```
root@ip-172-31-87-198:/home/ubuntu# sudo apt-get update
sudo apt-get install -y kubectl
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:5 https://prod-cdn.packages.k8s.io/repositories/isv/kubernetes:/addons:/cri-o:/prerelease
Ign:6 https://packages.cloud.google.com/apt kubernetes-focal InRelease
Err:7 https://packages.cloud.google.com/apt kubernetes-focal Release
 404 Not Found [IP: 172.253.122.102 443]
Reading package lists... Done
E: The repository 'https://apt.kubernetes.io kubernetes-focal Release' does not have a Release
N: Updating from such a repository can't be done securely, and is therefore disabled by default
N: See apt-secure(8) manpage for repository creation and user configuration details.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
kubectl is already the newest version (1.29.0-1.1).
0 upgraded, 0 newly installed, 0 to remove and 130 not upgraded.
```

```
root@ip-172-31-87-198:/home/ubuntu# nano nginx-deployment.yaml
root@ip-172-31-87-198:/home/ubuntu# nano nginx-service.yaml
```

Verifying the installation:

Kubectl version --client

```
root@ip-172-31-87-198:/home/ubuntu# kubectl version --client
Client Version: v1.29.0
Kustomize Version: v5.0.4-0.20230601165947-6ce0bf390ce3
```

Step 2: Deploying the Application on Kubernetes

2.1 Setting up Kubernetes Cluster

1. If you haven't already set up a Kubernetes cluster (e.g., with kubectl), use minikube or any managed Kubernetes service (like EKS, GKE, etc.) to get a cluster running.
2. Once your cluster is ready, confirm that all the nodes are successfully connected and operational.

Command: kubectl get nodes


```
root@ip-172-31-87-198:/home/ubuntu# kubectl get nodes
NAME                                STATUS    ROLES    AGE   VERSION
ip-172-31-80-64                    Ready     <none>    18s   v1.29.0
ip-172-31-81-208                   Ready     <none>    35s   v1.29.0
ip-172-31-87-198                   Ready     control-plane 43m   v1.29.0
```

Step 3: Create the Deployment YAML file

- a) Creating the YAML file: Use a text editor to create a file named nginx-deployment.yaml
And nginx-service.yaml

```
root@ip-172-31-87-198:/home/ubuntu# nano nginx-deployment.yaml
root@ip-172-31-87-198:/home/ubuntu# nano nginx-service.yaml
root@ip-172-31-87-198:/home/ubuntu# kubectl apply -f nginx-deployment.yaml
error: Unexpected args: [of nginx-deployment.yaml]
See 'kubectl apply -h' for help and examples
root@ip-172-31-87-198:/home/ubuntu# kubectl apply -f nginx-deployment.yaml
deployment.apps/nginx-deployment created
root@ip-172-31-87-198:/home/ubuntu# kubectl apply -f nginx-service.yaml
service/nginx-service created
```

- b) Adding the Deployment Configuration to nginx-deployment.yaml and nginx-service.yaml



```
root@ip-172-31-87-198: /home/ubuntu
GNU nano 7.2 nginx-deployment.yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: nginx-deployment
  labels:
    app: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.21.3
```

[Read 22 lines]

⌘ Help ⌘ Write Out ⌘ Where Is ⌘ Cut ⌘ Execute ⌘ Location
⌘ Exit ⌘ Read File ⌘ Replace ⌘ Paste ⌘ Justify ⌘ Go To Line

```
root@ip-172-31-87-198: /home/ubuntu
GNU nano 7.2 nginx-service.yaml
apiVersion: v1
kind: Service
metadata:
  name: nginx-service
spec:
  selector:
    app: nginx
  ports:
    - protocol: TCP
      port: 80
      targetPort: 80
  type: LoadBalancer
```

Step 4:Applying the YAML Files

a)Deploying the Application: Use kubectl to create the Deployment and Service from the YAML files.

```
root@ip-172-31-87-198:/home/ubuntu# kubectl apply -f nginx-deployment.yaml
deployment.apps/nginx-deployment created
root@ip-172-31-87-198:/home/ubuntu# kubectl apply -f nginx-service.yaml
service/nginx-service created
```

Verifying the Deployment and also describing the deployment:

Check the status of your Deployment,Pods and Services.

```
root@ip-172-31-87-198:/home/ubuntu# kubectl get deployments
NAME                READY   UP-TO-DATE   AVAILABLE   AGE
nginx-deployment    2/2     2             2           5m57s
root@ip-172-31-87-198:/home/ubuntu# kubectl get deployments
NAME                READY   UP-TO-DATE   AVAILABLE   AGE
nginx-deployment    2/2     2             2           6m39s
```

```

root@ip-172-31-87-198:/home/ubuntu# kubectl get deployments
NAME                                READY    UP-TO-DATE    AVAILABLE    AGE
nginx-deployment                    2/2      2              2             28m
root@ip-172-31-87-198:/home/ubuntu# kubectl describe deployment
Name:                                nginx-deployment
Namespace:                            default
CreationTimestamp:                    Wed, 18 Sep 2024 12:14:59 +0000
Labels:                               app=nginx
Annotations:                          deployment.kubernetes.io/revision: 1
Selector:                             app=nginx
Replicas:                             2 desired | 2 updated | 2 total | 2 available | 0 unavailable
StrategyType:                         RollingUpdate
MinReadySeconds:                      0
RollingUpdateStrategy:                25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=nginx
  Containers:
    nginx:
      Image:          nginx:1.21.3
      Port:           80/TCP
      Host Port:      0/TCP
      Environment:    <none>
root@ip-172-31-87-198:/home/ubuntu# kubectl get service
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
kubernetes                         ClusterIP            10.96.0.1        <none>            443/TCP           55m
nginx-service                      LoadBalancer        10.109.148.186   <pending>         80:30162/TCP      31m
root@ip-172-31-87-198:/home/ubuntu#

```

Step 6: Ensure Service is Running

6.1 Verify Service: Running the following commands to check the services running in our cluster:

Command: `kubectl get service`

```

root@ip-172-31-87-198:/home/ubuntu# kubectl get service
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
kubernetes                         ClusterIP            10.96.0.1        <none>            443/TCP           101m
nginx-service                      LoadBalancer        10.106.17.37     <pending>         80:31687/TCP      105s
root@ip-172-31-87-198:/home/ubuntu# kubectl port-forward service/nginx-service 8080:80
Forwarding from 127.0.0.1:8080 -> 80
Forwarding from [::1]:8080 -> 80
^Croot@ip-172-31-87-198:/home/ubuntu# kubectl get pods
NAME                                READY    STATUS      RESTARTS    AGE
nginx-deployment-6b4d6fdbf-n52mq    1/1      Running     0            9m20s
nginx-deployment-6b4d6fdbf-w9qjv    1/1      Running     0            9m20s
root@ip-172-31-87-198:/home/ubuntu# kubectl logs nginx-deployment-6b4d6fdbf-n52mq
q
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2024/09/18 11:34:24 [notice] 1#1: using the "epoll" event method
2024/09/18 11:34:24 [notice] 1#1: nginx/1.21.3
2024/09/18 11:34:24 [notice] 1#1: built by gcc 8.3.0 (Debian 8.3.0-6)
2024/09/18 11:34:24 [notice] 1#1: OS: Linux 6.8.0-1012-aws
2024/09/18 11:34:24 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2024/09/18 11:34:24 [notice] 1#1: start worker processes
2024/09/18 11:34:24 [notice] 1#1: start worker process 26
2024/09/18 11:34:24 [notice] 1#1: start worker process 27

```



```
error: service nginx-service does not have a service port 8080
```

```
root@ip-172-31-87-198:/home/ubuntu# kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginx-deployment-6b4d6fdbf-bqqg2   1/1     Running   0           35m
nginx-deployment-6b4d6fdbf-ptgmg    1/1     Running   0           35m
```

Step 7: Forward the Service Port to Your Local Machine

kubectl port-forward allows you to forward a port from your local machine to a port on a service running in the Kubernetes cluster.

Command:

```
kubectl port-forward service/<service-name> <local-port>:<service-port>
```

```
see kubectl port-forward --help for help and examples
```

```
root@ip-172-31-87-198:/home/ubuntu# kubectl port-forward service/nginx-service 8080:80
Forwarding from 127.0.0.1:8080 -> 80
Forwarding from [::1]:8080 -> 80
```

```
root@ip-172-31-87-198:/home/ubuntu# kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginx-deployment-6b4d6fdbf-bqqg2   1/1     Running   0           35m
nginx-deployment-6b4d6fdbf-ptgmg    1/1     Running   0           35m
root@ip-172-31-87-198:/home/ubuntu# kubectl logs nginx-deployment-6b4d6fdbf-bqqg2
2
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2024/09/18 12:34:16 [notice] 1#1: using the "epoll" event method
2024/09/18 12:34:16 [notice] 1#1: nginx/1.21.3
2024/09/18 12:34:16 [notice] 1#1: built by gcc 8.3.0 (Debian 8.3.0-6)
2024/09/18 12:34:16 [notice] 1#1: OS: Linux 6.8.0-1012-aws
2024/09/18 12:34:16 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2024/09/18 12:34:16 [notice] 1#1: start worker processes
2024/09/18 12:34:16 [notice] 1#1: start worker process 26
2024/09/18 12:34:16 [notice] 1#1: start worker process 27
```

Step 8: Access the Application

- Open a web browser and navigate to `http://<Node-IP>:<Port>`. You should see the NGINX application running in the Kubernetes cluster.

