

# Cucumber Report

Apr 2, 2024, 9:50:46 PM

Start : Apr 02, 9:50:40.368 PM

End : Apr 02, 9:50:44.246 PM

Duration : 3.878 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Compose mail feature</u>	3.878 s	1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	<u>Compose mail feature</u>	<u>Successful Login with Valid entries</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Compose mail feature</u>	1	0	1	0	3.878 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Compose mail feature</u>	<u>Successful Login with Valid entries</u>	2	0	1	1	3.870 s

## Compose mail feature

<b>FAILED</b>	<b>DURATION - 3.878 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:50:40.368 PM // 9:50:44.246 PM /					

## Successful Login with Valid entries

<div>FAILED</div> <div>DURATION - 3.870 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:50:40.376 PM // 9:50:44.246 PM /				
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com <pre>java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.properties" is null     at utilities.Config_Reader.getApplicationUrl(Config_Reader.java:31)     at stepDefination.Gmail_Stepdef.user_navigates_to_the_website_gmail_com(Gmail_Stepdef.java:24)     at ?.User navigates to the website gmail.com(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	3.843 s
2	And User log into application with valid credentials	SKIPPED	0.001 s