

Cucumber Report

Apr 3, 2024, 2:24:03 PM

Start : Apr 03, 2:24:01.319 PM

End : Apr 03, 2:24:01.401 PM

Duration : 0.082 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Compose mail feature</u>	0.082 s	2	0	2	0	3	0	2	1

#	Feature Name	Scenario Name
1	<u>Compose mail feature</u>	<u>Successful Login with Valid entries</u>
2		<u>Compose mail functionality</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Compose mail feature</u>	2	0	2	0	0.082 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Compose mail feature</u>	<u>Successful Login with Valid entries</u>	2	0	1	1	0.073 s
2		<u>Compose mail functionality</u>	1	0	1	0	0.046 s

Compose mail feature

FAILED	DURATION - 0.082 s	Scenarios		Steps	
/ 2:24:01.319 PM // 2:24:01.401 PM /		Total - 2		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

Successful Login with Valid entries

<div>FAILED</div> <div>DURATION - 0.073 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:24:01.327 PM // 2:24:01.400 PM /</div>				
<div>Compose mail feature</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to the website gmail.com</p> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefination.Gmail_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</pre>	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.StackOverflowError at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14)		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14)		
2	And User log into application with valid credentials	SKIPPED	0.000 s

Compose mail functionality

FAILED	DURATION - 0.046 s	 <p>A bar chart with a y-axis from 0 to 0.15 and an x-axis with a single bar labeled '1' reaching a height of approximately 0.046.</p>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	 <p>A donut chart that is almost entirely red, with a small white segment at the top. The number '1' is in the center.</p>
/ 2:24:01.329 PM // 2:24:01.375 PM /				
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	<p>Given User logged into gmail account</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefination.Gmail_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	0.039 s

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14)		