

Cucumber Report

Apr 3, 2024, 2:21:04 PM

Start : Apr 03, 2:21:02.351 PM

End : Apr 03, 2:21:02.431 PM

Duration : 0.080 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 1



| Feature | | Scenario | | | | Step | | | |
|-----------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Compose mail feature</u> | 0.080 s | 2 | 0 | 2 | 0 | 3 | 0 | 2 | 1 |

| # | Feature Name | Scenario Name |
|---|-----------------------------|--|
| 1 | <u>Compose mail feature</u> | <u>Successful Login with Valid entries</u> |
| 2 | | <u>Compose mail functionality</u> |





| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------------|---|---|---|---|----------|
| 1 | <u>Compose mail feature</u> | 2 | 0 | 2 | 0 | 0.080 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------|--|---|---|---|---|----------|
| 1 | <u>Compose mail feature</u> | <u>Successful Login with Valid entries</u> | 2 | 0 | 1 | 1 | 0.071 s |
| 2 | | <u>Compose mail functionality</u> | 1 | 0 | 1 | 0 | 0.040 s |

Compose mail feature

| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.080 s | Scenarios |  | Steps |  |
| / 2:21:02.351 PM // 2:21:02.431 PM / | | Total - 2 | | Total - 3 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 1 | |

Successful Login with Valid entries

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.071 s</div> | | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 2:21:02.360 PM // 2:21:02.431 PM /</div> | | | | |
| <div>Compose mail feature</div> | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given User navigates to the website gmail.com</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefination.Gmail_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> | FAILED | 0.041 s |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) | | |
| 2 | And User log into application with valid credentials | SKIPPED | 0.001 s |

Compose mail functionality

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| FAILED | DURATION - 0.040 s |  <p>A bar chart with a vertical axis from 0 to 0.15 and a horizontal axis with index 1. A single black bar at index 1 reaches a height of approximately 0.03. Dashed horizontal grid lines are at 0.05, 0.1, and 0.15. A dashed vertical line is at index 1.</p> | <div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div> |  <p>A donut chart that is almost entirely red, with a small white segment at the top. The number '1' is in the center.</p> |
| / 2:21:02.361 PM // 2:21:02.401 PM / | | | | |
| Compose mail feature | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given User logged into gmail account</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefination.Gmail_Stepdef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre> | FAILED | 0.031 s |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at pageObject.Login.<init>(Login.java:14) at pageObject.Login.<init>(Login.java:14) | | |