Cucumber Report

Start : Apr 02, 10:37:52.071 PM	End : Apr 02, 11:37:52.318 PM	Duration : 60 m 0.247 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	60 m 0.247 s	1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	*Compose mail feature*	*Successful Login with Valid entries*

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	1	0	1	0	60 m 0.247 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	2	0	1	1	60 m 0.239 s

Compose mail feature

FAILED	DURATION - 60 m 0.247 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 10:37:52.071 PM // 11:37:52.318 PM /			1		2

Successful Login with Valid entries

FAILED	DURATION - 60 m 0.239 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 10:37:52.079 PM // 11:37:52.318 PM /				2
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	FAILED	60 m 0.220 s

	org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, error Command failed with code: 1, executed: [--browser, chrome, --language-binding, java, --output, json] Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: ChromeDriver
	    at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:48)
	    at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:33)
	    at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at stepDefination.Gmail_Stepdef.user_navigates_to_the_website_gmail_com(Gmail_Stepdef.java:23)
	    at ?.User navigates to the website gmail.com(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:7)
	Caused by: org.openqa.selenium.WebDriverException: Command failed with code: 1, executed: [--browser, chrome, --language-binding, java, --output, json] Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: driver.version: ChromeDriver
	    at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:159)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:303)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:45)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:33)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:99)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at stepDefination.Gmail_Stepdef.user_navigates_to_the_website_gmail_com(Gmail_Stepdef.java:23)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:539)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) * Not displayable characters are replaced by '?'.		
2	And User log into application with valid credientials	SKIPPED	0.001 s