Cucumber Report

| Start : Apr 02, 9:22:46.579 PM	End : Apr 02, 9:22:50.877 PM	Duration : 4.298 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	4.298 s	1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	Compose mail feature	Successful Login with Valid entries

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	1	0	1	0	4.298 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	2	0	1	1	4.291 s

Compose mail feature

FAILED	*DURATION - 4.298 s*		Scenarios		Steps	
/ 9:22:46.579 PM // 9:22:50.877 PM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 2 Pass - 0 Fail - 1 Skip - 1	2

Successful Login with Valid entries

FAILED	*DURATION - 4.291 s*		Steps	
/ 9:22:46.586 PM // 9:22:50.877 PM /			Total - 2 Pass - 0 Fail - 1 Skip - 1	2
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	FAILED	4.270 s

	java.lang.NullPointerException: Cannot invoke "utilities.Config_Reader.getApplicationUrl()" because "this.config" is null
	    at stepDefination.Gmail_Stepdef.user_navigates_to_the_website_gmail_com(Gmail_Stepdef.java:24)
	    at ?.User navigates to the website gmail.com(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:7)
	* Not displayable characters are replaced by '?'.		

2	And User log into application with valid credientials	SKIPPED	0.000 s