Cucumber Report

Start : Apr 03, 2:58:33.059 PM	End : Apr 03, 2:58:46.996 PM	Duration : 13.937 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Compose mail feature	*13.937 s*	*2*	*1*	*1*	*0*	*3*	*2*	*1*	*0*

#	Feature Name	Scenario Name
1	*Compose mail feature*	*Successful Login with Valid entries*

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	2	1	1	0	13.937 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Compose mail functionality	1	1	0	0	4.088 s
2		Successful Login with Valid entries	2	1	1	0	13.927 s

Compose mail feature

FAILED	DURATION - 13.937 s	Scenarios		Steps	
		Total - 2		Total - 3	
/ 2:58:33.059 PM // 2:58:46.996 PM /		Pass - 1	2	Pass - 2	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Compose mail functionality

PASSED	DURATION - 4.088 s		Steps	
/ 2:58:33.068 PM // 2:58:37.156 PM /			Total - 1	
			Pass - 1	1
Compose mail feature			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User logged into gmail account	PASSED	4.081 s

Successful Login with Valid entries

FAILED	DURATION - 13.927 s		Steps	
/ 2:58:33.069 PM // 2:58:46.996 PM /			Total - 2	
			Pass - 1	2
Compose mail feature			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	PASSED	8.012 s
2	And User log into application with valid credientials	FAILED	5.905 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='T-I T-I-KE L3']"} (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd3026740069e1d7a711c60df8635154, findElement {value=//div[@class='T-I T-I-KE L3'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Dell\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55173}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55173/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd3026740069e1d7a711c60df8635154
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy20.click(Unknown Source)
	    at stepDefination.Gmail_Stepdef.user_log_into_application_with_valid_credientials(Gmail_Stepdef.java:39)
	    at ?.User log into application with valid credientials(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:8)
	* Not displayable characters are replaced by '?'.		