Cucumber Report

| Start : Apr 06, 5:01:17.283 PM	End : Apr 06, 5:01:28.812 PM	Duration : 11.529 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 7

1

2

10

Pass %

0 %

Pass %

0 %

Pass %

10 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	11.529 s	2	0	2	0	10	1	2	7

#	Feature Name	Scenario Name
1	*Compose mail feature*	*Successful Login with Valid entries*
2		*Compose mail functionality*

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	2	0	2	0	11.529 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	3	1	1	1	11.519 s
2		Compose mail functionality	7	0	1	6	0.111 s

Compose mail feature

FAILED	DURATION - 11.529 s		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 10 Pass - 1 Fail - 2 Skip - 7	10
/ 5:01:17.283 PM // 5:01:28.812 PM /						

Successful Login with Valid entries

FAILED	DURATION - 11.519 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 5:01:17.293 PM // 5:01:28.812 PM /				
Compose mail feature				

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	PASSED	11.498 s
2	When Enter valid credientials	FAILED	0.004 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy22.sendKeys(Unknown Source)
	   at pageObject.Login.enter_Id(Login.java:33)
	   at stepDefination.Gmail_Stepdef.enter_valid_credientials(Gmail_Stepdef.java:43)
	   at ?.Enter valid credientials(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:8)
	* Not displayable characters are replaced by '?'.		

3	Then Log in successfully	SKIPPED	0.000 s

Compose mail functionality

		Steps
FAILED	DURATION - 0.111 s	Total - 7
/ 5:01:17.299 PM // 5:01:17.410 PM /		Pass - 0
Compose mail feature		Fail - 1
		Skip - 6

#	Step / Hook Details	Status	Duration
1	Given User click on compose mail and compose window openedt	FAILED	0.077 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy22.click(Unknown Source) at pageObject.Compose_Mail.compose_Mail(Compose_Mail.java:79) at stepDefination.Gmail_Stepdef.user_click_on_compose_mail_and_compose_window_openedt(Gmail_Stepdef.java:63) at ?.User click on compose mail and compose window openedt(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/ Compose_Functionality.feature:14) * Not displayable characters are replaced by '?'.		
2	When Add recipients address ie. To , CC (carbon copy) , BCC (blind carbon copy) fields	SKIPPED	0.000 s
3	And Select Formatting Option to change font, make bold & change text color	SKIPPED	0.000 s
4	And Add Subject and Message body	SKIPPED	0.000 s
5	And Attach the file	SKIPPED	0.000 s
6	And click on send option	SKIPPED	0.000 s
7	Then email is successfully sent	SKIPPED	0.000 s