

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	6.759 s	1	0	1	0	2	1	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Compose mail feature	Successful Login with Valid entries

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	1	0	1	0	6.759 s

SCENARIOS SUMMARY -- 5 --




#	F Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	2	1	1	0	6.751 s

DETAILED SECTION -- 6 --

Compose mail feature

FAILED	DURATION - 6.759 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 11:10:02.047 PM //	/ 11:10:08.806 PM /	Pass - 0	1	Pass - 1	2
		Fail - 1		Fail - 1	🚺 ~ 🗾
		Skip - 0		Skip - 0	

Successful Login with Valid entries



#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	PASSED	6.113 s
2	And User log into application with valid credientials	FAILED	0.615 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=123.0.6312.86) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [3ddf940c2e6888ad4b40fe743bcc5de9, sendKeysToElement {id=f. 791616EB83F473882B4E2B64E829594A.d.C8FA72AFA54E11C230BF2C1D7DF7CBBF.e.29, value=[Ljava.lang.CharSequence;@3b5425e3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536, userDataDir: C:\Users\Dell\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50481}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50481/devtoo, se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (3ddf940c2e6888ad4b40fe743bcc5de9)] -> xpath: //input[@type='password']] Session ID: 3ddf940c2e6888ad4b40fe743bcc5de9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)		
	at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy21.sendKeys(Unknown Source)		
	at pageObject.Login.enter Pass(Login.java:34)		
	at stepDefination.Gmail_Stepdef.user_log_into_application_with_valid_credientials(Gmail_Stepdef.java:34)		
	at ?.User log into application with valid credientials(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/		
	Compose_Functionality.feature:8)		
	* Not displayable characters are replaced by '?'.		