Cucumber Report

| Start : Apr 06, 4:47:43.548 PM	End : Apr 06, 4:47:48.320 PM	Duration : 4.772 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 8

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compose mail feature	4.772 s	2	0	2	0	10	0	2	8

#	Feature Name	Scenario Name
1	*Compose mail feature*	*Successful Login with Valid entries*
2		*Compose mail functionality*

#	Feature Name	T	P	F	S	Duration
1	Compose mail feature	2	0	2	0	4.772 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compose mail feature	Successful Login with Valid entries	3	0	1	2	4.762 s
2		Compose mail functionality	7	0	1	6	0.103 s

Compose mail feature

FAILED	DURATION - 4.772 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	Steps Total - 10 Pass - 0 Fail - 2 Skip - 8
/ 4:47:43.548 PM // 4:47:48.320 PM /			

Successful Login with Valid entries

FAILED	DURATION - 4.762 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2
/ 4:47:43.558 PM // 4:47:48.320 PM /			
Compose mail feature			

#	Step / Hook Details	Status	Duration
1	Given User navigates to the website gmail.com	FAILED	4.746 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "stepDefination.Gmail_Stepdef.driver" is null
	    at stepDefination.Gmail_Stepdef.user_navigates_to_the_website_gmail_com(Gmail_Stepdef.java:32)
	    at ?.User navigates to the website gmail.com(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:7)
	* Not displayable characters are replaced by '?'.		

2	When Enter valid credientials	SKIPPED	0.001 s
3	Then Log in successfully	SKIPPED	0.000 s

Compose mail functionality

FAILED	DURATION - 0.103 s

/ 4:47:43.573 PM // 4:47:43.676 PM /

Compose mail feature

Steps

Total - 7

Pass - 0

Fail - 1

Skip - 6

7

#	Step / Hook Details	Status	Duration
1	Given User click on compose mail and compose window openedt	FAILED	0.083 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy22.click(Unknown Source)
	   at pageObject.Compose_Mail.compose_Mail(Compose_Mail.java:79)
	   at stepDefination.Gmail_Stepdef.user_click_on_compose_mail_and_compose_window_openedt(Gmail_Stepdef.java:64)
	   at ?.User click on compose mail and compose window openedt(file:///C:/Users/Dell/eclipse-workspace/Gmail/src/test/java/feature/Compose_Functionality.feature:14)
	* Not displayable characters are replaced by '?'.		

2	When Add recipients address ie. To , CC (carbon copy) , BCC (blind carbon copy) fields	SKIPPED	0.000 s
3	And Select Formatting Option to change font, make bold & change text color	SKIPPED	0.001 s
4	And Add Subject and Message body	SKIPPED	0.000 s
5	And Attach the file	SKIPPED	0.000 s
6	And click on send option	SKIPPED	0.001 s
7	Then email is successfully sent	SKIPPED	0.000 s